DOCUMENT RESUME

IR 056 384 ED 407 948

Mississippi Library Commission Data Network Specifications. TITLE

Evans Associates, Thiensville, WI. INSTITUTION

SPONS AGENCY Mississippi Library Commission, Jackson.

PUB DATE 10 Jun 96

125p.; Cover title: "Statewide Data Networking Plan for NOTE

Public Libraries. Submitted to Mississippi Library

Commission." Network diagrams may not reproduce clearly.

Guides - Non-Classroom (055) -- Reports - Evaluative (142) PUB TYPE

-- Tests/Questionnaires (160)

MF01/PC05 Plus Postage. EDRS PRICE

*Computer Networks; *Computer System Design; Cost Estimates; DESCRIPTORS

> Design Requirements; Integrated Library Systems; Library Automation; Library Expenditures; *Library Networks; Library Planning; Online Catalogs; *Public Libraries; Shared Library

Resources; Specifications; State Agencies; *Statewide Planning; Technological Advancement; Telecommunications

Connectivity; Equipment Needs; Mississippi; *Mississippi IDENTIFIERS

Library Commission; Network Architecture; Network Management; *Network Models; Technology Plans

ABSTRACT

This document provides a detailed design for the data portion of the Mississippi Library Commission (MLC) public library network. The data network is based on Frame Relay technology, and would provide more functionality at a higher speed than a previously considered dial-in network could. The document is divided into 16 sections: (1) Introduction; (2) Current Environment; (3) Desired Functionality; (4) Network Overview/Cost Summary; (5) Hardware Requirements; (6) Software Requirements; (7) Network Requirements at MLC; (8) Network Topology Options; (9) Equipment at the Endpoints; (10) Personnel Issues; (11) Training Issues; (12) Network Deployment Issues; (13) Network Support Issues; (14) Security and Firewalls; (15) Next Steps; and (16) Attachments. Attachments include a library-by-library breakdown of the proposed network used to determine overall estimated costs for telecommunications lines and library equipment; public and private device IP (Internet Protocol) and WAN (wide area network) addressing charts; router configurations; MLC computer survey and results; diagrams and charts of network connectivity options with cost information; and MLC CD-ROM tower specifications. (SWC)

Reproductions supplied by EDRS are the best that can be made

from the original document. ******************



http://www.evansassoc.com



CONSULTANTS IN COMMUNICATIONS TECHNOLOGY

Statewide Data Networking Plan For Public Libraries

Submitted To:

Mississippi Library Commission



U.S. DEPARTMENT OF EDUCATION Office of Educational Research and Improvement EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)

- This document has been reproduced as received from the person or organization originating it.
- Minor changes have been made to improve reproduction quality.
- Points of view or opinions stated in this document do not necessarily represent official OERI position or policy.

"PERMISSION TO REPRODUCE THIS MATERIAL HAS BEEN GRANTED BY

Jane Smith

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)."

Final Release: Revised June 10, 1996

BEST COPY AVAILABLE





TABLE OF CONTENTS

1.	Introduction	1
2.	Current Environment	1
3.	Desired Functionality	2
4.	Network Overview/Cost Summary	4
5.	Hardware Requirements	6
6.	Software Requirements	10
7.	Network Requirements at MLC	11
8.	Network Topology Options	17
9.	Equipment at the Endpoints	22
10.	Personnel Issues	25
11.	Training Issues	26
12.	Network Deployment Issues	29
13.	Network Support Issues	32
14.	Security And Firewalls	32
15.	Next Steps	33
16.	Attachments	33



Data Network Specifications

1. Introduction

This document and the attached exhibits have been prepared by Evans Associates, Consultants in Communications Technology, representing the consulting team of Evans Associates and The Aegis Group. This document is provided to the Mississippi Library Commission (MLC) in partial fulfillment of our contract to provide telecommunications consulting services to MLC.

In late 1994, the MLC undertook a telecommunications feasibility study with the State Board for Community & Junior Colleges (SBCJC) and the Mississippi Association for Community & Junior Colleges (MACJC). This study concluded that "a significant need and justification (exists) for expanded local and statewide telecommunications initiatives in the State of Mississippi". Based on this need, a combined MLC/college video/data network was designed, based on expansion of the existing Community College Network (CCN). This network was to feature dial-in access by the public libraries, with community college campuses serving as dial-in locations. The dial-in network was seen as a "Phase I" solution which could satisfy the needs of the libraries until the infrastructure for a permanent, dedicated network based on emerging Frame Relay technology could be built by the providers. As part of the design, a network implementation budget of \$29.9 million was detailed; of this amount, \$1.975 million was budgeted specifically for creating MLC's portion of the data and video network. Based on this budget, the Mississippi legislature proposed and enacted a bill which authorizes the issuance of state bonds to procure the funds for building the network.

Since the completion of the report, two factors have fundamentally changed the direction of MLC's efforts. First and foremost, Mississippi's telecommunications vendors (primarily Bell South) have implemented statewide Frame Relay service much more quickly than they had originally indicated, and have offered extremely favorable pricing to state government agencies. Secondly, MLC has elected to delay participation in the video portion of the network until new MLC facilities are completed and occupied, probably in 1998. As a result of these factors, it is now possible for MLC to deploy the "Phase II" data network directly, without creating the "Phase I" network first, and without requiring additional funding. The "Phase II" data network, based on Frame Relay technology, will provide more functionality at a higher speed to the public libraries than the Phase I dial-in network could have offered.

Towards these ends, the following document represents a detailed design for the data portion of the MLC public library network. Although this network is being designed and installed using the funds available from the bonds, it is important to consider that the ongoing cost of the network will need to be borne by the libraries. Therefore, careful consideration has been given to minimize these ongoing costs.

2. Current Environment

The Mission Statement of the Library Commission reads as follows:



Evans Associates/Aegis Group

The Mississippi Library Commission assumes a leadership role to fulfill the information needs of the residents of Mississippi by advocating the development of efficient, effective public library systems and by encouraging cooperation among all types of libraries.

The Commission will continue to take a proactive position to improve the quality of library services by utilizing effective management practices including planning, education and communication. Consistent with state and federal mandates, the Commission commits available resources to provide appropriate services by fairly and consistently applying policies that assure accountability to funding authorities, service providers, supporters and users.

The Mississippi Library Commission (MLC), established in 1926, is an independent state agency created to serve the citizens of the state through their public libraries as well as members of the legislature, state officials, state agencies and state employees directly. MLC also serves state residents with visual or physical handicaps which prevent the reading of conventional print.

One focus of the Mississippi Library Commission is public libraries with cooperative activities with school, academic, and special libraries. There are 45 public library systems with over half (1.2 million) of Mississippi's citizens registered users.

MLC is the primary resource library for Mississippi public libraries. To fulfill this role, the agency has a general collection of 200,000 books, subscriptions to 500 periodicals, 50,000 state and federal documents, over 100 CD-ROMs, and a collection of 5,000 audiovisual titles.

The Commission's assistance to libraries takes many forms: consulting, grants, reference, summer reading club, programming, continuing education, and other services.

The MLC currently uses an IBM RS/6000 server running the Dynix library automation package. This package catalogs and provides access to the MLC's own holdings of library materials. The RS/6000 has dial-in capability using the Dynix "DialPAC" feature. MLC also has two local area networks (LANs) in their building; each runs Novell 4.1 network software and each is connected via Ethernet to the RS/6000. TCP/IP functionality on the Novell LANs is provided by Novell's LAN Workplace product.

3. Desired Functionality

The MLC requires that the data network being created offer the following functionality to MLC employees and to the state's public libraries:

- Full Internet access, including access to the World Wide Web and Internet e-mail.
- On-line in-state access to the Dynix system (and, by extension, MLC's holdings) and to a proposed MLC CD tower by public libraries. Access from Internet to the CD tower is not desired.



- Capability for access to such services as OCLC First Search program.
- Capability for on-line access to the Mississippi Union Catalog (MUC), currently maintained on CD by MLC and updated annually.
- The MLC's holdings (and the MUC as well) will be made available for browse and search to the World Wide Web community.
- Capability for users to fill out and submit on-line Inter-Library Loan (ILL) requests.
- A bulletin board (for event schedules, job postings, etc) for use by Mississippi librarians.
- Capability for on-line access to other state holdings, such as the universities' library catalogs (should the universities choose to make such holdings available).
- Capability to host multiple sets of World Wide Web pages/sites.
- Capability for users to directly download catalog information from MLC or the MUC into ILL requests or their own computerized catalog.

This network will be created by establishing the network server(s) at the MLC's offices in Jackson, and then making those services available to public libraries throughout the state. For Internet access, libraries will pass their traffic to the state's designated Internet Service Provider (ISP) through the MLC connection. The Internet portion of this design has been decided on by the State and MLC. The specific topology of the "downstream" network (i.e. between MLC and the public libraries) will be detailed in Section 8. However, it is important to note here that the MLC will be providing PC computers to the public libraries for use in accessing the network; these PCs will be pre-configured with the necessary hardware and software. Therefore, the hardware and software used at the MLC central site must be chosen and implemented with the thought that compatible software will be going to the public libraries, most of which are staffed by people of limited computer expertise.

It is understood that realizing all these goals will not be the complete responsibility of any one vendor. The creation of this network will require the coordinated contributions of a number of hardware, software, agency, and service providers. The recommendations included in this document are consistent with the objective of open systems development.



4. Network Overview/Cost Summary

This section will provide an overview of the topology and costs of the proposed network. Subsequent sections of this document will provide the additional detail and cost breakdowns necessary to implement the network.

As explained in Section 1, this network will be based on Frame Relay technology. Figure 1 below shows the locations of each Bell South "cloud" hub, and the approximate number of public libraries reachable by that cloud; additional detail on the MLC central site is given in Figure 7:




Figure 1: Basic Network Architecture

Each headquarters (HQ) library acts as a hub for its own branches that use dedicated (leased) lines for network access (smaller libraries will use dial-up access, as explained in Section 8). Private Virtual Circuits (PVCs) will be set up from the HQ to each branch through the local cloud using 56 kbs lines. An additional PVC will connect each branch with the state's Internet Service Provider (ISP). The HQs are connected to the cloud through a 56 kbs line or a T-1 line, depending on traffic estimates. A router will be placed at each HQ and dedicated line access branch.



At the MLC, several new servers will be added to the MLC LAN in order to service the requests which come in via the network from the Internet and from state public libraries. The specification for all of this equipment is provided in this document. These new servers include:

- A Web server to process the World Wide Web requests from public libraries and the Internet;
- An FTP/Mail server to process file transfers and electronic mail:
- A Spectrum computer (not shown in Figure 1) for MLC Help Desk network monitoring;
- A server to drive the proposed CD-ROM tower;
- A database server to allow for dynamic web-page access to other MLC data (to be added to the network in a later phase; see section 12).

Figure 2 gives a summary of the budget for this network. The "Detail Reference" column indicates where in this document further detail may be found regarding the item on each line.

	Install	Recurring	Bond \$	Detail
Item	Cost	Cost/Mo	Budget	Reference
MLC/Network Central Costs:				
MLC Hardware	\$105,800.00	\$1,058.00		Figure 5
MLC Software	\$83,500.00	\$475.00		Figure 5
MLC Network Equip	\$27,146.50	\$401.00		Figure 5
MLC LTE Project Mgr	\$25,000.00			Section 12
Subtotal	\$241,446.50	\$1,934.00	\$100,000.00	
Telecommunications Costs:				
Network Equipment At HQs/Br	\$609,025.50	\$4,135.00		Figure 15, Page 6
Dedicated Lines	\$23,930.00	\$25,289.75		Figure 15, Page 6
Dialup Lines	\$8,370.00	\$6,772.50		Figure 15, Page 6
Subtotal	\$641,325.50	\$38,131.25	\$1,116,500.00	
Computer Equip At HQs/Br	\$750,000.00		\$750,000.00	Section 9
Contingency Fund	\$333,728.00			Section 4
TOTAL NETWORK COST	\$1,966,500.00	\$40,065.25	\$1,966,500.00	

Figure 2: Network Cost Summary

The cost summary (Figure 2 above) has been constructed to account for all of the money allocated to this project via the state bonds. The difference between the calculated cost of the proposed network and the bond dollars budget is contained in the "Contingency Fund" entry in column one.



Data Network Specifications

These cost projections cover all known cost areas involved in the creation and operation of this network with the exception of the following:

- 1. Firewall costs (see Section 12);
- 2. Costs to attach library systems' LANs to network (see Section 9);
- 3. Internet access charges (not known at this time);
- 4. CD-ROM tower/server (to be financed outside of this budget)
- 5. Class C license registration fees, if any (see Section 7)

5. Hardware Requirements

Web/Database Server Discussion

The sizing and deployment of server hardware (and software) is dependent on the strategy chosen to provide access to information. Two strategies are available:

Exclusively via Web Server: Under this strategy all information that needs to be made accessible has to be created and organized into Web pages with appropriate links for navigational purposes. Web pages on the server are static and any change in the content would require updating, reformatting, and refreshing of the Web server documents. This process can be time consuming and is dependent on the type and the amount of information on the Web Server and the frequency of changes made to the content. See Figure 3.




Figure 3: Web Server Only

Use of Web and Database Server: This approach allows creating and storage of static as well as dynamic Web pages. Depending on the information type requested, HTML pages can be retrieved from the Web server or created "on the fly" from data retrieved in real time from a database on the Database server (see Figure 4). Additionally, this strategy allows for the use of form capability available in browsers. Forms capability could:



Data Network Specifications

- * Allow MLC to provide search and retrieval capability where search parameters can be entered by users with results retrieved from the database sent as Web pages.
- * Allow MLC to create data entry forms that libraries can use to fill out requests (e.g. inter-library loan, substitute for fax, etc.) and transmit. Information from the forms can be stored in the database and further automated processing can be performed with the ability to provide various types of reporting.




Figure 4: Web/Database Servers

A Web server exclusive strategy would suggest a hardware configuration with large storage capacity on the Web server, whereas using a combination Web and Database server strategy, the storage capacity is split between the Web server and the Database server.

The Web/Database combination strategy provides significant flexibility and is therefore highly recommended. However, it is felt that the initial implementation of the network can be done with only the Web server; the Database server should be added later in the implementation cycle (see Section 12).

Detailed Hardware Specifications

The following specifications are provided for the needed network hardware. Refer to Figure 1, "Basic Network Architecture".

• An Internet World Wide Web server (which also includes DNS service): single-processor Pentium PC, at least 1.5 GB of hard disk space, 32 MB memory, CD-ROM drive, and DAT tape unit.



Data Network Specifications

- A computer which functions as the MLC's database network server will be required.
 This computer will be the unit which will house and allow access to the databases not already present on the Dynix system, and should be equipped with:
 - A Pentium processor, with a clock speed of at least 166 MHz. The computer should have the capability for the addition of multiple processors in the future, to a total of at least four. Sun or other processors could be substituted for the Pentium, with no loss in functionality or compatibility. However, it is felt that Pentium/Windows NT platforms are lower in price, provide greater choice of third-party software, and are generally easier to support. Additionally, there is a greater availability of Pentium/NT support skills in the workforce. If these issues are adequately addressed by MLC, then other platforms for both the database server and the Web server may be considered.
 - A minimum of 64 MB of memory for each processor.
 - A media retrieval storage device which features multiple, mirrored plug-in disk drives of at least 2 GB each.
 - A DAT-format tape backup unit of at least 8 GB capacity.
- An FTP/electronic mail server: same specifications as the Web server above.

Note: Separate servers for databases, Web activities, and FTP/mail have been recommended as outlined above. Although it is technically possible to run all these applications on a single server, lack of specific performance and traffic volume data for the projected network makes this inadvisable. Installing separate servers allows maximum flexibility and room for expansion, and prevents a potential bottleneck in the network.

• CD ROM Server/Tower which holds at least 100 discs. Must support TCP/IP protocol and allow access through a Web browser. Also, the tower hardware/software must allow access control to the level of individual discs by user ID; this is needed in order to address CD licensing concerns. MLC has indicated that the CD ROM Tower will be purchased with funds outside of the budget of this project. Accordingly, the cost for this unit is **not** reflected in this document's project budget. More detailed specifications for this unit have been previously provided to MLC, and are given in Attachment 5 of this report.



Data Network Specifications

• A router management computer. MLC desires to purchase the Spectrum software package (see following section) and thus will be purchasing a hardware platform on which to run this package. The consulting team agrees with this decision.

Prices for the above hardware are given in the following chart.

Item	Number Needed	Estimated Price	Extended Price	Monthly Maint
Hardware				
Database Server Computer	1	\$15,000	\$15,000	
Web Server Computer	1	\$8,000	\$8,000	
FTP/Mail Server Computer	1	\$6,000	\$6,000	
Spectrum Computer	1	\$15,000	\$15,000	
Dial-In Modems	8	\$250	\$2,000	
MLC Learning Lab PCs	16	\$2,800	\$44,800	
Learning Lab Equipment/Furn	I	\$15,000	\$15,000	
Hardware Subtotal			\$105,800	\$1,058
Software				
Windows NT Server	3	\$1,000	\$3,000	
SQL Server	1	\$2,000	\$2,000	_
Web Server Software	1	\$500	\$500	
Spectrum 3.0 Net Mgmt	. 1	\$38,000	\$38,000	\$475
Spectrum Install/Configuration	1	\$5,000	\$5,000	
Custom: SQL<>Web Link	1	\$20,000	\$20,000	
Dynix/Internet Interface	1	\$15,000	\$15,000	
Software Subtotal			\$83,500	\$475
Network				
CSU/DSU	3	\$2,000	\$6,000	\$30
4500 Router	1	\$15,710	\$15,710	\$0
Dial-In Lines	8	\$135	\$1,080	\$336
2500 Router For Dialin Lines	1	\$4,357	\$4,357	\$35
Network Subtotal			\$27,147	\$401

Figure 5: Needed MLC Equipment Price Detail

• Capacity Estimates: it is estimated that the database and Web servers as described above will be able to handle 30 to 40 simultaneous accesses. Note that this is **not** the same as a capacity of 30 to 40 simultaneous **users**; Web access, for example, involves bursts of heavy information download followed by seconds or minutes of the user reading what is on their screen. Specifying 30 to 40 simultaneous accesses means that this number of users actually request information from the server at the same moment. Thus the capacity of the network in terms of simultaneous **users** will be significantly higher; an actual value would depend greatly on what activities the users were requesting. The traffic on the e-mail, router management, and dial-in routers is deemed to be sufficient to handle all of the devices connected on the network.



Data Network Specifications

6. Software Requirements

The following network and system software is recommended, and is based on the use of the Windows NT platforms recommended above. If other platforms (such as Sun or Silicon Graphics) are chosen, then similar software will need to be substituted:

- Windows NT Server software for the server computers. This software comes bundled with TCP/IP and DNS support. NT Server has been specifically designed for server and network applications, and is ideally suited for the tasks which MLC desires to implement.
- Database software for the database server. Recommended: SQL Server software with which a Web server can interact, such as Microsoft SQL Server or Oracle.
- Web server software, such as is available from Netscape, Spry, O'Reilly, Process Software, or Frontier Technologies. Microsoft announced in December, 1995 that Windows NT Server will include Web server capability at no additional cost.
- Software to manage the router environment will be required. As noted above, MLC has evaluated several packages and has selected the Spectrum package from Cabletron. This package has been selected by MLC partly because it performs multiple functions using a single database; in addition to router management, the package will allow MLC to track hardware inventory and provide better "help desk" functions. The consulting team supports this selection.
- MLC will require some custom software development to interface the Web server with the database server; in other words, this effort will be required to allow users to search for and display information in the databases, probably using Web forms and queries. This work can be done by a third-party software developer. Linking of the Web server to the database server may, however, also be done using connectivity software provided by many third party vendors. Microsoft has announced that its Internet Information Server (Web Server) will integrate with the Microsoft SQL server (database server) at no additional cost. Forms development is done using internal resources or can be contracted to third parties.. The level of effort and resource required is a function of the complexity of the application being developed.
- Internet browser and mail software for the client (user) PCs. The recent releases of Web browser software (such as Netscape 3.0) also support electronic mail. Other software provided by the ISP can also be added to access newsgroups. No cost is budgeted for the browser, as most (including Netscape 3.0) are free to public



libraries. If MLC should desire to provide "screening" software to inhibit certain Internet functions, this should also be discussed with the ISP.

- Software to interface the Dynix system to an Internet interface. This software is available from Dynix and will reside on the Dynix server. If desired, restricting access to this function to the state's public libraries connected to the network (i.e. keeping general Internet users from this function) can be accomplished through the router and/or restrictions programmed into the Web server software.
- Prices for the above software are given in Figure 5.
- If MLC decides to implement a bulletin board function, this can be accomplished through software readily available from vendors/packages such as Galacticom and Mustang BBS. This software should reside on the mail server.

7. Network Requirements At MLC

Evans Associates/Aegis Group

- A Cisco 4500 router with 4 serial and 4 ethernet outlets (to connect to MLC's other servers).
- Three T-1 connections to the Jackson Frame Relay cloud to support traffic to/from the libraries and to/from the Internet.
- Each T-1 line will require a CSU/DSU (modem) unit at MLC.
- Prices and exact specifications for all network routers and CSU/DSUs are given in Figure 6 below:
- A blueprint form MLC's hardware and network connections is given in Figure 7.



Revised June 10, 1996

Data Network Specifications

Location Type	List	Discounted	<u>Maint.</u> (Monthly)
Branch Library (Router Model 1005)			<u> </u>
Cisco 1005 Ethernet/Serial	. \$795	\$600	\$15
IP/IPX Feature Set	\$1,000	\$700	
V.35 Cable	\$100	\$100	
Installation	\$200	\$200	
Total	\$2,095	\$1,600	·
HQ Library (Router Model 2501)			
Cisco 2501 Ethernet/Dual Serial	\$995	\$697	\$25
IP/IPX Feature Set	\$1,600	\$1,120	• -
8 MB Memory	\$1,000	\$700	
V.35 Cable	\$100	\$100	
Installation	\$200	\$200	
Total	\$3,895	\$2,817	
MLC (Router Model 4500)			
Cisco 4500 Modular Chassis	\$6,000	\$4,200	\$105
4 Ethernet Ports	\$6,000	\$4,200	Ψίος
4 Serial Ports	\$4,600	\$3,220	
Enterprise Feature Set	\$3,200	\$2,240	
16 MB Memory Upgrade	\$1,500	\$1,050	
V.35 Cables (3)	\$300	\$300	
Installation	\$500 \$500	\$500 \$500	
Total	\$22,100	\$15,710	
MLC (Access Server Model 2511 For Dialup	l ines)		
Cisco 2511 Ethernet/Dual Serial/16 Async	\$2,095	\$1,467	\$35
Remote Access Server Feature Set	\$2,000	\$1,400	φυσ
4 MB Memory	\$700	\$490	
RS232 Cable	\$800	\$800	
Installation	\$200 \$200	\$200	
Total	\$5,795	\$4,357	
CSU/DSU (per site)			
Branch Library: GDC 553 w/ remote mgmt		£1.000	
HQ (see Notes) - 56 kbps: GDC 553 w/ RM	•	\$1,300	\$5
MLC - T1: GDC 554	•	\$1,300	\$5
M20 - 11, 000 334	•	\$2,000	\$10
<u>Vote(s)</u>			
 List Pricing from Cisco Price List dated Septe Pricing for Model 1005 received verbally from Discount of 30 percent assumed. Cables have HQ locations with 2 - 56 kbps circuit should a another V.35 cable and another \$1000 for ar CSU/DSU equipment and maintenance cost Taxes and shipping are extra. 	n Cisco. ve not been dis add another \$1 n extra 56kbps	counted. 00 for	

Figure 6: Router/CSU/DSU Costs And Specifications



Data Network Specifications




Figure 7: MLC Site Installation Blueprint

IP Addressing

In order to properly route and manage the network, Internet Protocol (IP) addresses are needed by:

- Local Area Networks (LANs),
- Devices on the LANs,
- Wide area network (WAN) point to point serial links provided by the Bell South frame relay network, and
- Network devices (e.g. CSU/DSUs).

Two IP addressing strategies - public IP addressing and private IP addressing - are described below, along with advantages and disadvantages of each. Specific, detailed IP addresses for MLC member libraries are given at the end of this document in Figure 16 (device IP addresses) and Figure 17 (WAN IP addresses) for both schemes.



Data Network Specifications

<u>Public Addressing</u>: This method uses the Internet-provided Class C addresses. Under this scenario the first 3 bytes of a 4 byte IP address are pre-allocated to each district by the assignor, with the definition of the fourth byte under local control (but specified in this document). Under this addressing strategy MLC would acquire one Class C address for each HQ. This address can be segmented and shared between the HQ and its branches. This would be done by dividing the fourth byte of the HQ's Class C (C.C.C.X) address as follows:

X = xxxx yyyy where xxxx represents subnets and yyyy represents devices on a subnet.

This allows for 16 subnets and 14 devices per subnet (Device 0 and 15 are special addresses and not available). Assigning the subnet number to building numbers (HQ is building number 1, branch libraries are assigned building #'s 2, 3,), 15 buildings per Class C address could be supported (subnet 0 is not assigned). If there are more than 15 buildings per HQ, then a second Class address would have to be assigned to the HQ.

Of the 14 available devices per subnet, device id 1 is assigned to the Ethernet port on the router and device id 2 is reserved for a LAN server. Device ids 3 through 14 are available for PCs, network printers, and additional servers that need IP address. Multiple subnets would have to be assigned to a building if there are more than 14 devices that need IP addresses.

The following formula can be used to assign the address ranges for the LANs and devices at the branch libraries and the HQs. As mentioned earlier the first address is used for the Ethernet Port and the second address is reserved for a LAN server.

X = (Subnet #*16+1) to (Subnet #*16+14) where Subnet # is the same as the Building #

Subnet Mask = 255.255.255.240

Using the formula, Figure 16 lists address assignments using Class C addressing strategy. Please note that C# represents the first 3 bytes of the Class C address and is pre-assigned.

In addition to addressing the LANs and the devices on the LAN, the wide area links that connect the HQ locations to the branch libraries and the MLC need addresses for routing purposes. The wide area links are represented by the permanent virtual circuits (PVCs) provided via the Bell South frame relay network. Using the public addressing approach, another Class C address (CW.CW.CW.Y) for each HQ has to be assigned and subnetted as follows:

Y = xxxxx yyy where xxxx represents subnets and yyy allows for 6 devices per subnet.

Subnet Mask = 255.255.255.248



Data Network Specifications

Each subnet would represent the serial link connection (2 device id - one per each end) and device ids 3 and 4 can be allocated to the CSU/DSUs that connect to the serial ports. The Class C address can be more efficiently used if SNMP CSU/DSUs are not used. In this case, six bits can be allocated for subnetting instead of five bits allowing support of 64 serial connections per Class C address and 2 device ids per subnet.

Using five bit subnetting the following rules may be used to assign the address for serial links and the CSU/DSUs:

- 1. Subnet 1 assigned for connection to the MLC
- 2. Subnets 2, 3.... assigned for serial links to the branch library using building numbers.
- 3. Device id 1 assigned to distant end of the serial link as viewed from the HQ site.
- 4. Device id 2 assigned to the serial link at the HQ end.
- 5. Device ids 3 and 4 assigned to CSU/DSUs if needed.

Using the above rules, addresses can be assigned for the serial connections by using the following formula:

- 1. Serial sub-interface from branch library to HQ: Y = (Bldg#*8)+1
- 2. Serial sub-interface from HQ to branch library: Y = (Bldg#*8)+2
- 3. CSU/DSU at branch library end:

Y = (Bldg#*8)+3

4. CSU/DSU at HQ end:

Y = (Bldg#*8)+4

- (Note: This address needs to be assigned only once.)
- 5. Serial sub-interface from MLC to HQs: Y = (1*8)+1 = 9
- 6. Serial sub-interface from HQs to MLC:

$$Y = (1*8)+2 = 10$$

7. CSU/DSUs at MLC:

$$Y = (1*8)+3 = 11$$

(Note: This address needs to be assigned only once for each DSU/CSU.)

Using the above formula, Figure 17 lists address assignments using Class C addressing strategy. Please note that CW# represents the first 3 bytes of the Class C address used for WAN serial links for each HQs.

<u>Private Addressing</u>: Using this strategy, a private Class A address structure unique for MLC can be developed. The first byte of the 4 byte IP address is assigned a private network address of 10. The remaining three bytes are then available for allocation as deemed fit. The three bytes available can be allocated as follows:

10.S.B.X where 10 is the private network number,

S is the library system number plus 99,

B is the building #,

X ranges from 1 to 254 as device ids with device ids 1 & 2 reserved

for the Ethernet port and the LAN server.



Subnet Mask = 255.255.255.0

Under this scenario 155 library systems can be supported (S ranges from 100 - 254), 255 buildings or LANs can be supported per library system (B ranges from 1 to 255), and 254 devices can be supported per building or LAN (X ranges from 1 to 254). Figure 16 lists the address assignments using the above private addressing strategy.

Wide area links can be addressed by using an address of 99 for the second byte. The third byte can be uniquely assigned to each library system. The fourth byte can be subnetted as was done in the public addressing approach. The following is an example:

10.99.S.X where S is the system number,
X is calculated as (Bldg#*8)+1 for serial link at branch end,
(Bldg#*8)+2 for serial link at HQ end, 9 for the serial link end at
MLC, and 10 for the serial link at the HQ end for MLC connection.

Figure 17 lists the WAN link addresses using the above formula for private addressing.

<u>Selecting Between Public and Private Addressing:</u> MLC could choose to implement either of the addressing schemes or a combination of both. Selecting one does not preclude the use of the other at a later time. The choice is dependent on address availability, connectivity needs, network size, performance and security needs, and availability of support staff.

Public addressing requires acquiring Class C address. This can be accomplished by requesting it from the ISP or InterNIC and providing appropriate documentation. Use of public address requires no translation when communication takes place outside the library environment.

Given the mission of libraries, it is possible that HQs may want to connect to Internet via multiple means (e.g. Universities, other Library Consortiums, School Districts, etc.) in addition to using the MLC connection. Use of public addresses makes it easy to do so without requiring translation at the HQ or at the other end of the alternate connection or requiring that a PC have multiple IP addresses to directly access the Internet via these multiple methods. Access flexibility is retained with Class C addressing.

Administration and management of public addressing scheme is somewhat easier than using a private scheme. It does not require support for address translation. Newly hired staff are likely to be familiar with public addressing rather than private addressing.

There are benefits with private addressing. It provides a larger address space and more flexibility in address assignment. It avoids the need to acquire addresses from a third party.



Data Network Specifications

Private addressing requires a central point for translation from private to public addresses and back when traffic moves between Internet and the library network. This could create a bottleneck and potential for performance problems. Translation of addresses can be managed and supported by the MLC staff or by the ISP. It is not entirely clear whether the ISP provides this service. In the event they do, there is likely to be an additional charge for the service. Some risk exists if the State changes the current ISP and the new ISP does not provide translation services. If the current ISP does not provide translation services then the MLC staff will need to manage both private addressing scheme and the tables and configuration data needed for translation.

It is perceived that private addressing provides some measure of security since addresses are unique and proprietary (not easily available). While private addresses are difficult to access, the translation service does not guarantee security if the private address is known externally and access to translation process is possible. Additional firewall functions would need to be added to assure a higher level of security. Similar firewall functions can also be added when using public addressing.

While there is no dominant reason (e.g. State standard) to select one or the other addressing scheme, it is recommended that MLC consider using public addresses. The recommendation is made because of its ease of administration, no requirement for centralized address translation and attendant performance issues, and access flexibility. Class C addresses can be acquired with appropriate documentation. This report provides the information needed to apply for the addresses.

Router Configuration(s): The routers at branch libraries, headquarters, and the MLC would have to be configured appropriately based on the addressing scheme selected by the MLC. A sample configuration is included at the end of this document as Figure 18, and uses the public addressing scheme. The configuration can easily be changed to accommodate the private addressing structure.

The sample configuration uses static routing, given there is single route between the libraries and the HQs and MLC. No bandwidth is used for routing update overhead.

8. Network Topology Options

The consulting team identified three options for connecting the public library endpoints with the MLC in Jackson. These options were evaluated with ITS in order to maximize efficiency and workability while minimizing costs. All of these options assume the network will be built within the framework of the Bell South Frame Relay environment currently being installed in Mississippi (see Figure 1).

Given the overall telecommunications environment in Mississippi, it is not recommended that MLC pursue vendors other than Bell South. The committed relationship between Bell South and the



Data Network Specifications

State combined with the very favorable pricing for lines received from Bell South is the basis for this recommendation.

The networking options are explained below, along with features/comments; each is pictured in Attachment 3:

Option 1: Headquarters Location As Switching Hub

In this option, each headquarters (HQ) library acts as a hub for its own branches. Private Virtual Circuits (PVCs) go from the HQ to each branch through the local cloud using 56 kbs lines; the HQ are connected to the cloud through a 56 kbs line or a T-1 line, depending on traffic estimates. This option requires that a router be placed at each HQ and branch. Comments on this option:

- Each library system is independent; problems at one HQ location should not impact others
- Requires one PVC connection from each HQ to MLC, at a slightly higher cost (\$2 per month per PVC)
- Some HQ locations may require bigger router and higher bandwidth access link to the Frame Relay, at higher costs

Option 2: Single Switching Hub Per Cloud

In this option, each branch and HQ library is connected via a PVC to a single hub point for each of the Bell South clouds. This requires a larger router at the cloud sites. Comments on this option:

- Requires fewer PVC connections from each cloud to MLC
- Requires one large router per Frame Relay cloud instead of more smaller ones result in some cost savings
- Support can be centralized per cloud
- Failure at switching hub impacts all libraries connected to that cloud
- Provides better utilization of access link; all locations use 56 kbs access and switching hubs use T-1 access
- Traffic between HQ and its own branches has to flow through switching hubs



Data Network Specifications

Option 3: Centralized Switching In Jackson

In this option, each branch and HQ library is connected via a PVC which travels all the way to Jackson, where all switching is done.

- A single point of failure (MLC) exists for all locations
- MLC is a *potential* performance bottleneck; traffic from a library must go to MLC before reaching any destination, including its own HQ
- Routers at branches and HQs are the same (for easier support)
- All locations access the network via 56 kbs circuits, resulting in lower network costs
- Support for complexity is centralized at MLC

A detailed analysis was undertaken which detailed the equipment necessary for each option (see Attachment 4). This analysis showed that the difference in cost among the three options is relatively small. Given this fact, the consulting team has selected **Option 1** as the recommended topology for the network. All of the costs presented in this document assume a network created per this option.

Figure 14, "Frame Relay Network Cost Worksheet" details the specific configuration of this network. Basically, each branch assigned a dedicated line is connected to its HQ through a 56 kbs Frame Relay connection. Branches assigned a dial-in line are discussed below. Branches served by a different cloud than that which serves the HQ are routed to their local cloud. Nine HQs with more than 8 branches are assigned two 56 kbs lines to their cloud instead of one. Inter-cloud links ranging from one 56 kbs line to a full T-1 are proposed, depending on anticipated traffic. A more detailed explanation of this spreadsheet is given in Section 16.

Dialup Versus Dedicated

In evaluating dial-up scenarios, several alternatives were examined:

- Having branches dial their HQs for network access;
- Having all branches dial MLC in Jackson through state 800-line service;
- Having all branches dial MLC in Jackson through standard state business line rates.



Having all branches dial directly into their local Frame Relay cloud.

Among the first three options, having all dial-up lines go to Jackson is recommended because the cost difference between this option and the others is only a few pennies per minute, and support for dial-in users (and equipment) would be much easier at MLC than distributed out among the HQs. It is not advisable to have HQs be responsible for supporting dial-in lines to their location due to possible personnel shortages and/or lack of telecommunications networking experience at the HQ locations.

An extensive analysis of the costs to create and operate a "dial into MLC" environment using standard state business-line rates was conducted. Branch libraries with anticipated low usage were identified, primarily by their being open less than 20 hours per week. Fifty-one such libraries were found. Another fifteen sites were specified for dialup access because they are served by local telephone companies (i.e. not by Bell South) and their dedicated connections would be very expensive compared to Bell South sites¹. The cost analysis shows that MLC would actually save very little money using this topology; in fact, the monthly cost of a dialup line would be more than the cost of a dedicated 56 kbs line if usage exceeded 30 hours per month.

Another factor in deciding dial-up use is that many of the local voice-grade lines in Mississippi will not support 28.8 kbs operation. This means that users dialing on such lines will see their modems drop to 14.4 kbs connections. This speed is considered to slow for effective network operation.

Having branches dial directly into their local Frame Relay cloud is deemed to be the only viable long term dial-up environment worthy of consideration. However, this service is not yet offered in Mississippi, although Bell South does offer the service in other states and anticipates making this service available in the hear future. This situation will require close monitoring by MLC. A final decision on whether to have some branches use dial-up technology (by dialing directly into the cloud) can be re-evaluated in 1996, as the recommended timeline shows that the branches are not to be connected until 1997.

Apart from all the above practical considerations is the fact that branches will be required to pay their own recurring (i.e. monthly) telecommunications charges, and many branches cannot afford the cost of a dedicated line. For these branches, the choice is limited dial-up access or no access at all. The following two figures show the relationships between hours of use and cost for both dedicated line access (using the lowest Bell south figure of \$127 per month) and dial-up use (assuming dialing into MLC using state business rates). These charts show that the "cross-over

¹The nineteen sites were assigned dial-up install/monthly charges at the same rate as the Bell South sites. However, it is likely that their actual dial-up charges (including the \$.07 per minute usage rate) would also be substantially higher than Bell South's state rates. In this event, it could still be true that the dedicated line to these libraries, although expensive, could remain less costly than dial-up.



Evans Associates/Aegis Group

Revised June 10, 1996

Data Network Specifications

point" at which a dedicated line's cost equals dial-up costs is 30 hours per month if an existing telephone line is used and 20 hours per month if the branch installs a new telephone line.




Figure 8: Network Cost Per Hour Verses Hours Of Use



Data Network Specifications




Figure 9: Total Monthly Cost Versus Hours Of Use

As mentioned above, 66 libraries have been designated as using dial-up circuits for network access. These libraries were so designated either because they are open less than 20 hours per week or because they are located in areas where dedicated line access would be prohibitively expensive. The recurring (monthly) costs assigned to each of these libraries is calculated based on an assumption that the library will be dialed into the network for one-quarter of the hours it is open to the public.

MLC will require dial-in facilities apart from the needs of the branches, in order to support telecommuting and remote network management. The cost of these lines and the associated equipment is reflected in the cost figures of this document.

9. Equipment At The Endpoints

The budget for the bond sale proceeds financing the creation of this network includes \$750,000 to be used for the purchase of PCs to be placed in the libraries. This amount is over and above the money allocated for networking hardware/software, and was based on the parameters of spending \$3,750 to equip 200 locations.

It is recommended that each library PC have the following specifications:



Data Network Specifications

- Windows '95 PC, Pentium processor or better
- Minimum 16 MB memory, 500 MB hard disk space
- Color SVGA monitor, 15" or larger
- Network adapter card for connection to router (dedicated line locations) or 28.8 Kbs data modem (dial-up locations)
- Sound card and speakers; one CD-ROM drive
- At least 1 MB on-board video RAM

Libraries with existing PC networks will require a network card compatible with their existing networks; the cost for such a card (about \$100) is not included in this project budget, and would be the responsibility of the affected library. Such libraries may also require a larger router than the unit budgeted for this purpose. In either case, libraries intending to connect more than one PC to the network must obtain MLC approval for the additional endpoints, and for the connection of additional equipment to the network.

The PCs should be purchased with Windows '95 preloaded. Windows '95 includes the necessary TCP/IP support required by the network. Before deployment, the PCs will need to be updated with the chosen Internet browser and mail reader (such as Netscape 3.0 or some subsequent version), unless Windows '95 becomes bundled with such software in the future. Other software may be necessary, such as WinShield protection software for public access PCs. Telnet software is highly recommended; this will allow users to access ASCII (non-graphical) hosts.

It is very important that MLC establish a policy with respect to allowing the libraries to add other software to the network PC. The installation of some software could interfere or conflict with the network hardware/software, and should only be done if approved by MLC. MLC will not guarantee support for PCs to which unauthorized software and/or hardware has been added. In addition, the MLC will be unable to support authorized add-ons to individual systems.

In addition, it is recommended that each library be given a choice of receiving a FAX machine or a laser printer, according to each library's needs. For the purposes of this choice, it should be assumed that the FAX machine and the printer are of equal cost.

As indicated earlier, each branch connected to the network via a dedicated line must be equipped with a Cisco 1005 router and a GDC 553 CSU/DSU. It is critical that these devices be capable of



Data Network Specifications

remote management. HQ libraries will receive a Cisco 2501 router and one (or two) GDC 554 CSU/DSU(s).

At the library, it is recommended that all equipment be powered from a single power strip which features surge protection and a single on/off power switch.

If any of the libraries wish to connect additional PCs to the network, this can be done through the use of simple, inexpensive wiring hubs into which both the router and the PCs would connect. Simple, five-port twisted-pair hubs cost less than \$100. Note: no money for connecting additional branch/HQ PCs to the network have been allocated in this project budget. Any PCs or other network hardware/software added by system libraries must be approved beforehand by MLC Automation Services.

It is **not** recommended that individual printers at the HQs or branches be connected to the network as network devices. Aside from the fact that network printers take up an IP address (see Section 7), adding a printer to the network should be done only if remote printing is done (i.e. it is necessary to route materials from one network location directly to another location's printer). Given the other document routing capabilities of this network (e-mail, FTP, etc), this functionality is not seen as required. Rather, local printers should be connected either to the local branch PC via its parallel port or, if present, via a Local Area Network print server.

Conceptual local connection diagrams are shown in Figures 10, 11, and 12.




Figure 10: Dedicated Line Connection (Single PC)



Data Network Specifications




Figure 11: Dedicated Connection (Network)




Figure 12: Dial-Up Connection

10. Personnel Issues

As of this writing, MLC has added three staff members who will have primary responsibility for the proposed data network. Among the functions assigned to these positions are telecommunications network responsibility, Webmaster responsibilities, and network support (help desk) responsibilities. These staff additions are seen to be adequate for the initial operation period of the proposed network. In order to get the network installed and running, however, it is recommended that MLC hire a limited-term employee or consultant to oversee the network installation (see Section 12). Once the network is fully operational, additional network support staff may be required as the population of devices, the use of the network, and the amount of MLC information offered on the network all increase.

The MLC network has been designed so that additional personnel at the HQs and branches will not be required.



Data Network Specifications

11. Training Issues

User training will be a critical issue in the overall success of the MLC network. The following specifications for the user training provided to public libraries follows:

Who should be trained: at least two representatives from each library (branch and HQs). These representatives should be the personnel who will actually use the network the most. It is not advisable to confine training to HQ personnel and then depend on them to train the branches.

When training should take place: <u>after</u> a library's computer and network lines/equipment are in place and ready to use, or as close to this date as possible. The training will not be effective if there is any delay between the receipt of the training and the actual use of the network at the library.

Where training should take place: it is recommended that the training take place Jackson whenever possible. In support of this effort, it is recommended that a PC training lab be set up at MLC for hands-on training sessions. This lab can also be used to test and configure the PCs to be placed in the libraries. The lab PCs should be connected to the network so that lab PC users will experience exactly what they will see when they return to their home libraries. The cost for this lab has been included in the MLC equipment costs shown in Figure 5. The stated cost includes lab PCs, and also includes an amount for "equipment and furniture". The latter amount is meant to cover a screen projection device, a screen on which to project the image, and tables for the workstations.

On an ongoing basis, it is inevitable that MLC will be asked to provide one-to-one onsite training at the libraries. This should be handled on a case-by-case basis. Given that onsite training should not be done before a library's computer is attached to the network, this training could be done using the library's own PC. MLC may wish to consider the purchase of one or more laptop computers for cases where a library is visited that does not have a working network station; these laptops would require a 28.8 kbs modem for dialing into the network, and should have color monitors. Required software would include a web browser (such as Netscape) and dialup WINSOCK software, all of which can be downloaded from the Internet at no cost. Such laptops are estimated to cost about \$3000 each. The purchase of laptops is not reflected in the project budget.

Who should conduct the training: as much as possible, the training should be done by MLC personnel to the extent that these personnel have a reasonable amount of presentation skills. Specifically, the MLC Network Manager should provide the network training, and the person responsible for the Help Desk should provide the troubleshooting and problem escalation portions of the training. Anyone familiar with PCs can provide the basic, introductory portions of the program. If MLC deems that their personnel do not possess the required presentation or teaching skills, then an outside agency should be retained to conduct the training at MLC.



Data Network Specifications

User Training Outline: It is recommended that all network users be given two days of training.

Day One, Morning Session

The first session of the first day would be devoted to concepts for users who have never used a computer before; this session may be skipped for more experienced PC users. This session, anticipated to last 3 hours (one-half day), would include:

- How to power on the PC and monitor;
- Windows '95 basics: how to use a mouse (left button, right button, double-clicks); opening/closing windows and boxes; finding files and programs; using the "Start" bar; opening multiple windows and switching between them; using pull-down menus. setting user/desktop preferences.
- Basic computer troubleshooting; restarting the computer; most common problems
- Using the CD-ROM and floppy discs; accessing/transferring files to/from discs; saving information; performing backups; protection from viruses.

Day One, Afternoon Session

- Basic telecommunications principles: identification of components (router, CSU/DSU), indications given during normal operation (lights, etc).
- Basic networking principles: defining the frame relay environment; dial-up versus dedicated lines; the principle of packet networking; IP addressing; the role of the router.
- Establishing network connection. For dial-up users, this means initiating the telephone call to MLC, while for dedicated users the network should always be available. It is recommended that all users be exposed to training on both types of connects.
- Logging into/out of the network; operation of network menus; overview of available services.

Day Two, Morning Session

• Explanation of what Internet is (and isn't); components of the Internet (World Wide Web, discussion groups, electronic mail).



Data Network Specifications

- Use of the Internet browser for Internet access and MLC database access; using Web forms and setting user preferences; hyperlinks; searching the Internet; setting bookmarks; common resources useful to libraries.
- Accessing the Dynix system and other MLC applications.
- Time for "exploring" and net surfing.

Day Two, Afternoon Session

- Configuring the e-email program: users should be given their e-mail addresses, and be led through configuring their e-mail browser.
- Composing e-mail; maintaining address book; sending messages; receiving messages; setting up file cabinets; replying to messages; forwarding messages; practice session where students send mail to one another.
- E-mail etiquette.
- Network support issues: common problems and their solutions; how to report a
 problem; escalation procedures; how to best assist the Help Desk in troubleshooting
 problems.

At the conclusion of the training, each participant should be given a notebook of training materials, including "quick reference" cards summarizing network operation and basic troubleshooting procedures.

The complete, detailed training program should be started immediately. Training materials and procedures should be tested during the HQ pilot phase (see following section) and appropriate revisions made during the course of the network deployment. If possible, it is recommended that early training sessions be videotaped so that careful analysis and improvement of the classes may take place. After the entire network is operational, it is assumed that the training program will need to be continued as new library personnel and new network applications are continually added.

Training For MLC Employees: Help Desk (and possibly other) MLC employees will require training for all hardware and software purchased for the network. It is recommended that this training be procured, where possible, from the vendor(s). For example, training on the Spectrum system should be obtained from the Spectrum vendor. Less specialized training, such as for Windows NT, HTML page authoring, TCP/IP network management, etc, should be obtained through outside courses selected from state-approved lists of third-party training providers.



Other Types Of Training: there are some types of training which MLC should not offer until after the network is operational and the public libraries have all been trained on basic network operation. These additional training topics may then be considered for offer to the public libraries by MLC.

- Advanced data networking: creating a LAN in a branch or HQ library; interfacing the LAN to the network.
- Training the public to use the network.
- How to create/maintain/update a home page on the Web.

12. Network Deployment Issues

The proposed network, while completely feasible and of sound design, is nevertheless quite complex and will require careful implementation. It is recommended that a "top-down" method be used; that is, the central site (MLC) must be equipped and made operational before the "downstream network points" (i.e. HQs and branches) are added. The basic implementation steps are:

- 1. Work with ITS to approve the plan constituted by this document. Continue to monitor the process by which the bond money (necessary to fund network startup) is released.
- 2. Install/configure all network hardware and software at MLC, with the exception of the Database server and associated software (see Figure 13). The items to be installed include the Internet link, the main T-1s into the Frame Relay cloud, and the other MLC servers, software, and network components.
- 3. Implement a pilot program consisting of approximately eight to twelve HQ libraries, including two or three branch libraries who will use dial-up access. One HQ should be chosen from each Frame Relay cloud. The chosen HQs should be ones that are already comfortable and familiar with telecommunications, networking, and computer technology. However, one HQ that is not familiar with this technology should be included so that training and support issues can be more easily identified. Some of the dial-up branch libraries will probably not be familiar with computers. The following libraries are proposed as candidates for the pilot program, based on the above criteria:
 - Bay St. Louis-Hancock County Library
 - Hattiesburg, Petal, and Forrest County
 - Welty PL, Jackson
 - Meridian-Lauderdale County Library
 - Hernando PL



Data Network Specifications

- Starkville PL
- Robinson-Carpenter Library, Cleveland
- Prentiss PL (dial-up)
- Itawamba County Lib, Fulton (dial-up)
- Shelby PL (dial-up)
- 4. Following the pilot program, the network should be extended to all HQs. It is recommended that installation of the routers be accomplished by the vendor; installation costs have been included into the router prices. The PCs should be configured and tested at MLC, and then either delivered to HQ or installed by MLC personnel.
- 5. Finally, the network should be extended to the branches.

MLC may wish to consider hiring a technical Project Manager to coordinate the network implementation. Although the MLC Telecommunications Specialist could certainly handle this task, it is envisioned that the Specialist will have a great many other responsibilities during this time (such as helping to create training materials and working with the libraries). Also, it could be useful to employ a person who has experience in actually setting up networks similar to the MLC network. Hiring an FTE is not recommended, as it is envisioned that the Project Manager position would not be required after the network is created. No costs associated with such a position are included in the budgets contained in this document. As an estimate, a Project Manager who spent approximately 20 hours per month for a period of one year would cost in the neighborhood of \$25,000. This approach is recommended over depending on ITS for guidance; while ITS certainly has the expertise and would be quite willing to assist MLC, it is doubtful that ITS could devote the time to MLC which would be required to assure a smooth installation. The cost of this Project Manager is included in the project budget (see Figure 2 and Figure 14).

A diagram of this implementation, with a suggested timeline, is provided below:



Data Network Specifications




Figure 13: Network Implementation Timeline

	FY	FY	FY		
Item	1996	1997	1998	 	
MLC Hardware			1		
Web Server Computer	\$8,000.00		 	 	
FTP/Mail Server Computer	\$6,000.00		 	-	
Spectrum Computer	\$15,000.00			 	
Dial-In Modems	\$2,000.00	<u> </u>	<u> </u>		
MLC Learning Lab PCs	\$44,800.00				
Learning Lab Equipment/Furn	\$15,000.00			 	
Database Server Computer			\$15,000.00		
Software					
Windows NT Server	\$3,000.00	 	 	 	
Web Server Software	\$500.00		 	 	
Spectrum 3.0 Net Mgmt	\$38,000.00	-	 	+	
Spectrum Install/Configuration	\$5,000.00	 		 - -	
Dynix/Internet Interface	\$15,000.00	 	 		
SQL Server	4.0,000.00	 	\$2,000,00	 	
Custom: SQL<>Web Link			\$20,000.00		
MLC Network Equip	\$27,146.50		 		
MLC LTE Project Mgr	\$25,000.00			 	
Tologommunications O					
Telecommunications Costs:		I	<u> </u>		
Network Equipment At HQs/Br		\$304,512.75	\$304,512.75		
Dedicated Lines	\$300.00	\$16,678.00	\$16,678.00		
Dialup Lines		\$4,185.00	\$4,185.00		
Computer Equip At HQs/Br		\$375,000.00	\$375,000.00		
TOTAL ANNUAL COST	\$204,746.50	\$700,375.75	\$737,375.75		

Figure 14: Dollar Requirements Per Fiscal Year



Data Network Specifications

13. Network Support Issues

MLC has already indicated its plan to create a "help desk" for support of network users. This plan is highly recommended by the consulting team. The Help Desk would support both dedicated-line users and dial-up users (who, as outlined previously, will be dialing directly into MLC). MLC plans to purchase the Spectrum software package to manage the Help Desk function.

When users encounter operational problems, a clear line of escalation should be followed. It is recommended that a user's initial call for help go to a designated primary or backup contact at its HQ; most problems can be corrected in this manner. If that call does not resolve the problem, then the MLC Help Desk should be contacted.

It is recommended that Help Desk calls be tracked by the location initiating the call, so that recurring problems can be identified. Help Desk records should include a photograph of the branch's network installation, which can be taken when the equipment is installed. Also, it is important that each library's CSU/DSU, router, and PC be clearly labeled with the unit's IP address and with a label identifying the box (i.e. "Router", "CSU/DSU"). This labeling can either be done during installation or before installation, and will further assist the Help Desk in resolving problems.

14. Security And Firewalls

Securing the network environment requires that MLC establish a security policy that articulates what is acceptable and what level of access is available to patrons, library staff, and MLC staff. The security policy must be published to make sure that everybody is aware of their responsibilities.

Host systems and applications should provide access control using userid/password combination. New applications currently being planned (e.g. CD-ROM server) should be network aware and provide application level security. In addition to application level security, network security may be provided using firewalls.

The objective of a firewall is to protect one network from another network. In MLC's case, the objective of the firewall is to protect unauthorized access from the Internet. The term firewall is used by many as a generic term to describe a wide range of functions and architectures of devices that protect the network. In MLC's environment, firewalls can be implemented by using packet filters and proxy servers (also called application gateways).

At a minimum, MLC should use the Cisco 4500 that connects to the Internet as a screening router using packet filters. Incoming traffic (mail, FTP, Web) should be directed to only designated servers (FTP/Mail, Web). The servers could be configured on a separate Ethernet segment to



Evans Associates/Aegis Group

Data Network Specifications

provide an added level of network separation. Packet filtering at the branch and HQ libraries may be sufficient if there are no host services provided by those libraries. The dialup server at MLC should be secured at a minimum with userid/password. Passwords should be changed at least once every 30-45 days.

MLC could choose to install a proxy server, which is generally stronger than packet filters. Proxy servers add considerable inconvenience for administrators and end users. Each application (e.g. FTP, Finger, HTTP, NFS, NNTP, SMTP, POP, etc.) that runs through the firewall needs its own proxy. Some firewalls require every machine that communications through the firewall to run modified client and server software. Those that do not require modified software require end users to learn special procedures to negotiate through the proxy.

In our opinion, packet filtering and host based security (userid/password) is sufficient for initial implementation. Proxy servers may be implemented at a later time if deemed necessary or required by state policy. Cost of a firewall that implement packet filtering and proxy services could range from \$15,000 to \$25,000 (Vendors: Checkpoint Software Technologies, Lexington, MA - Product: Firewall-1: Harris Computer Systems Corp., Fort Lauderdale, FL - Product: Cyberguard 2.0).

We would recommend that technical staff periodically review system log information on the servers to assure that no unauthorized access occurs.

15. Next Steps

It is recognized by the Consulting Team that ongoing changes in the MLC's operating and fiscal environments will necessitate changes in the data network plan. Specifically, this plan could be greatly affected by federal/state legislative action (or inaction), other funding milestones, availability and pricing of services from Bell South, policy decisions by ITS, and changes in offerings by equipment vendors, to name but a few. These actions will require that the basic plan presented in this document be "fine tuned" to take best advantage of the changes. Examples of these changes could include which libraries are connected via dial-up or dedicated lines, what specific hardware and software is purchased, etc. In the absence of any changes, the Consulting Team believes that the plan presented herein is the best course for MLC to follow; however, MLC should expect and plan for changes to this plan as the network is created.

16. Attachments

Immediately following this section is Figure 15, a detailed spreadsheet providing a library-by-library breakdown of the proposed network. This spreadsheet was used to determine the overall estimated costs for the telecommunications lines and library equipment costs. A detailed explanation of the entries in this spreadsheet follows:



Mississippi Library Commission

Data Network Specifications

- The spreadsheet contains entries for all public libraries in the state, and is ordered by the library system name (column 2). Within a system, the order is alphabetic by library name (column 1). The city in which the library resides is provided in column 3.
- The "# Of Loc" column has entries only for the HQ libraries, and counts the number of branch libraries associated with that HQ.
- The "# Of Dedic Loc" column also has entries only for HQ libraries, and counts the number of branch libraries within its system which will be connected to the HQ via a dedicated data line; this count includes the HQ itself. Note: any branch library whose local Frame Relay connection point is different from the HQ's Frame Relay connection point (see following item) is proposed to be connected to the network through MLC in Jackson rather than through the HQ, and thus is not counted in this column's number (example: Sebastopol PL connects through the Meridian Frame Relay cloud, but the HQ for this system, Florence PL, connects through Jackson; thus, Sebastopol is not counted in the 12 libraries to be connected to Florence with dedicated data lines). The remainder of the libraries within that system are proposed to be connected via dialup lines.
- The "FRelay Node" column shows which of the Bell South Frame Relay nodes serves this library. The codes are as follows: Gp=Gulfport; Gw=Greenwood; Ha=Hattiesburg; Jk=Jackson; Me=Meridian; Mp=Memphis; Tu=Tupelo.
- Libraries whose local telecommunications services are provided by Bell South are indicated by
 "S" in the "SB/IND" column; libraries served by independent, non-Bell companies are
 indicated by "I".
- The "SB Mile" column gives the number of miles a library is from the borders of "local service" for Bell South Frame Relay service. Only a few libraries are not within local Bell South service.
- The "Ind Mile" column gives the number of miles a library is from the borders of "local service" for a library not served by Bell South.
- All libraries connected via dedicated lines are assumed to be connected to their HQ as a "hub" point. Libraries that are exceptions to this rule are those with an entry in the "Hub Location" column (see explanation for "# Of Dedic Loc" column above).
- The "Dedicated Lines Install" and "Dedicated Lines Recur" columns give one-time costs ("install") and monthly costs ("recur") for dedicated data line(s). Libraries with entries in these columns are proposed to be connected to the network via a dedicated line. Most libraries are configured with a single 56 kbs Frame Relay line; HQs with more than eight



Mississippi Library Commission

Data Network Specifications

dedicated-line branches are assigned two 56 kbs lines (see Section 8). The parameters used for these charges are taken from values set at the end of the spreadsheet.

- The "Dialup Line Install" and "Dialup Line Recur" columns give one-time costs ("install") and monthly costs ("recur") for a single analog dial-up data line. Libraries with entries in these columns are proposed to be connected to the network via a dial-up line. The recurring monthly cost is based on a standard state business line and the assumption that the library will be dialed into the network for one-quarter of the hours it is open to the public (see Section 8). The parameters used for these charges are taken from values set at the end of the spreadsheet.
- The "Equipment Purchase" and "Equipment Maintenance" columns give prices for the equipment (one-time cost) and recurring maintenance charges for that equipment. This equipment is assigned as follows: For branch libraries connected via a dedicated line, one CSU/DSU per line and one Cisco 1005 router; for branch libraries connected via a dial-up line, one 28.8 kbs modem; for HQ libraries, one Cisco 2500 router and one CSU/DSU per line. The router and CSU/DSU prices are automatically taken from the spreadsheet given in Figure 6, "Router/CSU/DSU Costs And Specifications" and *include installation*.

The totals for dedicated lines install, dedicated lines recurring, dial-up lines install, dial-up lines recurring, equipment purchase, and equipment maintenance are automatically transferred to the "Network Cost Summary" spreadsheet shown in Figure 2.

Figure 16 shows a detailed blueprint for device public and private IP addressing (see Section 7). Figure 17 provides a detailed blueprint for WAN IP addressing (public and private). Figure 18 provides detailed sample router configurations for MLC, HQ, and branch library routers.

The following additional materials are attached to this document:

- 1) "MLC Library Survey" document
- 2) "Survey Results" spreadsheet
- 3) "Option 1/2/3" network topology diagrams
- 4) "Network Connectivity Options" spreadsheet
- 5) "MLC CD-ROM Tower Specifications" document

These materials exhibits provide background supportive material relating to the factors which influenced the decisions made in designing the network, but are not directly related to the network design itself.



										Netw	Network (Note 2 and 4)	te 2 an	d 4)	Edu	Equipment
			5	5	FRelay	SB/	SB	2	Hub	Dedicated	Dedicated	Dialup	Dialup		
Library	System	City	7007	Dedic Loc	Node	QN	Mie	Mile	Location	Lines Install	Lines	Line	Line	Purchase (Notes	Purchase Maint. (Notes 1 and 3)
								Г							
Bond Memorial	Benton	Ashland	2	7	Tu	S				\$100	\$131			\$4,117	\$30
Hickory Flat PL	Benton	Hickory Flat			Tu	S				\$100	\$127			\$2,900	\$20
Blackmur Mem L	Blackmur	Water Valley		-	Tu	S		П		\$100	\$129			\$4,117	08\$
Benoit Public Lib	Bolivar	Benoit			Gw	S						\$135	\$76	L	
Cleveland Depot	Bolivar	Cleveland			Š	S				\$100	\$127			\$2,900	\$20
Field Mem Lib	Bolivar	Shaw			Βw	S				\$100	\$127			\$2,900	\$20
Gunnison PL	Bolivar	Gunnison.			Š	S						\$135	L	L	
Rayner ML	Bolivar	Merigold			Š	-		Γ				\$135	\$76		
Robinson-Carpenter	Bolivar	Cleveland	8	5	ĞΨ	S		Γ		\$100	\$137		L	L	830
Rosedale PL	Bolivar	Rosedale			Gw	S				\$100	\$127			\$2,900	\$20
Shelby PL	Bolivar	Shelby			ĞΜ	S						\$135	\$160	L	
Carrollton-N Carr	Carroll County	Carrollton	2	2	Ğ	S				\$100	\$131			\$4,117	\$30
/aiden PL	Carroll County	Vaiden			Ğw	S				\$100	\$127			\$2,900	\$20
Sebastopol PL	Central MS	Sebastopol			Me	S			Jackson	\$100	\$127			\$2,900	\$20
Brandon PL	Central MS	Brandon			숙	S				\$100	\$127			\$2,900	\$20
D'Lo PL	Central MS	D'Lo			¥	S						\$135	\$84	\$250	
Florence PL	Central MS	Florence			숙	_	6	-		\$423	\$192			\$2,900	\$20
Ford Library	Central MS	Taylorsville			숙	S				\$100	\$127			\$2,900	\$20
Forest PL	Central MS	Forest			숙	တ				\$100	\$127			\$2,900	\$20
Harrisville PL	Central MS	Harrisville		_]	¥	S	7	1				\$135	Ш		
Lake PL	Central MS	Lake		_]	考	S	7	1				\$135	\$80		
Magee PL	Central MS	Magee		_]		S	7			\$100	\$127			\$2,900	\$20
Mendenhall PL	Central MS	Mendenhall		_]	숙	S				\$100	\$127			\$2,900	07\$
Mize PL	Central MS	Mize			숙	S						\$135	\$76		
Morton PL	Central MS	Morton			ş	S		\Box		\$100	\$127			\$2,900	\$20
NW Point Resevoir	Central MS	Brandon			농	တ				\$100	\$127			\$2,900	\$20
Pearl PL	Central MS	Pearl	ଯ	12	숙	S		П		\$200	\$278			\$5,417	\$35
Pelahatchie PL	Central MS	Pelahatchie			촷	S	1			\$100	\$127			\$2,900	\$20
Polkville PL	Central MS	Morton		T	¥	S		7				\$135		\$250	
Puckett PL	Central MS	Puckett			숙	S						\$135	\$105	\$250	
Richland PL	Central MS	Richland			숙	S		1		\$100	\$127			\$2,900	\$20
Robinson Mem L	Central MS	Raleigh			¥	S				\$100	\$127			\$2,900	\$20
Sandhill PL	Central MS	Sandhill			Ha	-			Jackson			\$135	\$139	\$250	
Carnegie PL	Clarksdale-Coahoma	Clarksdale	\exists	\neg	ĞΨ	S				\$100	\$129			\$4,117	\$30
Biggs Mem Lib	Copiah-Jefferson	ing	S		٦k	S				\$100	\$127			\$2,900	\$20
Covington Mem	Copiah-Jefferson	Hazelhurst	4	4	Jk	S				\$100	\$135			\$4,117	\$30
Hamilton Mem	Copiah-Jefferson	Wesson			ځ	S				\$100	\$127			\$2,900	\$20
Jefferson Co Lib	Copiah-Jefferson	Fayette			츳	S	3			\$100	\$142			\$2,900	\$20
Calhoun City PL	Dixie	Calhoun			7	7						\$135	\$168	\$250	
Edmondson ML		Vardaman			Tu	_		П				\$135	\$168	\$250	
	ونجزو	Horika	_		2	_		_				\$135	888	C250	



										Netw	Network (Note 2 and 4)	te 2 an	14)	Equi	Equipment
			*	# Of	FRelay	SB/	SB	<u> </u>	Hub	Dedicated	Dedicated	Dialup	Dialup		
Library	System	City	<u>1.0c.</u>	Dedic Loc	Node	ON	Mile	Mile	Location	Lines Instail	Lines	Line	Line	Purchase (Notes	Maint.
Houston Carnegie	Dixie	Houston			Tu	S				\$100	\$127			\$2,900	
Okolona Carnegie	Dixie	Okolona			Tu	S				\$100	\$127			\$2,900	\$20
Pontotoc Ctry Lib	Dixie	Pontotoc	8	5	Tu	S				\$100	\$137			\$4,117	08\$
Sherman Lib	Dixie	Sherman			Tu	S				\$100	\$127			\$2,900	\$20
Yancy Mem Lib	Dixie	Bruce			Tu	-	20	=		\$423	\$205			\$2,900	\$20
Enterprise PL	East MS	Enterprise			Me	S						\$135	\$80	\$250	
Pachuta PL	East MS	Pachuta			Me	S						\$135	\$80	\$250	
Quitman PL	East MS	Quitman •	6	2	Me	S		İ		\$200	\$258			\$5.417	\$35
Stonewall PL	East MS	Stonewall			Me	S				\$100	\$127			006 68	00\$
Bay Springs Mun	East MS	Bay Springs			ş	_	13	8	Jackson	\$423	\$201			\$2,900	\$20
Louin PL	East MS	Louin			٦k	_						\$135	\$80	\$250	
Parker Mem Lib	East MS	Heidelberg			На	S			Jackson	\$100	\$127			\$2,900	\$20
Shubuta PL	East MS	Shubuta			На	S						\$135	\$80	\$250	
Waynesboro ML	East MS	Waynesboro			На	S			Jackson	\$100	\$127			\$2,900	\$20
Jones Library	Elizabeth Jones	Grenada	1	1	Вw	S		_		\$100	\$129			\$4,117	\$30
Lafayette Co/Oxfr	First Regional	Oxford			Tu	S			Jackson	\$100	\$127			\$2,900	\$20
Chain PL	First Regional	Olive Branch			Мр	_	7	7		\$423	\$215			\$2.900	\$20
Davis Pub Lib	First Regional	Southaven			Mp	s	2	0		\$872	\$166			\$2,900	\$20
Dye PL	First Regional	Horn Lake			Mp	S	4	0		\$872	\$166			\$2,900	\$20
Hernando PL	First Regional	Hernando	12	4	Mp	S	12	2		\$1,904	\$382			\$5.417	\$35
Batesville PL	First Regional	Batesville			Gw	S			Jackson	\$100	\$127			\$2,900	\$20
Coldwater PL	First Regional	Coldwater		Î	Ğ	S	56		Jackson	\$100	\$147			\$2,900	\$20
Irwin Library	First Regional	Tunica		Ī	βw	S			Jackson	\$100	\$127			\$2,900	\$20
Lapidus Mem PL	First Regional	Crenshaw			Š	S	18		Jackson	\$100	\$142			\$2,900	\$20
Pointer PL	First Regional	Como			ĞΨ	S	14		Jackson	\$100	\$142			\$2,900	\$20
Sardis PL	First Regional	Sardis		Ì	Š	S	6		Jackson	\$100	\$142			\$2,900	\$20
Senatobia PL	First Regional	Senatobia			š	S	22		Jackson	\$100	\$147			\$2,900	\$20
Greenwood-LeFIr	Greenwood-Leflore	Greenwood	က	~	š	တ				\$100	\$131			\$4,117	\$30
Itta Bena Branch	Greenwood-Leflore	Itta Bena			š	တ		Ť				\$135	\$109	\$250	
Wilson Branch L	Greenwood-Letlore	Greenwood	-	Î	Š	S		Ť		\$100	\$127			\$2,900	\$20
Bay St. Louis-Han	Hancock County	Bay St. Louis	က	က	පි	S	7	7		\$100	\$133			\$4,117	\$30
Kiin Library	Hancock County	Kiin		Ì	පි	S	1	1		\$100	\$127			\$2,900	\$20
waveland PL	Hancock County	Waveland		Ì	Ĝ	S	7	7		\$100	\$127			\$2,900	\$20
Person ML	Harriette Person	Port Gibson	-	-	쵯	S		7		\$100	\$129			\$4,117	\$30
BIIOXI Main LID	Harrison County	Biloxi	7	Ì	ලි	S		┪		\$100	\$127			\$2,900	\$20
D'Iberville PL	Harrison County	D'Iberville		İ	g	S		\exists		\$100	\$127			\$2,900	\$20
Division St Stu Ct	Harrison County	Biloxi	Ī	٦	ලි	S				\$100	\$127			\$2,900	\$20
Guliport PL	Harrison County	Gulfport	8	۵	ဗီ	S				\$200	\$270			\$5,417	\$35
Orange Grove PL	Harrison County	Gulfport		Î	ĝ	တ				\$100	\$127			\$2,900	\$20
Pass Christian PL	Harrison County	Pass Christian			g	S				\$100	\$127			\$2,900	\$20
Sherry Mem Lib	Harrison County	Biloxi	٦		g	S	7	7		\$100	\$127			\$2,900	\$20
W BIIOXI PL	Harnson County	Biloxi			ලි	S				\$100	\$127			\$2,900	\$20



Frame Relay Network Cost Worksheet

!

Page 3 As Of 5/31/96:10:23 AM

Commission	
ni Library	
Mississipp	
RI(

<u>" </u>	* * * -	# # 01	
		Loc. Dedic Loc. Dedic	ezity Loc, Dedic Sburg 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	┠┢╊┪╏╫┪╏╏╏╏╏	2 8 2 1 2 3 5	ez 3 3 8 eville
	┍╊╂┞╬╫╏╏╏╏╏╏╏	8 1 3 3	eville 3 3 4
-	╺┾┼┿┼╎╎╎╎╎╎╎╎╎╎╎╎╎ ┼ ┆╎ ┼┼┼┼┼┼┼┼	8 7 7 7 3	eville 3 3 4
_	+ + + + + + + + + + + + + + + + + + +	2 8 2	wille ni 2 1 liale. goula str Point Springs On on on on on on on on on on on on on on
_	+ 6 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	2 8 7 1	ni 2 1 lale. lale. goula strange on on on on on on on on on on on on on
_1_1	-	2 2 2 1	ale. goula Point Springs Springs On On On On On On On On On On On On On
	일	φ /	ale . goula Point Springs Springs On on on on on on on on on on
_	표임임임임임임임임 국 국 국 국 국 국 국 국	Δ	goula straight straig
_	8888888844444444	D	err Point 8 7 8 900 900 900 900 900 900 900 900 900 9
_	888888444444444	φ	Point Springs 8 7 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
	88888444444444	ω	Point Springs 7 goula 8 7 on on on on on on on on on on on on on
	6 7 6 7 6 7 6 7	ω	Springs 8 7 eave on on on on on on on on on on on on on
	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	2	eave
	884444444	B B 국 국 국 국 국 국 국 국	on on on on on on on on
	B 국 국 국 국 국 국 국 국	B 국 국 국 국 국 국 국 국 국	ω
	* * * * * * * * * *	* * * * * * * * * * *	
	* * * * * * * *	+ + + + + + + + + + + + + + + + + + +	
	+ + <td>4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4</td> <td></td>	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	
	* * * * * * *	* * * * * * *	
	* * </td <td>+ + + + + + + + + + + + + + + + + + +</td> <td></td>	+ + + + + + + + + + + + + + + + + + +	
	* * * * *	숙 숙 숙 숙	
	* * * *	복 + <	
_ i i	취임	국 국 <u>국</u>	
	ゔゔ	7	
احاحاحا	7		
치치		_	
뇕	_		
	_	_	Jackson
يد	Н	14 14 J	14
	Jk	יי	
	ᅔ	Š	
T	리	Ţ	
	₩e	₩	
ı	Me	Me	
7	We	Me	
		٦	
		ř	Newton Jk
	3 K	-	-
1	Ī	Ŧ	- a
٠,٠	╁	-	- -
	+	-	7
_	Е	Ha	rsville
7	리		
	_ 	-	2 1
		╂╃╂┼┪	3 1 2 2 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1



Ltd
Grond
Aegis.
Associates,
ns

										Netw	Network (Note 2 and	te 2 and	14)	Equi	Equipment
			ţo #	, 0 #	FRelay	SB/	SB	P E	Heb	Dedicated	Dedicated	Diatup	Diatup		
Library	System	City	Loc	Dedic	Node	Q	Mile	Mile	Location	Lines	Lines Recur	Line	Line	Purchase (Notes	Maint. s 1 and 3)
Bude PL	Lincoln-Lawr-Frankl	Bude			ξ		27	15		\$590	\$286			\$2,900	\$20
Franklin Cty PL	Lincoln-Lawr-Frankl	Meadville			ş		\dashv					\$135	\$168	\$250	
Lawrence Cty PL	Lincoln-Lawr-Frankl	Monticello			考	S		\dashv		\$100	\$127			\$2,900	\$20
Lincoln Cty PL	Lincoln-Lawr-Frankl	Brookhaven	2	3	¥	S	H	Н		\$100	\$133			\$4,117	\$30
Newhebron PL	Lincoln-Lawr-Frankl	New Hebron			¥	=						\$135	\$168	\$250	
Long Beach PL	Long Beach	Long Beach	-	-	Gp	S	Н	\dashv		\$100	\$129			\$4,117	\$30
Caledonia Br Lib	Lowndes County	Caledonia			Τu	S		_		\$100	\$127			\$2,900	\$20
Columbus PL	Lowndes County	Columbus	4	2	Tu	S	H	Н		\$100	\$131			\$4,117	\$30
Crawford Br Lib	Lowndes County	Crawford			Tu	<u> </u>						\$135	\$76	\$250	
Artesia Br Lib	Lowndes County	Artesia			Me		Н	Н				\$135	\$92	\$250	
Flora PL	Madison County	Fiora			Jk	S	Н			\$100	\$127			\$2,900	\$20
Jurgens Mem Lib	Madison County	Ridgeland			Jk	S	Н	Н		\$100	\$127			\$2,900	\$20
Mad Cty-Canton	Madison County	Canton	4	4	٦k	S	Н			\$100	\$135			\$4,117	\$30
Madison PL	Madison County	Madison			٦k	S	Н			\$100	\$127			\$2,900	\$20
Lambert PL	Marks-Quitman Cty	Lambert		П	Gw	S	Н					\$135	\$92	\$250	
Marks-Quitman	Marks-Quitman Cty	Marks	3	-	Gw	Н	12	_		\$100	\$144			\$4,117	\$30
Sledge PL	Marks-Quitman Cty	Sledge			Gw	S						\$135	\$105	\$250	
Marshall Cty Lib	Marshall County	Holly Springs	3	1	Τū	S				\$100	\$129			\$4,117	\$30
Potts Camp Lib	Marshall County	Potts Camp		П	Tu	S	Н					\$135	\$126	\$250	
French Library	Marshall County	Byhalia			Мр	-	Н					\$135	\$118	\$250	
Meridian-Laud Cty	Meridan-Lauderdale	Meridian		-	Me	S	Н	Н		\$100	\$129			\$4,117	\$30
Walnut Grove PL	Mid-Mississippi	Walnut Grove			₽	S	Н		Jackson	\$100	\$127			\$2,900	\$20
Attala County Lib	Mid-Mississippi	Kosciusko	2	∞	÷	S	\dashv	-		\$200	\$270			\$5,417	\$35
Carthage-Leake Cty	Mid-Mississippi	Carthage			숙	S				\$100	\$127			\$2,900	\$20
Durant PL	Mid-Mississippi	Durant			숙	S		\dashv		\$100	\$127			\$2,900	\$20
Goodman PL	Mid-Mississippi	Goodman			考	S	\Box			\$100	\$127			\$2,900	\$20
Lexington PL	Mid-Mississippi	Lexington		7	÷	S				\$100	\$127			\$2,900	\$20
Pickens PL	Mid-Mississippi	Pickens		\exists	考	တ	7	\dashv		\$100	\$127			\$2,900	\$20
Tchula PL	Mid-Mississippi	Tchula			考	တ	\dashv	\dashv		\$100	\$127			\$2,900	\$20
Winston County	Mid-Mississippi	Louisville			考	တ	\dashv	\dashv		\$100	\$127			\$2,900	\$20
Duck Hill PL	Mid-Mississippi	Duck Hill		7	š	တ	\dashv	\dashv	Jackson	\$100	\$127			\$2,900	\$20
Kilmichael PL	Mid-Mississippi	Kilmichael			Š	S	\exists		Jackson	\$100	\$127			\$2,900	\$20
West PL	Mid-Mississippi	West			δw	S	_	_	Jackson	\$100	\$127			\$2,900	\$20
Winona-Montgom	Mid-Mississippi	Winona			Gw	S	Н	H	Jackson	\$100	\$127			\$2,900	\$20
Neshoba County	Neshoba County	Philadelphia	-	-	Me	S				\$100	\$129			\$4,117	\$30
Allen Library	Northeast Regional	Booneville		П	Tu	S		Н		\$100	\$127			\$2,900	\$20
Belmont PL	Northeast Regional	Belmont			Tu	S	_			\$100	\$127			\$2,900	\$20
Blue Mountain PL	Northeast Regional	Blue Mountain			ı,	S						\$135	\$84	\$250	
Burnsville PL	Northeast Regional	Burnsville			ī	S	7			\$100	\$127			\$2,900	\$20
Chalybeate PL	Northeast Regional	Walnut			1	S	1					\$135	\$84	\$250	
Corinth PL	Northeast Regional	Corinth	2	6	ᄅ	S	\dashv	\dashv		\$200	\$272			\$5,417	\$32
Cox Library	Northeast Regional	Baldwyn		┫	2	၈		\dashv		\$100	\$127			\$2,900	\$20



	A STATE OF THE STA									Netw	Network (Note 2	te 2 a	and 4)	Equ	Equipment
			5	# Of	FRelay	SB/	SB	<u> </u>	q H	Dedicated	Dedicated	Dialup	p Diatup		
Library	System	City	Loc.	Dedic Loc	Node	QNI	Mile	Mile	Location	Lines Install	Lines	Line Install	Line	Purchase (Note	Notes 1 and 3)
luka PL	Northeast Regional	luka	L		Τu	S		H		\$100	\$127		Ͱ	\$2,900	\$20
Marietta PL	Northeast Regional	Marietta			Tu	S		\vdash		\$100	\$127			\$2,900	\$20
McRae Mem Lib	Northeast Regional	Tishomingo			Tu	-		\vdash				\$135	L		
Rienzi PL	Northeast Regional	Rienzi			Tu			Н				\$135	5 \$105	L	
Ripley PL	Northeast Regional	Ripley			Tu	S				\$100	\$127			\$2,900	
Walnut PL	Northeast Regional	Walnut			Tu	S				\$100	\$127			\$2,900	\$20
Brooksville PL	Noxubee County	Brooksville			Me	S		_				\$13	L	L	
Danial Mem Lib	Noxubee County	Shuqualak			Me	S		T				\$135	5 \$105		
Fant Mem Lib	Noxubee County	Macon	က	-	Me	S	6	t		\$100	\$144		┖	ေ	\$30
Maben PL	Oktibbeha County	Maben			Ţ	S		\vdash		\$100	\$127			\$2.900	\$20
Starkville PL	Oktibbeha County	Starkville	ဇ	က	Ţſ	S		\vdash		\$100	\$133			\$4.117	\$30
Sturgis PL	Oktibbeha County	Sturgis			J.	S				\$100	\$127			\$2.900	\$20
Crosby Mem Lib	Pearl River	Picayune	7	2	На	S	24	j-		\$100	\$151			\$4,117	\$30
Poplarville PL	Pearl River	Poplarville			На	S	<u> </u>			\$100	\$127			\$2,900	\$20
Alpha Center Lib	Pike-Amite-Walthall	McComb			Jk	S		\vdash				\$13	5 \$101	\$250	
Crosby PL	Pike-Amite-Walthall	Crosby			Jk	_		H				\$135	L	\$250	
Gloster PL	Pike-Amite-Walthall	Gloster			Jk	S	38			\$100	\$147			\$2,900	\$20
Liberty PL	Pike-Amite-Walthall	Liberty			٦k	S	59			\$100	\$147			\$2,900	\$20
McComb PL	Pike-Amite-Walthall	McComb	6	3	Jk	S	14			\$100	\$148			\$4,117	\$30
Progress PL	Pike-Amite-Walthall	McComb			Jk	S						\$135	5 \$109		
Magnolia PL	Pike-Amite-Walthall	Magnolia			На	S	20	Н	Jackson	\$100	\$142			8	\$20
Osyka PL	Pike-Amite-Walthall	Osyka			На	တ		Н				\$132	5 \$109	\$250	
Walthall County	Pike-Amite-Walthall	Tylertown			Ha	S		\dashv	Jackson	\$100	\$127			\$2,900	\$20
Blackwell Mem Lib	Pine Forest	Collins		\neg	Ha	တ		\dashv		\$100	\$127			\$2,900	\$20
Boyer Mem Lib	Pine Forest	Sumrall		Ì	Ha	S		\dashv		\$100	\$127			\$2,900	\$20
Brewer Mem Lib	Pine Forest	Mt. Olive		Ì	Ha	တ		Н		\$100	\$127				\$20
Hall Library	Pine Forest	Petal		1	Ha	S		\dashv				\$135	Ц	L	
Leakesville PL	Pine Forest	Leakesville		7	Е	-	1	+				\$135	5 \$143	\$250	
Lumperton PL	Pine Forest	Lumperton			На	S	+	\dashv		\$100	\$127			\$	\$20
McHenry PL	Pine Forest	McHenry			멸	S	+	\dashv				\$135	5 \$92		
McLain PL	Pine Forest			Ì	Ē	S	1	\dashv				\$13			
New Augusta PL	Pine Forest	New Augusta			Ŧ	-	\dashv					\$135	5 \$92	\$250	
Powell Mem Lib	Pine Forest	Beaumont			Ha	S		\dashv		\$100	\$127			\$2,900	\$20
Purvis PL	Pine Forest	Purvis		Ì	Ē	S	1	\dashv		\$100	\$127			\$2,900	\$20
Richton PL	Pine Forest	Richton	15	8	Ha	S				\$200	\$270		Ц	\$5,417	\$35
Seminary PL	Pine Forest	Seminary			Ha	S						\$135	5 \$105	\$250	
State Line PL	Pine Forest	State Line			На	-	H	Н				\$135	5 \$92	\$250	
Stone County Lib	Pine Forest	Wiggins			На	S				\$100	\$127			\$2,900	\$20
Ricks Mem Lib	South Delta	Yazoo City	2	2	÷	S		Н		\$100	\$131			\$4,117	\$30
Sharkey-Issaquena	South Delta	Rolling Fork	Î		š	S		\dashv		\$100	\$127		Ш	\$2,900	\$20
Prentiss PL	South MS Regional	Prentiss		7	考	_	1	\dashv				\$135	Ц	\$250	
Bassfield PL	South MS Regional	Bassfield			На	-						\$13	5 \$168	\$2,900	Tozs
			ı	ı	Ī	 									40
•	,														1



N O

\$4,541

\$634,172

Lines Line Becur Line Becur Line S 129 \$129 \$127 \$137 \$135 \$12												Netw	Network (Note	te 2 and	(4)	
Surface					ŏ #	, 0 #	FRetay	SB/	SB	밀	Hub	Dedicated	Dedicated	Diatup	Dialup	
South MS Regional Columbia 3 1 Ha S South MS Regional Columbia Columbia		Library	System	CILY	<u>Loc.</u>	Dedic Loc	Node	S	Mile	Mile	Location	Lines	Lines	Line	Line	
Sunflower County Drews Gw S Signo S137 Sunflower County Information Gw S Gw S Signo S137 Sunflower County Information Gw S Gw S Signo S137 Sunflower County Midenthead Gw S Signo S137 Sunflower County Midenthead Gw S Signo S137 Sunflower County Sunflower Gw S Signo S137 Tallahatchie Cty Utwier To To S Signo S137 Tallahatchie Cty Utwier To To S Signo S137 Tombigee Regional Metaleon Tu S Signo S137 Tombigee Regional Metaleon Signo Si	1	Solumbia-Marion	South MS Regional	Columbia	3	-	Ha	S				\$100	\$129			
Sunflower County Inverness Gw S Since Sign Sign Sign Sign Sign Sign Sign Sign		rew PL	Sunflower County	Drew			Gw	S				\$100	\$127			
Sunflower County Indianola 6 G w S Since Sin	<u>=1</u>	nverness PL	Sunflower County	Inverness			Gw	S				\$100	\$127			
Sunflower County Moorhead Gw S S S S S S S S S	27	eymour Library	Sunflower County	Indianola	9	5	Gw	S				\$100	\$137			
Sunflower County Bullower County Gw S \$100 \$135 Tallahatchie Cyty Charleston 4 Gw S \$100 \$135 Tallahatchie Cyty Summer Gw S \$100 \$127 Tallahatchie Cyty Vutwier Gw S \$100 \$127 Tombigee Regional Amony Tu S \$100 \$127 Tombigee Regional Aberdeen Tu S \$100 \$127 Tombigee Regional Aberdeen Tu S \$100 \$127 Tombigee Regional Mathiston Tu S \$100 \$127 Tombigee Regional Mathiston Tu S \$100 \$127 Tombigee Regional Mathiston Tu S \$100 \$127 Tombigee Regional Bule Springs Tu S \$100 \$120 \$120 Tombigee Regional Mathiston Tu S Tu \$100 \$120 \$120	<u>~1</u>	sheriff Library	Sunflower County	Moorhead			Gw	S				\$100	\$127			
Sunflower County Sunflower County Sunflower County Sunflower County Sunflower County Sunflower County Sunflower County Sunflower Gw S S S S S S S S S S S S S S S S S S	U)	stansel Library	Sunflower County	Ruleville			Gw	S				\$100	\$127			
Tallahatchie Cty Charleston 4 Gw S S100 S125	(V)		Sunflower County	Sunflower			Gw	-						\$135	\$80	
Tallahatchie Cty)		Tallahatchie Cty	Charleston	4	4	Gw	တ				\$100	\$135			
Tallahatchie Cly	U)		Tallahatchie Cty	Sumner			Gw	S				\$100	\$127			
bit bit bit bit bit bit bit bit bit bit	디		Tallahatchie Cty	Tutwiler			Gw	S		П		\$100	\$127			
Workincipal Tombigee Regional Amony Tu S S120 S127 VCD-L. Tombigee Regional Abdemen In Pt. Tombigee Regional Abdemen In Pt. Tombigee Regional Mathiston Tu S S100 S127 n Pt. Tombigee Regional Nettleton In Pt. Tombigee Regional Mathiston Tu S S100 S127 n Pt. Tombigee Regional Nettleton In Pt. Tombigee Regional Mathiston Tu S S100 S127 County Tombigee Regional Mathiston Tu S S100 S127 County Tombigee Regional Mathiston Tu S S100 S127 County Tombigee Regional Mathiston Tu S S100 S127 County Tombigee Regional Mathiston Tu S S100 S127 County Tombigee Regional Mathiston Tu S S100 S127 County Tombigee Regional Mathiston Mathiston Tu S S100 S127 County Tombigee Regional Mathiston Mathiston Mathiston Tu S S100 S129 County Tombigee Regional Mathiston Mathiston Mathiston	<u> </u>	ľ	Tallahatchie Cty	Webb			Gw	S				\$100	\$127			
L. Tombigee Regional Ackerman Acke	4	unicipal	Tombigee Regional	Amory			Tu	S				\$100	\$127			
w Cty PL Tombigee Regional Ackerman Tu 1 6 5100 5127 APL Tombigee Regional Hamilton Tu S 5100 5127 L Tombigee Regional Mathiston Tu S 5100 5127 County Tombigee Regional Melron Tu S 5100 5127 County Tombigee Regional Melron Tu S 5100 5127 County Tombigee Regional Melron Tu S 5100 5127 L Tombigee Regional Melron Multiple Springs Tu S 5100 5129 L Tombigee Regional Melron Multiple Springs Tu S 5100 5129 Cly-Vicksby Warsen Cly-Vicksby Vicksburg 1 1 J S 5100 5127 Cly-Vicksb Washington Cty Arcola Gw S S100 5127 Dirary Washington Cty Gw S S100 5174 Ibrary Washington Cty <td>ш</td> <td></td> <td>Tombigee Regional</td> <td>West Point</td> <td>10</td> <td>7</td> <td>Tu</td> <td>S</td> <td></td> <td></td> <td></td> <td>\$200</td> <td>\$268</td> <td></td> <td></td> <td></td>	ш		Tombigee Regional	West Point	10	7	Tu	S				\$200	\$268			
Tourbigee Regional Aberdeen Tu S	<u> </u>		Tombigee Regional	Ackerman			Tu	=		П				\$135	\$168	
10	шį	 윤	Tombigee Regional	Aberdeen		Î	J.	S				\$100	\$127			
Tombigee Regional Mathieton Tu S S100 S127	ㅗㅣ		Tombigee Regional	Hamilton			Tn	S						\$135	\$118	
Tourbigee Regional Eupora Tu S S100 S127	_1	owe PL	Tombigee Regional	Nettleton			Tu	S		П		\$100	\$127			
County Tombigee Regional Eupora Tu S S S S S S S S S	21	fathiston PL	Tombigee Regional	Mathiston			Ţ	S		П		\$100	\$127			
Tombigee Regional Weir Tombigee Regional Aberdeen Tu S Tombigee Regional Aberdeen Tu S Tombigee Regional Aberdeen Tu S Tu Tu Tu Tu Tu Tu	> I	Vebster County	Tombigee Regional	Eupora			T.	S				\$100	\$127			
Tombigge Regional Aberdeen Tu S	>1	Veir PL	Tombigee Regional	Weir			Tu	S		П		\$100	\$127			
Title Pt	>1	vren PL	Tombigee Regional	Aberdeen			리	S						\$135	\$118	
Modely Library Commission (3 T-1s) Union County Myrtle Tu 1 In S100 \$129 brany brany Union County New Albany 3 1 Tu S 5100 \$129 an Cty-Vicksby Washington Cty Aroon Gw S S100 \$127 brany Washington Cty Aroon Gw S S100 \$127 brany Washington Cty Leland Gw S S100 \$127 brany Washington Cty Leland Gw S S100 \$127 brany Washington Cty Hollandale Gw S S100 \$127 Vood Mem Washington Cty Hollandale Gw S S100 \$120 Itle PL Yalobusha Cty Coffeeville 2 Tu S13 S100 \$1728 ppi Library Commission (3 T-1s) Asiabat Gw S S233930 \$1,728 brank Charges MCI) S12426 <	الا	lue Springs Lib	Union County	Blue Springs			Tu	S						\$135	\$105	
brany Union County New Albany 3 1 Tu S \$100 \$129 City-Vicksb Warren Cty-Vicksby Vicksburg 1 Jk 1 Jk 5100 \$129 an Lib Washington Cty Arcola Gw S S \$100 \$127 Drary Washington Cty Leland Gw S \$100 \$127 em Lib Washington Cty Hollandale Gw S \$100 \$127 em Lib Washington Cty Hollandale Gw S \$100 \$127 Wood Mem Washington Cty Hollandale Gw S \$100 \$127 Vood Mem Washington Cty Hollandale Coffeeville 2 1 Tu S \$100 \$127 Vood Mem Washington Cty Coffeeville 2 1 Tu S \$100 \$127 IPL Yalobusha Cty Coffeeville 2 1 Tu S	∠ 1	lance-McNeely L	Union County	Myrtle			Τū	П		П				\$135	\$105	
City-Vicksb Warren Cty-Vicksbg Vicksburg 1 Jk S \$100 \$129 an Lib Washington Cty Arcola Gw S \$100 \$127 birary Washington Cty Arcola Gw S \$100 \$127 brary Washington Cty Leland Gw S \$100 \$137 em Lib Washington Cty Hollandale Gw S \$100 \$130 em Lib Washington Cty Hollandale Coffeeville Z Tu S S \$100 \$140 IPL Yalobusha Cty Coffeeville Z Tu S S \$100 \$140 <td>ഗി</td> <td>mith Library</td> <td>Union County</td> <td>New Albany</td> <td>က</td> <td>-</td> <td>Tu</td> <td>S</td> <td></td> <td></td> <td></td> <td>\$100</td> <td>\$129</td> <td></td> <td></td> <td></td>	ഗി	mith Library	Union County	New Albany	က	-	Tu	S				\$100	\$129			
an Lib Washington Cty Glen Allen JK 1	> I		Warren Cty-Vicksbg	Vicksburg	-	-	ž	S		П		\$100	\$129			
Mashington Cty Mashington Cty Arcola Gw S S S S S S S S S	IJŀ		Washington Cty	Glen Allen		1	ž	-						\$135	\$126	
Sangle S	Œ١٠	م	Washington Cty	Arcola			Š	တ		1		\$100	\$127			
Em Lib Washington Cty Leland Gw S \$100 \$127 em Lib Washington Cty Greenville 6 5 Gw S \$100 \$137 Vood Mem Washington Cty Hollandale Gw S \$100 \$127 Washington Cty Hollandale 2 1 Tu S 13 \$100 \$144 ille PL Yalobusha Cty Coffeeville 2 1 Tu S 1 \$100 \$144 if PL Yalobusha Cty Oakland Gw S \$2 \$230 \$1,728 ppi Library Commission (3 T-1s) \$241 160 \$2 \$23,930 \$1,728 pud Network Charges MCI) \$4,000 \$1,065 \$4,000 \$1,065 TA Charges (MCI) \$2 \$2,127 \$2,127 \$2,127 \$2,127	ŒΙ.		Washington Cty	Avon			Š	S	Ť	1		\$100	\$127			
Same to be determined by the standard control of the standard control of the standard control of the standard control of the standard control of the standard control of the standard control of the standard control of the standard control of the standard control contro	10		Washington Cty	Leland			ğ	S	Ť	1		\$100	\$127			
Mashington Cty Hollandale Gw S S S S S S S S S	1.11		Washington Cty	Greenville	٥	2	š	S	1	7		\$100	\$137			
19	- 10	orrey Wood Mem	Washington Cty	Hollandale			Š	S		1		\$100	\$127			
PL Yalobusha Cty Oakland Gw S	IJΙ	offeeville PL	Yalobusha Cty	Coffeeville	7	-	2	S	2			\$100	\$144			
### State	O1	akland PL	Yalobusha Cty	Oakland			Вw	S						\$135	\$143	. – 7
\$300 \$1,728 \$5,426 \$5,127 \$5,426 \$5,127 \$5,426 \$5,127 \$7.728 \$5,426 \$5,127 \$7.728 \$7.065 \$1,065 \$7.	σ	ub-Total			241	160			_	25		\$23,930	\$25,290	\$8,370	\$6,773	
S33,510 S33,210 S33,656 S33,210 S33,656 S33,210 S33,656 S33,210 S33,656 S33,210 S33,656 S33,210 S33,656 S33	2 - -	fississippi Library Corr nter-Cloud Network Ch nter-LATA Charges (M										\$300 \$5,426 \$4,000	\$1,728 \$5,127 \$1,065	\$0	\$0	
	Ē	otal				_			_			\$33,656	\$33,210	\$8,370	\$6,773	
	كاك	ote(s)	and the second s					1				TO THE CATE	MalCo	AWAIII.	ABLI	717-7

\$30 \$20 \$20 \$20 \$20

\$2,900

\$4,117

\$4,117

\$2,900 \$2,900 \$250

Purchase Maint, (Notes 1 and 3)

Equipment

\$30 \$20 \$20 \$20 \$35

\$4,117 \$2,900 \$2,900 \$2,900 \$2,900 \$5,417

\$20

\$20 \$20 \$20

\$250 \$2,900 \$2,900 \$2,900 \$2,900 \$2,900 \$2,900 \$2,900 \$2,900 \$2,900 \$2,900 \$2,900 \$2,900 \$2,900

\$30 \$30

\$4,117

\$20 \$20 \$20 \$30 \$30

\$2,900

\$4,117

\$4,117 \$250 \$2,900 \$2,900 \$2,900 \$4,117

\$4,135 \$406

\$609,026

\$25,147

\$250

				-	-				Netw	Network (Note 2 and	e 2 and	1 4)	Equi	Equipment	
			# o*	# Of FR	FRelay SB/	3/ SB	<u>p</u>	Hub	Dedicated	Dedicated	Dialup	Dialup			
Library	System	City	100°	Dedic No	Node IND	Mile	Mile	Location	Lines Install	Lines Recur	Line Install	Line <u>Recur</u>	Purchase (Notes	Notes 1 and 3)	
4															
,															
Z. Inter-LATA Charges:		. 200													
Per Month Per Mile		125													-
3. Purchase and Mainter	Purchase and Maintenence (monthly) cost of network equipment is an estimate.	network equipm	ent is a	n estin	nate.										
4. Libraries designated as "dial-up" is based on limited hours	Is "dial-up" is based on li	mited hours of a	of operation	Č ;)) L	1	<u>.</u>								
Recurring cost for dial-in assumes library is on-line for one-quarter of the hours it is open.	assumes library is on-lir	is very expensiv ie for one-quarte	e to re er of th	acn will	nade titisog	dicated den.	IIDe.								
Inter-cloud Network Cost		Capacity						[Network Installation, Rec	ork <u>Recur.</u>					
Jackson To Tupelo		1-T							0008	8833					
Jackson to Greenwood		1 - T1							\$200	\$783					
Jackson to Meridian		2 - 56 kbps							\$30	\$270					_
Jackson to Hattiesburg		1-11							\$200	\$783					
Jackson to Memphis		1 - 56 kbps							\$1,184	\$619					
		school of the							93,55Z	\$1,83 9					
Sub-Total									\$5,426	\$5,127					
56 kbps FRelay access 0 miles 56 kbps FRelay access upto 20 miles 56 kbps FRelay access upto 50 miles 56 kbps FRelay access upto 75 miles Per additional PVC T1 FRelay access 0 miles 56 kbps CSU/DSU w/inst. T1 CSU/DSU w/inst. Cisco 1005 w/inst. Cisco 2500 w/inst. Cisco 2500 w/inst. Cisco 4500 w/inst. Cisco 4500 w/inst. Cisco 4500 w/inst.	o miles upto 20 miles upto 50 miles upto 75 miles s t.	127 142 147 157 2 526 \$1,300 \$2,000 \$1,600 \$2,817 \$2,817												use	<u> </u>



N Z

										Netw	Network (Note 2 and 4)	e 2 and	(4)	Equi	Equipment
			# Of	- - - - -	FRelay SB/		SB	<u>1</u>	Hub	Dedicated	Dedicated Dedicated Dialup	Diatup	Dialup		
Library	System	Zi	707	Loc. Dedic Node		Q	Mile	Mile	Location	Lines	Lines	Line	Line	Purchase (Notes	Notes 1 and 3)
CSU/DSU T1 maintencne (monthly)	ne (monthly)	\$10		1		1									
Smartnet cisco 2500 (monthly)	(Aluthiy)	\$25													
Smartnet cisco 4000 (monthly)	onthly)	\$105					•								
Smartnet cisco 1005 (monthly)	onthly)	\$15													
Dial-Up Telephone Line (monthly)	(monthly)	42	٠.												
Dial-Up Line Install		135													
Dial-Up Line Per Minute Charge	• Charge	0.07													
Typical Per-Month Dial Minutes	Minutes	1800													
28.8 Dial Modem		250	_												



ශ

PCs To (y) 254 Private (10.S.B.x - 10.S.B.y) From (x) PCs Bldg 2 -- 2 5 4 ഗ ဖ ω თ 4 Device IP Addresses Sys 100 104 104 104 104 104 104 104 104 104 104 104 106 106 106 108 102 103 104 105 106 108 100 101 102 102 102 103 104 107 107 107 107 107 Ntwk 10 9 5 10 10 10 10 9 5 10 9 10 10 10 9 10 10 9 10 9 9 9 10 9 9 9 9 9 9 9 5 5 10 9 5 To (Y) 174 110 142 190 206 30 30 126 158 46 46 78 30 46 62 30 94 30 46 30 62 62 Public (C#.x - C#.y) From (x) 179 195 115 163 PCs 35 131 35 35 89 147 5 19 35 35 35 19 211 83 5 35 51 67 51 51 67 51 29 CLASS 90 # ပ C2 ဗြ 2 C5 C7 ဗ္ဗ ဌ Bldg 7 9 13 - ₽ 4 S ထ ω თ 7 Dedic **†**0# C C 13 a S a S 4 jo # L00. 2 N ω Crystal Springs Water Valley Bay Springs Pelahatchie Hickory Flat **Taylorsville** Mendenhall Sebastopol Clarksdale Hazelhurst Cleveland Cleveland Carrollton Rosedale Stonewall City Richland Florence Pontotoc Sherman Brandon Brandon Houston Okolona Ashland Raleigh Quitman Wesson Vaiden Magee Morton Fayette Forest Bruce Shaw Pearl Clarksdale-Coahoma Copiah-Jefferson Copiah-Jefferson Copiah-Jefferson Copiah-Jefferson System Carroll County Carroll County Central MS Central MS Central MS Central MS Central MS Central MS Central MS Central MS Central MS Central MS Central MS Central MS Central MS Blackmur East MS East MS East MS Benton Bolivar Bolivar Bolivar Bolivar Dixie Dixie Dixie Dixie Dixie Robinson-Carpenter **NW Point Resevoir** Houston Carnegie Okolona Carnegie Pontotoc Ctry Lib Carrollton-N Carr Bay Springs Mun Blackmur Mem L Cleveland Depot lefferson Co Lib Robinson Mem I Library Covington Mem Yancy Mem Lib **Bond Memorial** Biggs Mem Lib Hickory Flat PL Pelahatchie PL Mendenhall PL Sebastopol PL Hamilton Mem Field Mem Lib Rosedale PL Sherman Lib Carnegie PL Stonewall PL ord Library Richland PL Florence PL Quitman PL Brandon PL Vaiden PL Forest PL Magee PL Morton PL Pearl PL System გ გ 2 2 ထ တ 6 4 4 S ည S 2 S 2 5 2 ა ထ ω ω ω ω




Page 2 As Of 5/23/96, 7:49 AM

									ă	Device IP Addresses	\ddress	es		
				# Of	5	Bldg	P	ublic (C#.x -	C#.y)		Priva	Private (10.S.B.x	- 10.S	.B.y)
System #	Library	System	City	, ,	Dedic	<u>Ω</u>	CLASS	PCs .	PCs	; ;		:	PCs	PCs
ŧΙσ	Darker Mem Lih	Eact MC		1	2	Ţ	3	From (x)	To (y)	N KW	Sys	Bldg	From (x)	To (y)
	Monacher M	רמאנ ועוס	Diagrapia L		1	4		۱۵	8	2	108	4	e	254
	waynesporo ML	East MS	Waynesboro	1		5		83	94	10	108	5	3	254
2	Jones Library	SS	Grenada		-	-	C10	19	30	10	109	1	က	254
=	Hernando PL		Hernando	12	12	1	C11	19	30	10	110	-	က	254
=	Lafayette Co/Oxfr		Oxford			2		35	46	10	110	7	3	254
. 11	Chain PL	•	Olive Branch			3		51	62	9	110	8	8	254
11	Davis Pub Lib		Southaven			4		29	78	10	129	4	9 6	254
7	Dye PL		Horn Lake			5		83	94	10	110	5	3	254
=	Batesville PL		Batesville			9		66	110	10	110	9	3	254
-	Coldwater PL		Coldwater			_		115	126	10	110	_	8	254
1	Irwin Library		Tunica			8		131	142	10	110	8	8	254
=	Lapidus Mem PL		Crenshaw			6		147	158	10	110	6	3	254
=	Pointer PL		Сото			10		163	174	10	110	10	3	254
=	Sardis PL		Sardis			11		179	190	10	110	11	3	254
=	Senatobia PL		Senatobia			12		195	206	10	110	12	3	254
15	Greenwood-LeFIr		Greenwood	3	2	1	C12	19	30	10	111	-	3	254
15	Wilson Branch L	ore Ore	Greenwood			2		35	46	10	111	2	3	254
13	Bay St. Louis-Han		Bay St. Louis	က	3	1	C13	19	30	10	112	-	3	254
13	Kiln Library		Kiln			2		35	46	10	112	2	3	254
13	Waveland PL		Waveland			3		51	62	10	112	3	3	254
14	Person ML	ļ	Port Gibson	-	-	1	C14	19	30	10	113	-	3	254
15	Gulfport PL		Gulfport	<u>ω</u>	8		C15	19	30	10	114	+-	3	254
15	Biloxi Main Lib		Biloxi	7		7		35	46	10	114	2	3	254
15	D'Iberville PL		D'iberville	1		3		51	62	10	114	3	က	254
۲) ا	Division St Stu Ct		Biloxi	1		4		- 67	78	10	114	4	3	254
<u>د</u> ار	Orange Grove PL		Gulfport	\dashv	1	5		83	94	10	114	5	3	254
15	Pass Christian PL		Pass Christian		7	9		66	110	10	114	9	က	254
15	Sherry Mem Lib		Biloxi			7		115	126	10	114	7	3	254
15	W Biloxi PL		Biloxi			8		131	142	10	114	æ	8	254
16	Hattie, Petal&Forr		Hattiesburg	7	7	1	C16	19	30	10	115	-	က	254
16	Petal Library	<u>.</u>	Petal			2		35	46	10	115	7	3	254
17	Armstrong Lib		Natchez	က	က	1	C17	19	30	10	116	-	3	254
17	VanCleave ML	Homochitto Valley	Centreville	\exists		2		35	46	10	116	7	3	254
4	Woodville PL	Homochitto Valley	Woodville			3		51	62	10	116	3	3	254
8 .	Humphreys Cty L	Humphreys County	Belzoni	7	-	-	C18	19	30	10	117	1	3	254
19	Pascagoula PL	Jackson-George	Pascagoula	®	8	-	C19	19	30	10	118	ļ	3	254



24	Bude PL	Lincoln-Lawr-Frankl	Bude			2		35	46	10	123.	7	3	254
24	Lawrence Cty PL	Lincoln-Lawr-Frankl	Monticello			3		51	62	10	123	3	3	254
52	Long Beach PL	Long Beach	Long Beach	-	ı	-	C25	19	30	10	124	1	3	254
5 6	Columbus PL	Lowndes County	Columbus	4	2	1	C26	19	30	10	125	1	3	254
56	Caledonia Br Lib	Lowndes County	Caledonia			2		32	46	10	125	5	3	254
27	Mad Cty-Canton	Madison County	Canton	4	4	1	C27	19	30	10	126	1	3	254
27	Flora PL	Madison County	Flora			2		35	46	10	126	2	3	254
27	Jurgens Mem Lib	Madison County	Ridgeland			3		51	62	10	126	3	3	254
EVANS ASSOCIA	Evans Associates/Aegis Group Ltd		Page 3 As Of 5/23/96, 7:49 AM	s Of 5	723/96	, 7:49	AM						F	Figure 16



Page 4 As Of 5/23/96, 7:49 AM

Evans Associates/Aegis Group Ltd

									ă	Device IP	Addresse	3		
				‡0 #	jo #	Bldg	آة	Public (C#.x -	C#.y)		Priv	Private (10.S.	B.x - 10.S.	B.y)
System	Library	System	City	Loc.	Dedic	의	CLASS	PCs	PCs				PCs	PCs
**1					Loc		췽	From (x)	To (y)	Ntwk	Sys	Bldg	From (x)	To (y)
27	Madison PL	Madison County	Madison			4		29	28	10	126	4	3	254
28	Marks-Quitman	Marks-Quitman Cty	Marks	3	1	1	C28	19	30	10	127	1	3	254
29	Marshall Cty Lib		Holly Springs	3	1	1	C29	19	30	10	128	1	3	254
30	Meridian-Laud Cty	rdale	Meridian	1	1	1	C30	19	30	10	129	1	ε	254
31	Attala County Lib	Mid-Mississippi	Kosciusko	13	13	-	C31	19	30	10	130	-	3	254
31	Wainut Grove PL	•	Walnut Grove			2		35	46	10	130	2	3	254
31	Carthage-Leake Cty		Carthage			3		51	62	10	130	က	3	254
31	Durant PL		Durant			4		67	78	10	130	4	က	254
31	Goodman PL		Goodman			5		83	94	10	130	5	3	254
31	Lexington PL		Lexington			9		66	110	10	130	9	3	254
31	Pickens PL	Mid-Mississippi	Pickens			7		115	126	10	130	_	3	254
31	Tchula PL		Tchula			8		131	142	10	130	8	3	254
31	Winston County		Louisville			6		147	158	10	130	6	က	254
31	Duck Hill PL		Duck Hill			10		163	174	10	130	10	3	254
31	Kilmichael PL		Kilmichael			11		179	190	10	130	11	3	254
31	West PL	Mid-Mississippi	West			12		195	506	10	130	12	3	254
31	Winona-Montgom	Mid-Mississippi	Winona			13		211	222	10	130	13	3	254
32	Neshoba County	Neshoba County	Philadelphia	-	-	1	C32	19	30	10	131	-	3	254
33	Corinth PL	Northeast Regional	Corinth	13	6	-	C33	19	30	10	132		3	254
33	Allen Library	Northeast Regional	Booneville			2		35	46	10	132	7	က	254
33	Belmont PL	Northeast Regional	Belmont			3		51	62	19	132	က	3	254
33	Burnsville PL	Northeast Regional	Burnsville			4		67	82	10	132	4	3	254
33	Cox Library	Northeast Regional	Baldwyn			5		83	94	10	132	5	3	254
33	luka PL		luka			9		66	110	10	132	9	3	254
33	Rienzi PL		Rienzi			7		115	126	10	132	2	3	254
33	Ripley PL	Northeast Regional	Ripley			8		131	142	10	132	8	3	254
33	Walnut PL	Jal	Walnut			9		147	158	10	132	6	3	254
34	Fant Mem Lib	Noxubee County	Macon	3	1	1	C34	19	30	10	133	1	3	254
35	Starkville PL	Ą.	Starkville	3	3	1	C35	19	30	10	134	τ-	က	254
35	Maben PL	Oktibbeha County	Maben			2		35	46	10	134	7	က	254
35	Sturgis PL	Oktibbeha County	Sturgis			3		51	62	10	134	က	က	254
36	Crosby Mem Lib	Pearl River	Picayune	2	2	+	036	19	30	10	135	-	က	254
36	Poplarville PL		Poplarville			2		35	46	10	135	2	က	254
37	McComb PL	Pike-Amite-Walthall	McComb	6	3	1	C37	19	30	10	136	1	3	254
37	Gloster PL	Pike-Amite-Walthall	Gloster			2		35	46	10	136	2	3	254
7.0		10:1- A:4- 18/11	11:15-4.			•			00	١				



^{প্}্র 254 254 254 254 254 254 254 254 254 254 254 254 254 254 254 254 254 254 254 Private (10.S.B.x - 10.S.B.y) From (x) ပ္လ Bldg S ည ဖ S 2 ~ 4 ω 4 4 9 Device IP Addresses Sys 136 136 138 138 139 140 140 140 140 140 142 142 142 143 145 145 142 142 142 142 144 145 145 145 137 141 141 137 137 137 137 141 141 137 137 137 Ntwk 9 10 5 5 10 9 9 5 9 9 10 6 6 9 9 0 9 10 9 5 5 5 5 0 5 5 0 0 9 0 9 9 9 9 0 To (Y) 126 142 110 126 78 94 ဓ္က 46 ဗ္က 46 46 78 62 78 78 46 30 62 30 94 9 62 30 62 94 30 30 30 94 Public (C#.x - C#.y) From (x) 66 131 19 35 35 6 35 19 19 9 83 19 66 35 83 35 51 83 51 67 51 35 51 67 9 19 51 67 CLASS C38 C39 C40 C42 C43 C44 C45 C46 241 # Bldg ₽ 4 S 4 S ဖ ω 4 4 Dedic ŏ # 9 ω 2 4 2 S # Of j j 10 5 2 က ဖြ 4 ဖ Rolling Fork **New Albany Nest Point** _umberton Yazoo City Charleston Hollandale Beaumont Columbia nverness Moorhead Aberdeen Vicksburg Greenville Tylertown Mathiston Indianola Ċİ Magnolia Mt. Olive Ruleville Nettleton Wiggins Tutwiler Sumner Richton Eupora Sumrall Collins Purvis Amory Arcola Webb Drew Avon Weir Warren Cty-Vicksbg Pike-Amite-Walthall Fombigee Regional Pike-Amite-Walthal Tombigee Regional **Tombigee Regional** Tombigee Regional Fombigee Regional Tombigee Regional South MS Regional Fombigee Regional Sunflower County Sunflower County Sunflower County Sunflower County Sunflower County allahatchie Cty System Fallahatchie Cty allahatchie Cty Tallahatchie Cty Washington Cty Washington Cty Washington Cty Washington Cty Washington Cty Union County South Delta South Delta Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Sharkey-Issaquena Blackwell Mem Lib Narren Cty-Vicksb Torrey Wood Mem Stone County Lib Columbia-Marion **Brewer Mem Lib** Seymour Library Amory Municipal Powell Mem Lib utwiler Branch Library Walthall County Webster County Evans Mem Lib **Boyer Mem Lib** Sumner Library Ricks Mem Lib Stansel Library Charleston Lib Percy Mem Lib umberton PL Sheriff Library eland Library **Nebb Library** nverness PL Mathiston PL Smith Library Arcola Library Avon Library Magnolia PL Richton PL Purvis PL Bryan PL Orew PL owe PL Veir PL System 45 38 38 38 38 38 43 43 44 46 46 49 9 9 38 38 39 39 6 42 42 42 42 43 43 43 43 43 37 4 37 4 4 4 4



66 Figure 16

Page 6 As Of 5/23/96, 7:49 AM

Evans Associates/Aegis Group Lid

System Library System City Loc. Decision P. Decision Decision P. Decision D								۵	Device IP Addresses	Address	Se		
			ن # 0	ŏ #	Bldg	P	Public (C#.x - C#.y)	C#.y)		Priva	ate (10.5	Private (10.S.B.x - 10.S.B.y)	(ý.
	System	City	Loc.	Dedic Loc	의	CLASS C#	PCs From (x)	PCs To (v)	Ntwk	Svs	Blds	PCs From (x)	PCs To (v)
	Yalobusha Cty	Coffeeville	7	-	-	747	19	30	10				254
Note(s) 1. Dial-up libraries do not appear de First byte = 10 (industry standarsecond byte = District Number Third byte = District Number Third byte = Device Number Fourth byte = Device Number Fourth byte = Device Number 3. Public scheme: see report text; 4. MLC Class C address is MLC.A. 5. For private address locations: 10.S.B.1 is reserved for the Ethe 10.S.B.2 is reserved for a buildir For public address locations: Reserved for the router: C#.17, Reserved for a building LAN ser 6. IP Subnet Mask For Public Sche IP Subnet Mask For Private Sch 7. Building IDs assigned sequentia 8. Unique System IDs assigned to		Jackson	-	-	-	MLC	19	30	9	201	-	8	254
 Dial-up libraries do not appear of First byte = 10 (industry standar Second byte = District Number Third byte = District Number Third byte = Device Number Fourth byte = Device Number Fourth byte = Device Number 3. Public scheme: see report text; 4. MLC Class C address is MLC.A. For private address locations: 10.S.B.1 is reserved for the Ethe 10.S.B.2 is reserved for a buildir For public address locations: Reserved for the router: C#.17, Reserved for a building LAN ser 6. IP Subnet Mask For Public Sche IP Subnet Mask For Private Sch 7. Building IDs assigned sequentia Unique System IDs assigned to 													
2. Private addresses reserve 2nd First byte = 10 (industry standar Second byte = District Number Third byte = Building Number Third byte = Device Number 3. Public scheme: see report text; 4. MLC Class C address is MLC.A 5. For private address locations: 10.S.B.1 is reserved for the Etht 10.S.B.2 is reserved for the Etht 10.S.B.2 is reserved for a buildin For public address locations: Reserved for the router: C#.17, Reserved for a building LAN ser 6. IP Subnet Mask For Public Sche IP Subnet Mask For Private Sch 7. Building IDs assigned sequentia 8. Unique System IDs assigned to	opear on this chart;∙their	IP addresses v	vill be	assigr	ned dyr	lamically	 / by the M	 LC systen		_			
3. Public scheme: see report text; 4. MLC Class C address is MLC.M. 5. For private address locations: 10.S.B.1 is reserved for the Ethe 10.S.B.2 is reserved for the Ethe 10.S.B.2 is reserved for a buildin For public address locations: Reserved for the router: C#.17, Reserved for a building LAN ser 6. IP Subnet Mask For Public Sche IP Subnet Mask For Private Sch 7. Building IDs assigned sequentia 8. Unique System IDs assigned to	e 2nd byte numbers 1-1 itandard) imber nber nber	00 for other us	<i>တ</i> 0)		ı								
4. MLC Class C address is MLC.M 5. For private address locations: 10.S.B.1 is reserved for the Ethe 10.S.B.2 is reserved for a buildir For public address locations: Reserved for the router: C#.17, Reserved for a building LAN ser 6. IP Subnet Mask For Public Sche IP Subnet Mask For Private Sch 7. Building IDs assigned sequentia 8. Unique System IDs assigned to	t text; assumes a Class	s C license (C#.x) for each district	x) for e	each d	istrict								
5. For private address locations: 10.S.B.1 is reserved for the Ethe 10.S.B.2 is reserved for a buildir For public address locations: Reserved for the router: C#.17, Reserved for a building LAN ser 6. IP Subnet Mask For Public Sche IP Subnet Mask For Private Sch 7. Building IDs assigned sequentia 8. Unique System IDs assigned to	MLC.MLC.MLC.0												
6. IP Subnet Mask For Public Sche IP Subnet Mask For Private Sch 7. Building IDs assigned sequentia 8. Unique System IDs assigned to	itions: le Ethernet LAN building LAN server ions: #.17, C#.33, C#.49 d	depending on building ID	ilding	OI on pn	Ilding II								
7. Building IDs assigned sequentia	c Scheme Is 255.255.26 te Scheme Is 255.255.2	55.240 :55.0				_			_				
8. Unique System IDs assigned to	uentially in each district	; building numb	er 1 re	serve	d for H	g.							
	ned to each district					_							
9. MLC assigned a System ID of 200.	ID of 200.									_			

Public/Private Device IP Addressing

Mississippi Library Commission

							WAN Se	WAN Serial Link IP Addresses	\ddresse:	s			
			# Of	jo #	Bldg		Public (CW#.x)	(x)	Priva	Private (10.99.S.x)	.S.x)		
Library	System	City	<u>Loc.</u>	Dedic Loc	의	CLASS C#	To HQ (Note 1)	To MLC	Ntwk	SvS	Bldø	To HQ (Note 1)	To MLC
													2001
Bond Memorial	Benton	Ashland	2	2	1	CW1		10	10	66	-		10
Hickory Flat PL	Benton	Hickory Flat			2		17		10	66	2	17	
Blackmur Mem L	Blackmur	Water Valley	1	1	1	CW2		10	10	66	-		9
Robinson-Carpenter	Bolivar	Cleveland	8	5	1	CW3		10	10	66	-		9
Cleveland Depot	Bolivar .	Cleveland			2		17		10	66	7	17	
Field Mem Lib	Bolivar	Shaw			3		25		10	66	6	25	
Rosedale PL	Bolivar	Rosedale			4		33		10	66	4	33	
Carrollton-N Carr	Carroll County	Carroliton	2	2	1	CW4		10	10	66	-		9
Vaiden PL	Carroll County	Vaiden			2		17		10	66	7	17	
Pearl PL	Central MS	Pearl	20	13	1	CW5		10	10	66	-		10
Sebastopol PL	Central MS	Sebastopol			2		17		10	66	2	17	
Brandon PL	Central MS	Brandon			3		25		10	66	3	25	
Florence PL	Central MS	Florence			4		33		10	66	4	33	
Ford Library	Central MS	Taylorsville			5		41		10	66	5	41	
Forest PL	Central MS	Forest			9		49		10	66	9	49	
Magee PL	Central MS	Magee			7		57		10	66	7	57	
Mendenhall PL	Central MS	Mendenhall			8		65		10	66	∞	65	
Morton PL	Central MS	Morton			6		73		10	66	6	73	
NW Point Resevoir	Central MS	Brandon			10		81		10	66	5	81	
Pelahatchie PL	Central MS	Pelahatchie			11		89		19	66	11	83	
Richland PL	Central MS	Richland			12		- 26		10	66	12	97	
Robinson Mem L	Central MS	Raleigh			13		105		10	66	13	105	
Carnegie PL	Clarksdale-Coahoma	Clarksdale	-	-	1	CW6		10	10	66	-		19
Covington Mem	Copiah-Jefferson	Hazelhurst	4	4		CW7		10	10	66	-		10
Biggs Mem Lib		Crystal Springs			2		17		10	66	2	17	
Hamilton Mem		Wesson			3		25		10	66	6	25	
Jefferson Co Lib	ւh-Jefferson	Fayette			4		33		10	66	4	33	
Pontotoc Ctry Lib		Pontotoc	8	2	1	CW8		19	10	66	-		10
Houston Carnegie	Dixie	Houston			2		17		10	66	2	17	
Okolona Carnegie		Okolona			3		25		10	66	3	25	
Sherman Lib		Sherman			4		33		10	66	4	33	
Yancy Mem Lib		Bruce			5		41		9	66	5	41	
Quitman PL		Quitman	6	2	1	CW9		10	10	66	-		10
Stonewall PL		Stonewall			2		17		10	66	2	17	
Boy Christin Miss	Cacket												



Page 2 As Of 5/23/96, 7:49 AM

					-		WAN Se	WAN Serial Link IP Addresses	Addresse	S			
			jo #	# Of	Bldg	B	Public (CW#.x)	x)	Priva	Private (10.99.S.x)	.S.x)		
Library	System	City	<u>Loc.</u>	Dedic Loc	의	CLASS C#	To HQ (Note 1)	To MLC (Note 2)	Ntwk	Sys	Bldg	To HQ (Note 1)	To MLC (Note 2)
Parker Mem Lib	East MS	Heidelberg			4		33		10	66	4	33	
Waynesboro ML	East MS	Waynesboro			5		41		10	66	2	41	
Jones Library	Elizabeth Jones	Grenada	-	1	1	CW10		10	10	66			10
Hernando PL	First Regional	Hernando	12	12	1	CW11		10	10	66	-		10
Lafayette Co/Oxfr	First Regional	Oxford			2		17		10	66	7	17	
	First Regional .	Olive Branch			3		25		10	66	က	25	
Davis Pub Lib	First Regional	Southaven			4		33		10	66	4	33	
	First Regional	Horn Lake			5		41		10	66	2	41	
Batesville PL	First Regional	Batesville			9		49		10	66	9	49	
Coldwater PL	First Regional	Coldwater			7		22		10	66	7	57	
Irwin Library	First Regional	Tunica			8		65		10	66	80	65	
Lapidus Mem PL	First Regional	Crenshaw			6		73		10	66	6	73	
Pointer PL	First Regional	Como			10		81		10	66	10	81	
Sardis PL	First Regional	Sardis			11		88		10	66	1,1	88	
Senatobia PL	First Regional	Senatobia			12		97		10	66	12	97	
Greenwood-LeFIr	Greenwood-Leflore	Greenwood .	3	2	1	CW12		10	10	66			10
Wilson Branch L	Greenwood-Leflore	Greenwood			2		17		10	66	7	17	
Bay St. Louis-Han	Hancock County	Bay St. Louis	3	3	1	CW13		10	10	66	Υ-		10
Kiln Library	Hancock County	Kiln			2		17		10	66	2	17	
Waveland PL	Hancock County	Waveland			3		25		10	66	င	25	
Person ML	Harriette Person	Port Gibson	1	1	1	CW14		10	10	66	7		10
Gulfport PL		Gulfport	8	8	1	CW15		10	10	66	۲-		10
Biloxi Main Lib		Biloxi			2		17		10	66	2	17	
D'Iberville PL		D'Iberville			3		25		10	66	3	25	
Division St Stu Ct	Harrison County	Biloxi			4		33		10	66	4	33	
Orange Grove PL		Gulfport			5		41		10	66	5	41	
Pass Christian PL		Pass Christian			6		49		10	66	9	49	
Sherry Mem Lib		Biloxi			7		57		10	66	2	22	
W Biloxi PL	Harrison County	Biloxi			8		65		10	66	8	65	
Hattie,Petal&Forr	Hattie, Petal & Forr	Hattiesburg	2	2	7-	CW16		10	10	66	1		10
Petal Library	Hattie, Petal & Forr	Petal			2		17		10	66	7	17	
Armstrong Lib	Homochitto Valley	Natchez	3	3	1	CW17		10	10	66	7-		10
VanCleave ML	Homochitto Valley	Centreville			2		17		10	66	7	17	
Woodville PL	Homochitto Valley	Woodville			3		25		10	66	3	25	
Humphreys Cty L	Humphreys County	Belzoni	2	7	τ	CW18		10	10	66	1		10
Dagagaila Di	Carred Canada		,										

Page 3 As Of 5/23/96, 7:49 AM

Evans Associates/Aegis Group Ltd

							WAN Se	WAN Serial Link IP Addresses	Addresse	s			
			# Of	# Of	Bldg	6	Public (CW#.x)	(x)	Priva	Private (10.99.S.x)	.S.x)		
Library	System	City	Loc.	Dedic Loc	의	CLASS C#	To HQ (Note 1)	To MLC (Note 2)	Ntwk	Sys	Bldg	To HQ (Note 1)	To MLC (Note 2)
George Cty PL	Jackson-George	Lucedale			2	1	17		9	66	7	17	
East Central PL	Jackson-George	Pascagoula			3		25		10	66	က	25	
McIlwain PL	Jackson-George	Gautier			4		33		10	66	4	33	
Moss Point City L	Jackson-George	Moss Point			5		41		10	66	2	41	
Ocean Springs ML	Jackson-George	Ocean Springs			9		49		10	66	9	49	
St. Martin PL	Jackson-George .	Biloxi			7		57		10	66	~	57	
Vancleave PL	Jackson-George	Vancleave			8		65		10	66	∞	65	
Welty Library	Jackson/Hinds	Jackson	15	15	-	CW20		10	10	66	-		10
Alexander Lib	Jackson/Hinds	Jackson			2		17		10	66	7	17	
Austin Library	Jackson/Hinds	Terry			3		25		10	66	3	25	
Brown Library	Jackson/Hinds	Jackson			4		33		10	66	4	33	
Colonial Mart Lib	Jackson/Hinds	Jackson			5		41		10	66	5	41	
Edwards Lib	Jackson/Hinds	Edwards			9		49		9	66	9	49	
Evers Blvd Br Lib	Jackson/Hinds	Jackson			7		57		10	66	7	57	
Hamer Library	Jackson/Hinds	Jackson			8		65		10	66	æ	65	
Jeffers Library	Jackson/Hinds	Bolton			6		73		10	66	6	73	
Majure Library	Jackson/Hinds	Utica			10		81		10	66	9	81	
Northside Lib	Jackson/Hinds	Jackson			11		88		10	66	=	89	
Raymond Lib	Jackson/Hinds	Raymond			12		26		10	66	12	97	
S Hills Lib	Jackson/Hinds	Jackson			13		105		10	66	13	105	
White Rock Lib	Jackson/Hinds	Jackson			14		113		10	66	4	113	
Wood Library	Jackson/Hinds	Clinton			15		121		10	66	15	121	
Union PL	Kemper-Newton	Union	^	က	1	CW21		10	10	66	-		10
DeKalb PL	Kemper-Newton	DeKalb			2		17		10	66	7	17	
McMullan Lib	Kemper-Newton	Newton			က		25		10	66	3	25	
Laurel-Jones Cty	Laurel-Jones	Laurel	3	1	1	CW22		10	10	66	-		10
Lee County Lib	Lee-Itawamba	Tupelo	2	-	-	CW23		10	10	66	-		10
Lincoln Cty PL	Lincoln-Lawr-Frankl	Brookhaven	5	3	1	CW24		10	10	66	-		10
Bude PL	Lincoln-Lawr-Frankl	Bude			2		17		10	66	2	17	
Lawrence Cty PL	Lincoln-Lawr-Frankl	Monticello			3		25		10	66	6	25	
Long Beach PL	Long Beach	Long Beach	-	1	-	CW25		10	9	66	-		10
Columbus PL	Lowndes County	Columbus	4	2	1	CW26		10	10	66	-		10
Caledonia Br Lib	Lowndes County	Caledonia			2		17		10	66	7	17	
Mad Cty-Canton	Madison County	Canton	4	4	1	CW27		10	10	66	-		10
Flora PL	Madison County	Flora			2		17		9	66	2	17	
Jurgens Mem Lib	Madison County	Ridgeland			3		25		9	66	3	25	



								WAN Se	WAN Serial Link IP A	Addresses	w			
				jo #	- - - - - - - - - - - - - - - - - - -	Bldg	١	Public (CW#.x)	x	Priva	Private (10.99.S.x)	.S.x)		
System #	Library	System	City	<u>Loc.</u>	Dedic Loc	의	CLASS	To HQ (Note 1)	To MLC (Note 2)	Ntwk	Sys	Bldg	To HQ (Note 1)	To MLC (Note 2)
27	Madison PL	Madison County	Madison		T	4		33		10	66	4	33	
28	Marks-Quitman	Marks-Quitman Cty	Marks	3	-	-	CW28		10	10	66	-		10
29	Marshall Cty Lib	Marshall County	Holly Springs	3	-	-	CW29		10	10	66	-		9
30	Meridian-Laud Cty	Meridan-Lauderdale	Meridian	-	-	-	CW30		10	10	66	-		10
31	Attala County Lib	Mid-Mississippi	Kosciusko	13	13	,	CW31		10	10	66	L		10
31	Walnut Grove PL	Mid-Mississippi	Walnut Grove			2		17		10	66	2	17	
31	Carthage-Leake Cty	Mid-Mississippi	Carthage			3		25		10	66	3	25	
31	Durant PL	Mid-Mississippi	Durant			4		33		10	66	4	33	
31	Goodman PL	Mid-Mississippi	Goodman			5		41		10	66	2	41	
31	Lexington PL	Mid-Mississippi	Lexington			9		49		10	66	9	49	
31	Pickens PL	Mid-Mississippi	Pickens			7		22		10	66		22	
31	Tchula PL	Mid-Mississippi	Tchula			8		65		10	66	8	65	
31	Winston County	Mid-Mississippi	Louisville			6		73		10	66	6	73	
31	Duck Hill PL	Mid-Mississippi	Duck Hill			10		81		10	66	10	81	
31	Kilmichael PL	Mid-Mississippi	Kilmichael			11		89		10	66	11	89	
	West PL	Mid-Mississippi	West			12		97		10	66	12	26	
31	Winona-Montgom	Mid-Mississippi	Winona			13		105		10	66	13	105	
32	Neshoba County	Neshoba County	Philadelphia	-			CW32		10	10	99	1		10
33	Corinth PL	Northeast Regional	Corinth	13	6	- -	CW33		10	10	66	1		10
33	Allen Library	Northeast Regional	Booneville			2		17		10	66	2	17	
33	Belmont PL	Northeast Regional	Belmont			3		25		10	66	3	25	
33	Burnsville PL	Northeast Regional	Burnsville			4		33		10	66	4	33	
	Cox Library	Northeast Regional	Baldwyn			5		41		10	66	5	41	
33	luka PL	Northeast Regional	luka			9		49		10	66	9	49	
33	Rienzi PL	Northeast Regional	Rienzi		_	7		22		10	66	7	22	
33	Ripley PL	Northeast Regional	Ripley		1	80		65		10	66	8	65	
33	Walnut PL	Northeast Regional	Walnut			6		73		10	99	6	73	
34	Fant Mem Lib	Noxubee County	Macon	3	1	1	CW34		10	10	66	1		10
35	Starkville PL	Oktibbeha County	Starkville	3	3	1	CW35		10	10	66	1		9
35	Maben PL	Oktibbeha County	Maben			2		17		10	66	2	17	
35	Sturgis PL	Oktibbeha County	Sturgis			3		25		10	66	3	25	
36	Crosby Mem Lib	Pearl River	Picayune	2	2	1	CW36		10	10	66	1		10
36	Poplarville PL	Pearl River	Poplarville			2		17		10	66	2	17	
37	McComb PL	Pike-Amite-Walthall	McComb	6	3	1	CW37		10	10	66	-		10
37	Gloster PL	Pike-Amite-Walthall	Gloster			2		17		10	66	2	17	
37	Liberty PL	Pike-Amite-Walthall	Liberty			က		25		9	66	3	25	



			(Note 1) (Note 2)	33	41	10	17	55	33	41	49	57	35	10	17	10	10		25	33	41	10	17	25	33	10	17	25	33	41		6	49 57	10				
	Ω		<u>5.0</u>	_	2	_	2	_	_		9	,	8	_	2	_	-	2	L		5	7		3		_	2		_		L		0 1	+	+++			
	10.99.5.			\dashv	_	66	├	┞	H	\vdash	┡	66	L	66	H	_	┞	66	H	66	_	66	L	_	┞	┞	66	Н		-	L	ŀ	_	+				
Addresses	Private (10.99.S.x)		뇌	\dashv		-	10	10	6	┝	\vdash		10	10	├	10	6	10	H	10	\vdash	10	H	10	-	10	-	Н	10		┞	10	_	╁	++	++-	+	╀╀┼┼
ink IP Addr			(Note 2) N			0								10		10	10					0				0		`			`	<u> </u>		10				
WAN Serial Link IP	/#.x)		4			1				_												1				1							ׅ֡֝֜֝֟֜֜֜֝֜֜֜֜֜֜֜֜֜֜֜֜֟֜֜֜֜֜֟֜֜֜֜֜֜֟֜֜֜֜֜֟֜֜֜֜֜֟֜֜֜֜	_				
WAN	Public (CW#.x)	To HQ	(Note 1)	33	41		17	25	33	41	49	25	<u> </u>		11			11	25	33	14		4٤	52	33		17	25	33	41	49	25					17	17 25
	1	CLASS	3 5			8EM3								CW39		CW40	CW41					CW42				CW43								CW44	CW44 CW45	CW44 CW45 CW46	CW44 CW45 CW46	CW45 CW45 CW46
	Bldg	Q		4	5	1	2	3	4	5	9	7	8	1	2	-	-	2	3	4	5	_	2	3	4	1	2	3	4	5	9	7		-			2 - 1 - 2	m 2
	# Of	Dedic	<u> 100</u>			8								2		-	5					4				7							ľ	1		1 1	1 1	9
	# Of	<u>Loc.</u>				15								2		က	9					4				10							٠	3	ა <u>←</u>	υ - Θ	n – Θ	n - ω
		City		Magnolia	Tylertown	Richton	Collins	Sumrall	Mt. Olive	Lumberton	Beaumont	Purvis	Wiggins	Yazoo City	Rolling Fork	Columbia	Indianola	Drew	Inverness	Moorhead	Ruleville	Charleston	Sumner	Tutwiler	Webb	West Point	Amory	Aberdeen	Nettleton	Mathiston	Eupora	Weir		New Albany	New Albany Vicksburg	New Albany Vicksburg Greenville	New Albany Vicksburg Greenville Arcola	New Albany Vicksburg Greenville Arcola Avon
		System		Pike-Amite-Waithall	Pike-Amite-Walthall	Pine Forest	Pine Forest	Pine Forest	Pine Forest	Pine Forest	Pine Forest	Pine Forest	Pine Forest	South Delta	South Delta	South MS Regional	Sunflower County	Sunflower County	Sunflower County	Sunflower County	Sunflower County	Tallahatchie Cty	Tallahatchie Cty	Tallahatchie Cty	Tallahatchie Cty	Tombigee Regional	Tombigee Regional	Tombigee Regional	Tombigee Regional	Tombigee Regional	Tombigee Regional	Tombigee Regional	20.00	Union County	Warren Cty-Vicksbg	Warren Cty-Vicksbg Washington Cty	Warren Cty-Vicksbg Washington Cty Washington Cty	Washington Cty Washington Cty Washington Cty
		Library		Magnolia PL	Walthall County	Richton PL	Blackwell Mem Lib	Boyer Mem Lib	Brewer Mem Lib	Lumberton PL	Powell Mem Lib	Purvis PL	Stone County Lib	Ricks Mem Lib	Sharkey-issaquena	Columbia-Marion	Seymour Library	Drew PL	Inverness PL	Sheriff Library	Stansel Library	Charleston Lib	Sumner Library	Tutwiler Branch L	Webb Library	Bryan PL	Amory Municipal	Evans Mem Lib	Lowe PL	Mathiston PL	Webster County	Weir PL	Omith Library	JULII LIDIALY	Warren Cty-Vicksb	Warren Cty-Vicksb Percy Mem Lib	Warren Cty-Vicksb Percy Mem Lib Arcola Library	Warren Cty-Vicksb Percy Mem Lib Arcola Library Avon Library
		System System	*	Ī	ī		38		Ī		38				39		41						42					T	Ī	Ī			~					



Page 6 As Of 5/23/96, 7:49 AM

Evans Associates/Aegis Group Ltd

(Note 2) 9 10 (Note 1) To HQ Bldg Private (10.99.S.x) Sys 66 WAN Serial Link IP Addresses Ntwk 9 (Note 2) To MLC 5 Public (CW#.x) (Note 1) To HQ CLASS CW47 SP # Bldg 의 Dedic **5**0# 9 **5** ا اد Coffeeville City Jackson System Yalobusha Cty Jackson Library Coffeeville PL System 200 47

 The WAN serial link IP address from HQ to branch library is one higher than that from the branch library to the HQ. This is true for both public and private addresses.

Note(s)

The WAN serial link IP address from MLC to HQ is one lower (9) than that from the HQ to the MLC. This is true for both public and private addresses. Public scheme: see report text; assumes a Class C license (CW#.x) for each district
 WAN links to branches and MLC.

. MLC to ISP link uses Class C address provided by ISP.

5. 10.99.Sys is the first three bytes of the private address.

6. IP Subnet Mask For Public and Private Scheme Is 255.255.255.248

7. Building IDs assigned sequentially in each district; building number 1 reserved for HQ

8. Unique System IDs assigned to each district

9. MLC assigned a System ID of 200.

```
! Cisco 1005 configuration at Branch Library
hostname BranchXX
enable password xyz
service password-encryption
ip domain-name lib.ms.us
ip name-server x.v.z.w
! This is the actual IP address of the domain name server
Interface Ethernet0
desc main LAN - Contact Person's name; Phone # xxx-yyy-zzzz
ip address C#.xxx 255.255.255.240
! Note: C# represents the first three bytes (C.C.C) of a Class C address. xxx represents the
! first device on the library's subnet (xxx= bldg#*16+1). Each subnet supports 14 devices.
! The first two device id's are reserved for Ethernet interface and a LAN server.
no shut
! Serial Port 0
interface s 0
encap frame-relay ietf
no ip address
interface s 0.1 point-to-point
frame-relay interface-dlci PVCtoHO# broadcast ietf
! PVCtoHO# is assigned by Bell South and connects to the HQ.
ip address CW#.x 255.255.255.248
! CW# represents the first three bytes of a Class C address used to represent the point to point
! serial link between the branch library and the HQ. The Class C address is subnetted
! to support 32 serial links from HQ and 6 devices per subnet. Subnets 2 thru 31 are used to
! connect branch libraries to it's HQ. Device 1 represents the branch library end of the serial
! link, device 2 represents the HQ end of the link, devices 3 and 4 can be used for SNMP
! manageable CSU/DSU in the future. The value of x can be calculated as follows: x=bldg#*8+1
! next hop address (to HQ) is CW#.y where y=x+1
bandwidth 56
! Serial Port 1 - Not used
interface s 1
no ip address
shut
! The statements below provide static routes to other subnets within this libraries Class C via
! the serial link to the HQ. One ip route statement for each subnet within the class C is required
! except for the subnet of the Ethernet port. A total of 14 ip route statement is needed.
ip route C#.16 255.255.255.240. s 0.1
ip route C#.240 255.255.255.240. s 0.1
! Default route is to the HQ
ip default gateway CW#.y
line con 0
exec-timeout 0 0
password pgr
login
line vty 0 4
password lmn
login
```



```
! Cisco 2501 configuration at HQ
hostname HQXX
enable password xyz
service password-encryption
ip domain-name lib.ms.us
ip name-server x.y.z.w
! This is the actual IP address of the domain name server
Interface Ethernet0
desc main LAN - Contact Person's name; Phone # xxx-yyy-zzzz
ip address C#.17 255.255.255.240
! Note: C# represents the first three bytes (C.C.C) of a Class C address. 17 represents the
! Ethernet port on the HO's subnet (xxx= bldg#*16+1). Each subnet supports 14 devices.
! The first two device id's are reserved for Ethernet interface and a LAN server.
! Serial Port 0
interface s 0
encap frame-relay ietf
no ip address
! Sub interfaces (DLCIs) on Serial Port 0 to connect to branch libraries and MLC.
interface s 0.1 point-to-point
frame-relay interface-dlci PVCtoBR#1 broadcast ietf
! PVCtoBR#1 is assigned by Bell South. This PVC connects to the first branch library.
ip address CW#.y 255.255.255.248
! CW# represents the first three bytes of a Class C address used to represent the point to point
! serial links between the branch library and the HQ, and between HQ and MLC. The Class C
! address is subnetted to support 32 serial links and 6 devices per subnet. Subnet 1 is used for
! serial links from HQ to MLC. Subnets 2 thru 31 is used to link branch libraries to the HQ.
! Device 1 on the subnet represents the distant serial port from the HQ and device 2 represents
! the HQ end of the link. Devices 3 and 4 can be used for SNMP manageable CSU/DSU in the
! future. The value of y can be calculated as follows: y=bldg#*8+2
! next hop address (to branch library) is CW#.x where x=y-1 and to MLC it is CW#.9
bandwidth 56
! Repeat the above 4 statements for each branch library substituting for the library number
! Connection from HQ to MLC *
interface s 0.x point-to-point
frame-relay interface-dlci PVCtoMLC broadcast ietf
ip address CW#.10 2555.255.255.248
bandwidth 56
! (Note: For HQs with the need for a second serial line the next 3 lines has to be replaced by
! repeating the serial port 0 definition above substituting interface number 1 for 0.
interface s 1
no ip address
shut
! The statements below provide static routes to other subnets within this HQ's Class C via
! the serial link to the libraries. One ip route statement for each subnet within the class C
! is required except for the subnet of the Ethernet port at HQ. A total of 14 ip route statement
! is needed.
ip route C#.16 255.255.255.240 s 0.1
ip route C#.32 255.255.255.240 s 0.2
```



ip route C#.48 255.255.255.240. s 0.3

! Default route is to the MLC ip default gateway CW#.9 ! line con 0 exec-timeout 0 0 password pqr login line vty 0 4 password lmn login



```
! Cisco 4500 configuration at MLC
hostname MLC
enable password xyz
service password-encryption
ip domain-name lib.ms.us
ip name-server x.y.z.w
! This is the actual IP address of the domain name server
Interface Ethernet0
desc main LAN - Contact Person's name; Phone # xxx-yyy-zzzz
ip address MLC#.17 255.255.255.240
! Note: MLC# represents the first three bytes (C.C.C) of a Class C address for
! MLC. 17 represents the address of the first Ethernet port as device 1 on subnet 1.
! Adress 18 - 30 can be allocated to the various servers (e.g. DNS, WEB, Data Base, etc.)
! and PCs on this subnet.
no shut
Interface Ethernet 1
desc Internal LAN - Contact Person's name; Phone # xxx-yyy-zzzz
ip address MLC#.33 255.255.255.240
! Note: MLC# represents the first three bytes (C.C.C) of a Class C address for
! MLC. 33 represents the address of the second Ethernet port as device 1 on subnet 2.
! Adress 34 - 46 can be allocated to the various servers (e.g. Novell) and PCs on
! this subnet.
no shut
! Serial Port 0
interface s 0
encap frame-relay ietf
no ip address
! Sub Interfaces (DLCIs) on Serial Port 0 - used to connect to HQs.
interface s 0.1 point-to-point
frame-relay interface-dlci PVCtoHQ#1 broadcast ietf
! PVCtoHQ#1 is assigned by Bell South. This PVC connects to the first HQ.
ip address CW#1.9 255.255.255.248
! CW#1 represents the first three bytes of a Class C address used to represent the point to point
! serial links between the branch library and HO#1, and between MLC and HO#1. The Class C
! address is subnetted to support 32 serial links and 6 devices per subnet. Subnet 1 is used for
! the serial link between the HQ and MLC. Device 1 represents the MLC end of the serial link,
! device 2 represents the HQ end of the link, devices 3 and 4 can be used for SNMP manageable
! CSU/DSU in the future.
! next hop address (to HQ#1) is CW#1.10
bandwidth 56
! Repeat the following 4 statements for each HQ designated by x:
interface s 0.x point-to-point
frame-relay interface-dlci PVCtoHQ#x broadcast ietf
ip address CW#x.9 2555.255.255.248
! next hop address (to HQ#x) is CW#x.10
bandwidth 56
! Serial Port 1
interface s 1
encap frame-relay ietf
no ip address
```



```
! Sub interfaces (DLCIs) on Serial Port 1 to connect to HQs.
interface s 1.1 point-to-point
frame-relay interface-dlci PVCtoHQ#x broadcast ietf
! PVCtoHQ#x is assigned by Bell South. This PVC connects to the HQ.
ip address CW#x.9 255.255.255.248
! next hop address (to HQ#x) is CW#x.10
bandwidth 56
! Repeat the above 4 statements for rest of HQs.
! Serial Port 2 - To ISP
interface s 1
encap frame-relay ietf
no ip address
! Sub interfaces (DLCIs) on Serial Port 1 to connect to ISP.
interface s 1.1 point-to-point
frame-relay interface-dlci PVCtoISP broadcast ietf
! PVCtoISP is assigned by Bell South. This PVC connects to the ISP.
ip address ISP.ISP.ISP.xxx 255.255.255.0
! Class C Address ISP.ISP.ISP.xxx provided by ISP.
bandwidth 56
!
! Static route to HQ's and Libraries. Class C subnets are summarized and static route points
! to a sub-interface. The sub interface is defined by serial port # x and sub interface y. An ip
! route statement is needed per summarized class C. Note: Subnets within a Class C address
! must not be split across multiple HQs.
ip route C#.0 255.255.255.0 s x.y
ip default gateway ISP.ISP.ISP.yyy
line con 0
exec-timeout 0 0
password pqr
login
line vty 0 4
password lmn
login
```





ATTACHMENTS



84

MISSISSIPPI LIBRARY COMMISSION COMPUTER SURVEY

1)	How many computers do you have in your library?
	For patron use: computers For staff use: computers Total: computers
	If known, please indicate the kind of processor in your PC:
	# of PCs Type
	Mackintosh/other Apple (Model) 286 or older (AT.8088) 386 486 or Pentium Unknown
2)	Are any of your computers connected together in a network, or does each computer operate separately?
	Network Separate
	If networked, how many computers are connected?
3)	Do any of your computers have a <u>modem</u> connected to them, to allow you to dial up into another system?
	Yes No Unknown
	If yes, please indicate the <u>speed</u> of your newest/fastest modem, if known (circle one).
	1200 2400 9600 14.4 28.8 Unknown



4)	Wh	at kinds of information d	lo you l	ook u	on your con	nputer(s))? (Check all that apply)
		Catalog		Seria	als		Reference
5)	Wh	ere is this information s	tored?	(Che	ck all that ap	ply)	
		On my computer (CD-On another computer	•	•	brary, located	d in	
6)	lf y	ou checked "On anothe	r comp	uter",	how do you a	access t	his other computer?
		I use a modem to dial		•	using a dedi	cated lin	ne
7)	Do	you use FAX to transm	it inforr	mation	? (Check all	that app	oly)
	Тур	e of Information		<u>Sent</u>	to:		
		Search results Short articles Other			Other librari Patrons Other librari		

.evans\mlc\survey.doc



MS Library Commission
ERIC Full Text Provided by ERIC

				Pop		Hrs/			Com	Computers		F	PC	\vdash	٦	Info	Ĺ	Access	ŀ	FAX Type	be	L	S	Sent To	
Demons	Library	System	City		Group	1 1		ш		Н	Н	$\overline{}$		L	Н	Н		Connec	Sel	Art	Oth	Sys	Patr	Oth Li	Other
December December	Bond Memorial	Benton	Ashland	8,046	I	45	x	0	1	1	-		_	400	×		L	_	×	×	X		×	×	
L. Ballovata Banotati Banota	Hickory Flat PL	Benton	Hickory Flat			40		0	0				z												
Delivery Delivery	Blackmur Mem L	Blackmur	Water Valley	3,610	ΙΛ	40	×		_				z	Y											
Debit	Benoit Public Lib	Bolivar	Benoit			8																			
Bolivar Bolivar Cammison Balana Cleveland Depot	Bolivar	Cleveland			52		3				3	z	z		_	_		×	×	×	×	×	×		
Bolivari General General General Sheby Seeding Bolivari Residue Bolivari Residue Bolivari Residue Bolivari Residue Siedue	Field Mem Lib	Bolivar	Shaw			28		0	0									ļ 							
Deliver Deliver Steedled 1,875 11 60	Gunnison PL	Bolivar	Gunnison			8												_							
Bollyman	Robinson-Carpenter	Bolivar	Cleveland	41,875	Ξ	99	×	∞	01	4	_	8	z	4.4	×	\vdash	_	Moden	<u> </u>	×	×	×	×	×	×
Deliver Beliver Beliver Beliver Beliver Beliver Beliver Beliver Beliver Beliver Beliver Cartefalde 245 s s 0 2 2 2 N 2400 N	Rosedale PL	Bolivar	Rosedale			28		0	0				-		H	L									
Central MS Cen	Shelby PL	Bolivar	Shelby			28.		0	0		-		_			-									
Central MS Education Society Central MS Months Rayner ML	Bolivar	Merigold			∞							_	-	-											
Carroll Couray	Carnegie PL	Clarksdale-Coahoma	Clarksdale	31,665	=	48.5	×	0	2	2	-		┝	400		H	×			_					
Carroll County Valden 26 0 0 0 0 0 0 0 0 0	Carrollton-N Саг	Carroll County	Carrollton	9,237	_	40	×	0	-				z	×		-									
Central MS Bandon 30 9	Vaiden PL	Carroll County	Vaiden			26		0	0		_		z	-			_								
Central MS Upon 10	Brandon PL	Central MS	Brandon			20							-												:
Central MS Taylorsville 37.5	D'Lo PL	Central MS	D'Lo			10							-		H	\vdash									
Central MS Florence 415 Central MS Florence 415 Central MS Florence 415 Central MS Florence 415 Central MS Florence 415 Central MS Florence 415 Central MS Florence 415 Central MS Marten 415 Central MS C	Ford Library	Central MS	Taylorsville			37.5					-														
Central MS Raleigh 375 Central MS Harrisotte 12 Central MS Harrisotte 12 Central MS Harrisotte 13 Central MS Harrisotte 14 Central MS Marce 14 Central MS Marce 150,049 IV ST X Z Z Z Z Z Z Z Z Z	Florence PL	Central MS	Florence			41.5											-								
Central MS	Robinson Mcm L	Central MS	Raleigh			37.5													-						
Central MS Haritsville 12 Central MS Market 12 Central MS Market 12 Central MS Market 13 Market 13 Market 14 Market 15	Forest PL	Central MS	Forest			45.5															L				
Central MS Magee 9 9 9 9 9 9 9 9 9	Harrisville PL	Central MS	Harrisville			12				-	-		-			F	_			L					
Central MS Magee 44	Lake PL	Central MS	Lake			6														_					
Central MS Mendenhall 44 9	Magee PL	Central MS	Magee			48.5							_			L	_								
Central MS Mize 8 137.5 1	Mendenhall PL	Central MS	Mendenhall			44													_	_					
Central MS Morron 37.5 Central MS Prediction MS Morron 12 x </td <td>Mize PL</td> <td>Central MS</td> <td>Mize</td> <td></td> <td></td> <td>8</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>_</td> <td></td>	Mize PL	Central MS	Mize			8							_												
Central MS Bandon 40.5 1 7 x 20 6 15 3 7 N Y X	Morton PL	Central MS	Morton			37.5								_		L									
Central MS Pearl 150,049 IV 57 x N Y X	NW Point Resevoir	Central MS	Brandon			40.5							-			-			_						
Central MS Monton 12 Central MS Monton 12 Central MS Monton 15 Central MS Monton 15 Central MS Monton 15 Central MS Monton 16 Central MS Monton 16 Central MS Monton 16 Central MS Monton 17 Central MS Monton 17 Central MS Monton Mon	Pearl PL	Central MS	Pearl	150,049	>!	57	×	20	9	15	3	7	z	Y	×	Ê	_			_	_				
Central MS Morton 12 12 12 12 12 12 12 12 12 12 13 13 14 15	Pelahatchie PL	Central MS	Pelahatchie			23														L					
Central MS Puckett 15 Puckett 16 Puckett 16 Puckett 17 Puckett 17 Puckett 18 Puckett 18 Puckett 18 Puckett 18 Puckett 18 Puckett 18 Puckett	Polkville PL	Central MS	Morton			12																			
Central MS Richland 50 A	Puckett PL	Central MS	Puckett			15				_															
Central MS Sandhill 23 4 1 5 Y 14.4 X	Richland PL	Central MS	Richland			20																			
Central MS Sebastopol 24 1 5 Y 14.4 X	Sandhill PL	Central MS	Sandhill			23								_		-									
1 Copial-Jefferson Hazelhurst 36,245 II 40 x 2 4 1 5 Y 14.4 X	Sebastopol PL	Central MS	Sebastopol			24					<u> </u>														
Copial-Jefferson Crystal Springs 41.5 1 2 Y ? X	Covington Mem	Copiah-Jefferson	Hazelhurst	36,245	=	40	×	2	4	 	_	5	F	4	×		×		×	×	111	×		×	×
Copiah-Jefferson Fayette 35 1 1 2 Y ? X X X Rpts Copiah-Jefferson Wesson 19.5 0 1 N ? X X X X X Rpts Dixie Calhoun 30 1 N X <td>Biggs Mem Lib</td> <td>Copiah-Jefferson</td> <td>Crystal Springs</td> <td></td> <td></td> <td>41.5</td> <td></td> <td>-</td> <td>2</td> <td></td> <td><u> </u></td> <td>2</td> <td>Y</td> <td>c.</td> <td>×</td> <td>-</td> <td>×</td> <td></td> <td>×</td> <td>×</td> <td>Rpts</td> <td></td> <td></td> <td></td> <td>×</td>	Biggs Mem Lib	Copiah-Jefferson	Crystal Springs			41.5		-	2		<u> </u>	2	Y	c.	×	-	×		×	×	Rpts				×
Copiah-Jefferson Wesson 19.5 0 1 N 7 X X X R pts Dixie Calhoun 30 1 N X	Jefferson Co Lib	Copiah-Jefferson	Fayette			35		_	_			2	Υ	c.	×	-	×		×		Rpts				
Dixie Calhoun 30 1 N N X X Dixie Vardaman 30 1 1 N N X X Dixie Houlka 11 1 N N N X X Dixie Houston 30 1 1 N N X X	Hamilton Mem	Copiah-Jefferson	Wesson			19.5		0	_			_	z	-	×		×		×		Rpts	L			
Dixie Vardaman 30 1 N N X X Dixie Houlton 30 1 1 N N X X	Calhoun City PL	Dixie	Calhoun			30			_			-	z		L	H			_						
Dixie Houlka 11 1 N N X X Dixie Houston 30 1 1 0 X	Edmondson ML	Dixie	Vardaman			30			_			-	z	-	-	H	_								
Dixie Houston 30 1 1 2 N X X	Houlka PL	Dixie	Houlka			=			-			_	z	z	\vdash	-									
	Houston Carnegie	Dixie	Houston			30	_	_	_	_		2	z	_	-	-				_					

BEST COPY AVAILABLE

දුර දුර

Attachment 2

Page 1

20

Survey Results

_
XXX
×
Dedic X X X X
_
×
×
×
×
X X X
×
хх
×
\dashv
×
×
X
X
×
Soon: X X X X
Line
Sys X X X

			Pop		Hrs/			Com	Computers		PC	U	H	Info	١	\ \	Access	FA	FAX Type	٥		Sen	Sent To	
Library	System	City	Served	Group	Week	НО	Patron	Staff	Old 3	386 48	486+ Ntwk	vk Modem	dem Cat	t Ser	r Ref	f Local	Local Connect	Ser	Art	Oth	Sys	Patr Oth Li	<u>_</u>	Other
W Biloxi PL	Harrison County	Biloxi			54		2	12	7	Ĺ	7 Circ	╙	× 00	×	×	×		×	×	H	×	×	×	
Armstrong Lib	Homochitto Valley	Natchez	45,034	III	48	×	3	3	_	3 2	2 N	0096	00		L							\vdash	\mid	
VanCleave ML	Homochitto Valley	Centreville			43.5		0	0			z		_	_								-		
Woodville PL	Homochitto Valley	Woodville			43.5		0	0			z									-	-			
Humphreys Cty L	Humphreys County	Belzoni	12,134	I	41	×	0	2	_	<u> </u>	z _	2400	× 00	×	×	×		×	×			×	×	
Isola PL	Humphreys County	lsola			16		0	0		_	z	L		-		_						H		
East Central PL	Jackson-George	Pascagoula			48	_	ncl w/Pa	Incl w/ Pascagoula							_						-	-		
McIlwain PL	Jackson-George	Gautier			09	_	ncl w/ Pa	Incl w/ Pascagoula					-							-	-			
George Cty PL	Jackson-George	Lucedale			47		ncl w/ Pa	Incl w/ Pascagoula			<u> </u>													
Moss Point City L	Jackson-George	Moss Point			09		ncl w/ Pa	Incl w/ Pascagoula							-						-	-	-	
Ocean Springs ML	Jackson-George	Ocean Springs			99	T	ncl w/ Pa	Incl w/ Pascagoula	\perp					_	Ļ					1	\dagger	+		
Pascagoula PL	Jackson-George	Pascagoula	131,916	2	99	×	13	49		4 58	58 all	1 28.	×	-	×		Other	×	×	t	×	×	×	
St. Martin PL	Jackson-George	Biloxi			48		ncl w/ Pa	Incl w/ Pascagoula				-	 -	_	L									
Vancleave PL	Jackson-George	Vancleave			48		ncl w/ Pa	Incl w/ Pascagoula							L									
Wood Library	Jackson/Hinds	Clinton			65	\vdash		-						_	-					t	-		-	
Jeffers Library	Jackson/Hinds	Bolton			20				-			-	-	_	-						+	+	-	
Brown Library	Jackson/Hinds	Jackson			48				-		-		-	_	-						-	+		
Colonial Mart Lib	Jackson/Hinds	Jackson			51	-				-			-	-	-							+	+	
Edwards Lib	Jackson/Hinds	Edwards			20					-	-			-	-						-	+	$\frac{1}{1}$	
Austin Library	Jackson/Hinds	Terry			20																	+	$\frac{1}{1}$	
Welty Library	Jackson/Hinds	Jackson	254,441	>1	64	×	58	7 59	45	5 17	7	7	4 (5) X	-	×	×	56 kbs			t	×	+	×	
Majure Library	Jackson/Hinds	Utica			20							-	ļ	-	-						+	+	+	
Hamer Library	Jackson/Hinds	Jackson			35				_			<u> </u>			-			-		-		-	-	
Alexander Lib	Jackson/Hinds	Jackson			52							_	-	\perp						\dagger				
Evers Blvd Br Lib	Jackson/Hinds	Jackson			28									-								+		
Northside Lib	Jackson/Hinds	Jackson			09						-	-		-	-					\dagger		+	-	
Raymond Lib	Jackson/Hinds	Raymond			45						-	_	-	\vdash	-	_				T		+	$\frac{1}{1}$	
S Hills Lib	Jackson/Hinds	Jackson			65	-			-		-	L		-	-					-		+		
White Rock Lib	Jackson/Hinds	Jackson			35								_	-	_							-		
Chunky PL	Kemper-Newton	Chunky			3		С	0		-	z	z	_	L										
DeKalb PL	Kemper-Newton	DeKalb			36		0	-		_	z	z								\vdash		\vdash		
Decatur PL	Kemper-Newton	Decatur			20		0	_		_	z	_		ļ.,							-		_	
Hickory PL	Kemper-Newton	Hickony			7		0	0			z	-		_								-		
McMullan Lib	Kemper-Newton	Newton			41		0	2		2	Z	z												
Scooba PL	Kemper-Newton	Scooba			6		0	-			z													
Union PL	Kemper-Newton	Union	30,647	=	45	×	0	3		3	z	14.4	4. X	L	×	×		Ī		×		-	×	×
Ellisville PL	Laurel-Jones	Ellisville			15			_	-		z	-		L	_		Dial			\dagger				
Laurel-Jones Cty	Laurel-Jones	Laurel	62,031	III	50.5	×	2	5	_	4 2	VAX	X 2400	L			×		İ		\vdash		-	-	
L-J Dial-A-Book	Laurel-Jones	Laurel			7.5				-											-				
Sandersville PL	Laurel-Jones	Sandersville			15	H		_			z	2400	× 00	\perp	igdash		Dial	\dagger	Ť	╁	\dagger	+	-	T
Itawamba Cty Pratt	Lee-Itawamba	Fulton			33	Н							_							\vdash	F	H	-	
Lee County Lib	Lee-Itawamba	Tupelo	85,598	≥	99	×	2	4	4	_ - -	Y	2400	X 00	×	×	×		×	×	×	×	×	×	
															ļ			ĺ	1			$\left\{ \right.$	1	ł

BEST COPY AVAILABLE

Page 3

Attach (H) eght 2

Survey Results

1				Pop		Hrs/			Col	Computers			PC	r		Info	\vdash	Access		FAX Type	٩	L	N.	Sent To	
	Library	System	City		Group		но	Patron	Staff	PIO	⊢	•		Todem	\vdash	⊢		al Connec	Š	Art	Oth	Sys	Patr	Patr Oth Li	Other
Lincohi-Law-Famel Montacionical Americant 40 0 1 1 N 2400 X X L. Lincohi-Law-Famel Mendrella 30 0 0 1 6 1 6 7 2400 X X X L. Lincohi-Law-Famel Mendrella 31,13 11 55 x 1 1 N 2400 X	Lee-Itawamba Lib	Lee-Itawamba	Tupelo			17.5			_		\mid	T	-		T	\vdash	L				L				
Linchel-Lawe-Famiki Mead-bried 30 0 2 0 2 N 2400 X X X L Linchel-Lawe-Famiki Mead-bried Montalella Mead-bried 51,113 11 56 x 1 1 N 2400 X X X X L Linchel-Lawe-Famiki Mead-bried Lowe Beach Lowe Beach 1,5804 1V 34 X Y Y Y X	Bude PL	Lincoln-Lawr-Frankl	Bude			40		0	-			-	H	2400	×		×					<u></u>			
L. Charlothe Lawer-Frankl Montacello S. S. S. S. S. S. S. S. S. S. S. S. S. S	Franklin Cty PL	Lincoln-Lawr-Frankl	Meadville			30		0	2			2	\vdash	2400	×		L								
Lincople Lawe-Frank New Hebron 15,304 17, 24 x x x x x x x x x	Lawrence Cty PL	Lincoln-Lawr-Frankl	Monticello			52		0	I	_	-	-	\vdash	2400	×		_			×		×			
Limochia-Kernali, Nave Helbron 1, 504 Y Y Y X X Limochia-Kernali, Long Beach Long Beach 1,5844 V 34 Y Y Y X X X b Lowaldes County Calcidenia Sp.308 III S X I Y Y Y X X X b Lowaldes County Calcidenia Sp.308 III S X<	Lincoln Cty PL	Lincoln-Lawr-Frankl	Brookhaven	51,113	Ξ	26	×	-	9	_	-	9	¥	14.4	×		_			×		×	×	×	
Lowedes County	Newhebron PL	Lincoln-Lawr-Frankl	New Hebron			30		0	-			-	\vdash	2400	×		×			_					
Lowrides County	Long Beach PL	Long Beach	Long Beach	15,804	ΛI	34	x	6	7				>	Y	×		_				×	×			×
b. Lowedes County Columbus St.3.08 III 4 1 2 Db 14.4 X X X b. Lowedes County Columbus St.3.08 III 58 x 1 2 Db 14.4 X	Artesia Br Lib	Lowndes County	Artesia			12															_				
Lowded County Columbus 59,308 III 58	Caledonia Br Lib	Lowndes County	Caledonia			20							à				_								
b. Lownfeet County Rigitated 8 4 1 1 2 N X </td <td>Columbus PL</td> <td>Lowndes County</td> <td>Columbus</td> <td>59,308</td> <td>Ξ</td> <td>58</td> <td>×</td> <td>-</td> <td>4</td> <td>_</td> <td>2</td> <td>2</td> <td>Ď</td> <td>14.4</td> <td>×</td> <td></td> <td>L</td> <td>×</td> <td>_</td> <td></td> <td>×</td> <td></td> <td></td> <td></td> <td></td>	Columbus PL	Lowndes County	Columbus	59,308	Ξ	58	×	-	4	_	2	2	Ď	14.4	×		L	×	_		×				
th Madison County Ridgeland 32 4 1 1 2 N X X X X X Dedic n Madison County Flora 23,794 III 205 x 1 1 6 N 144 X X X X Dedic Madison County Canton 13,794 III 205 x 1 1 6 N 144 X X X Dedic Marks-Quitman County Madison County Madison 30,20 1 48 x 0 0 1 1 6 N 44 X	Crawford Br Lib	Lowndes County	Crawford			8							-						_	_					
Madison County Flora 20 1 0 1 6 N 144 X X Dedic Madison County Madison County Madison County Madison County 48 0 1 1 6 N 144 X X X Dedic Madison County Madison Count	Jurgens Mem Lib	Madison County	Ridgeland			52		4	-	-	-	2	z		×	×	×	Dedic	ļ.,	×	_	×			
n Madison County Canton 33,794 III 50,5 x 1 6 N 144 X X X Dedic Marks-Quitman Cry Markstan 10,490 1 48 x 0 1 n 9600 X <t< td=""><td>Flora PL</td><td>Madison County</td><td>Flora</td><td></td><td></td><td>20</td><td></td><td>-</td><td>0</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>ļ</td><td></td><td></td><td></td><td></td><td></td></t<>	Flora PL	Madison County	Flora			20		-	0											ļ					
Markst-Quirtman Cty Lambrat 48 0 1 N 9600 X X X Dedic Marks-Quirtman Cty Lambrat 10490 1 48 0	Mad Cty-Canton	Madison County	Canton	53,794	III	50.5	×	-	7	_	-	9	z	14.4	×	×	×	Dedic		×	×	×	×	×	Business
Marks-Quitman Cy Lambert 12 0 0 1 N Y N Marks-Quitman Cy Markstall County Markstall County Markstall County Markstall County Markstall County N Y X X X Markstall County Polit Camp 1 54 X 0 2 2 N X X X Markstall County Polit Camp Parkstall 1 54 X 0 0 0 N X	Madison PL	Madison County	Madison			48		0	-					0096	×	×	×	Dedic	_	×		×			
Marks-Quirman Cy Marks-Quirman Cy Marks-Quirman Cy Marks-Quirman Cy Marks-Quirman Cy Marks-Quirman Cy Marks-Quirman Cy Marks-Quirman Cy N Y X X X Markshall County Holly Springs 30,361 11 4 X	Lambert PL	Marks-Quitman Cty	Lambert			12		0	0											L	_	_			
b Marks-Quitman Cly Sledge 15 0 0 0 0 0 X X X Marshall County Holly Springs 30,361 11 54 x 0 0 0 0 X	Marks-Quitman	Marks-Quitman Cty	Marks	10,490	_	48	×	0	-	_			z	>											
b Marshall County Holly Springs 30,361 II 54 x 0 2 N 7 X X X Marshall County Potts Camp 120 0 0 0 0 N 0 0 N 0 0 N N 0 0 N N 0 0 N N 0 0 N N 0 0 N N 0 0 N N 0 0 N N 0 0 N N 0 0 N N 0 0 N N 0	Sledge PL	Marks-Quitman Cty	Sledge			15		0	0						\dagger	-	-			<u> </u>	_				
Marshall County Potts Camp 20 Amachall County Potts Camp Meridan-Laudedradie Meridan 7,555 1V 66 x 1 6 N N Amachall County By halia 1 1 N	Marshall Cty Lib	Marshall County	Holly Springs	30,361	=	54	×	0	7		2		z	c.	×		-		×	×	Rpts		×	×	MLC
Marchall County Bybalia 18 Marchall County Bybalia Michalzasissippi Merdidan-Lauderdale Merdidan-Lauderdale </td <td>Potts Camp Lib</td> <td>Marshall County</td> <td>Potts Camp</td> <td></td> <td></td> <td>20</td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>_</td> <td></td> <td></td> <td></td> <td></td> <td></td>	Potts Camp Lib	Marshall County	Potts Camp			20					-									_					
Cyb Meridan-Lauderdale Meridan-Lauderdale Meridan-Lauderdale Noverbase Nove	French Library	Marshall County	Byhalia			18			!								-			<u> </u>	L				
Cy Meridan-Lauderdale Meridian 75,555 1V 66 x 1 6 N 9600 N Cly Mid-Mississippi Cardhage 90,342 1V 53 x 3 11 5 8 N 144 X <t< td=""><td>Mailibrary</td><td>Meridan-Lauderdale</td><td>Meridian</td><td></td><td></td><td>42.5</td><td></td><td>0</td><td>0</td><td></td><td></td><td></td><td>z</td><td></td><td></td><td>-</td><td> </td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	Mailibrary	Meridan-Lauderdale	Meridian			42.5		0	0				z			-									
(b) Mid-Mississippi Kosciusko 99,342 IV 53 x 3 11 5 8 N 144 X	Meridian-Laud Cty	Meridan-Lauderdale	Meridian	75,555	ΛΙ	99	×	-	9				-	0096					×	×		×	×	×	
Cty Mid-Mississippi Carthage 44 0 <td>Attala County Lib</td> <td>Mid-Mississippi</td> <td>Kosciusko</td> <td>90,342</td> <td>></td> <td>53</td> <td>×</td> <td>3</td> <td></td> <td>5</td> <td></td> <td>∞</td> <td>z</td> <td>14.4</td> <td>×</td> <td>×</td> <td><u> </u></td> <td></td> <td>×</td> <td>×</td> <td>×</td> <td>×</td> <td>×</td> <td>×</td> <td>×</td>	Attala County Lib	Mid-Mississippi	Kosciusko	90,342	>	53	×	3		5		∞	z	14.4	×	×	<u> </u>		×	×	×	×	×	×	×
Mid-Mississippi Durant 45 1 0 0 0 0 0 X	Carthage-Leake Cty	Mid-Mississippi	Carthage			44		0	0								_		×	×	×	×	×	×	×
Mid-Mississippi Durant 45 1 0 1 N N X	Duck Hill PL	Mid-Mississippi	Duck Hill			20		0	0								-		×	×	×	×	×	×	×
Mid-Mississippi Goodman 20 0	Durant PL	Mid-Mississippi	Durant			45		1	0			_	z	z	×		_		×	×	×	×	×	×	×
Mid-Mississippi Kilmichael 20 0 0 0 1 N <td>Goodman PL</td> <td>Mid-Mississippi</td> <td>Goodman</td> <td></td> <td></td> <td>20</td> <td></td> <td>0</td> <td>0</td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td></td> <td></td> <td>×</td> <td>×</td> <td>×</td> <td>×</td> <td>×</td> <td>×</td> <td>×</td>	Goodman PL	Mid-Mississippi	Goodman			20		0	0					-					×	×	×	×	×	×	×
Mid-Mississippi Lexington 47 1 0 1 N <td>Kilmichael PL</td> <td>Mid-Mississippi</td> <td>Kilmichael</td> <td></td> <td>_</td> <td>70</td> <td></td> <td>0</td> <td>0</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>×</td> <td>×</td> <td>×</td> <td>×</td> <td>×</td> <td>×</td> <td>×</td>	Kilmichael PL	Mid-Mississippi	Kilmichael		_	70		0	0										×	×	×	×	×	×	×
Mid-Mississippi Pickens 31 1 0 1 N	Lexington PL	Mid-Mississippi	Lexington			47		-	0	-			z	z					×	×	×	×	×	×	×
L Mid-Mississippi Tchula 31 2 0 2 N	Pickens PL	Mid-Mississippi	Pickens			31		- 1	0	_			z	z		_			×	×	×	×	×	×	×
L Mid-Mississippi Walnut Grove 29 0<	Tchula PL	Mid-Mississippi	Tchula			31		2	0	2			z	z			×		×	×	×	×	×	×	×
mid-Mississippi West 20 0	Walnut Grove PL	Mid-Mississippi	Walnut Grove			29							_												
mm Mid-Mississippi Winona 45 1 0 1 N X X X Northeast Regional Palidadelphia 24,800 11 47 x 4 1 2 App 1 1 N X <td>West PL</td> <td>Mid-Mississippi</td> <td>West</td> <td></td> <td></td> <td>20</td> <td></td> <td>0</td> <td>0</td> <td></td>	West PL	Mid-Mississippi	West			20		0	0																
Mid-Mississippi Louisville 43 2 1 2 1 N N X <td>Winona-Montgom</td> <td>Mid-Mississippi</td> <td>Winona</td> <td></td> <td></td> <td>45</td> <td></td> <td>-</td> <td>0</td> <td></td> <td></td> <td>-</td> <td></td> <td>z</td> <td>×</td> <td></td> <td>×</td> <td></td> <td>×</td> <td>×</td> <td>×</td> <td>×</td> <td>×</td> <td>×</td> <td>×</td>	Winona-Montgom	Mid-Mississippi	Winona			45		-	0			-		z	×		×		×	×	×	×	×	×	×
Neshoba County Philadelphia 24,800 II 47 x 4 I 2 App I Northeast Regional Northeast Regional Pull Blumont 26 7 <td>Winston County</td> <td>Mid-Mississippi</td> <td>Louisville</td> <td></td> <td></td> <td>43</td> <td></td> <td>2</td> <td>-</td> <td>2</td> <td></td> <td>-</td> <td></td> <td>z</td> <td>×</td> <td></td> <td><u> </u></td> <td></td> <td>×</td> <td>×</td> <td>×</td> <td>×</td> <td>×</td> <td>×</td> <td>×</td>	Winston County	Mid-Mississippi	Louisville			43		2	-	2		-		z	×		<u> </u>		×	×	×	×	×	×	×
Northeast Regional Baldwyn Northeast Regional Belmont ain PL Northeast Regional Bue Mountain 1L Northeast Regional Burnsville PL Northeast Regional Walnut	Neshoba County	Neshoba County	Philadelphia	24,800	11	47	×	4	1 2	App	-	_		0096	×	_	_				×	×	×	×	
ain PL Northeast Regional Belmont ain PL Northeast Regional Blue Mountain PL Northeast Regional Burnsville PL Northeast Regional Walnut	Cox Library	Northeast Regional	Baldwyn			40																			
Northeast Regional Blue Mountain Northeast Regional Burnsville Northeast Regional Walnut	Belmont PL	Northeast Regional	Belmont			56										_				_					
Northeast Regional Burnsville Northeast Regional Walnut	Blue Mountain PL	Northeast Regional	Blue Mountain			10						П	H		Н	H					L				
Northeast Regional Walnut	Burnsville PL	Northeast Regional	Burnsville			30									П										
	Chalybeate PL	Northeast Regional	Walnut			0			\dashv	-	-	\dashv	\dashv	\dashv		_									

			Pop		Hrs/	H	1	Computers			PC	L		Info		Access	is s	FAX	FAX Type	-		Sent To		
Library	System	City	1	Group	Week	но Р	Patron !	Staff Old	986 p	486+	+ Ntwk	k Modem	m Cat	Ser	Ref I	Local Connect		Ser /	Art C	Oth Sy	Sys Pat	Patr Oth Li	i Other	ner
Corinth PL	Northeast Regional	Corinth	92,206	ΛI	09	×	0	2	_	-	z	2400	×		┢	×		×	×	×	×		L	_
Allen Library	Northeast Regional	Booneville			51														Н					
Juka PL	Northeast Regional	luka			55		-	_		-	z	14.4	×		×	X	_	_		x x	x x			
McRae Mem Lib	Northeast Regional	Tishomingo			20																			
Marietta PL	Northeast Regional	Marietta			32.5																			
Rienzi PL	Northeast Regional	Rienzi			15																			
Ripley PL	Northeast Regional	Ripley			54		0	-	-		z	z			×	×			×	×	×			
Walnut PL	Northeast Regional	Walnut			24							_												
Fant Mem Lib	Noxubee County	Macon	12,604	_	40	×	_	_	_	-	z	¢.	×		×	×			_			_		_
Brooksville PL	Noxubee County	Brooksville			15.	_	0	0			_	_					-			-		_		
Danial Mem Lib	Noxubee County	Shuqualak			15		0	0	-									-	-		-		_	
Maben PL	Oktibbeha County	Maben			9																			
Starkville PL	Oktibbeha County	Starkville	38,375	II	20	×	15	4	_	∞	>	0096	×		×	×	Dedic??	×	×	Rpts	×	×		
Sturgis PL	Oktibbeha County	Sturgis			20	-							_											
Crosby Mem Lib	Pearl River	Picayune	38,714	=	47	×	-	5	3	3	z	14.4	×		-	×			×	Mail	×	×	Vel	Vend
Poplarville PL	Pearl River	Poplarville			35		0	-			z	2400	x (X	Dedic		-	Stat	×			_
Alpha Center Lib	Pike-Amite-Walthall	McComb			14		0	0															_	
Crosby PL	Pike-Amite-Walthall	Crosby			14		-	0		-	z	z	×		_	×			_					
Gloster PL	Pike-Amite-Walthall	Gloster			30		I	0		-	z	z	×		×	×								
Liberty PL	Pike-Amite-Walthall	Liberty			30		_	0		-	z	z	×		×	×			×	×	×		Pub	Public
Magnolia PL	Pike-Amite-Walthall	Magnolia			30		-	0		-	z	z	×		×	×					-			
McComb PL	Pike-Amite-Walthall	McComb	64,562	Ш	28	×	-	4 2		3	z	2400		×	×	×	Dial	×	×	×	×	×	Put	Public
Osyka PL	Pike-Amite-Walthall	Osyka			16		-	0		-	z	z	X		Х	X								
Progress PL	Pike-Amite-Walthall	McComb			91		_	0		_	z	z	X		X	×								
Walthall County	Pike-Amite-Walthall	Tylertown			47		2	0		_	z	z			×	×			×	×	×		Put	Public
Hall Library	Pine Forest	Petal			12		-			_		14.4	×			×		×	×	×	L			
Brewer Mem Lib	Pine Forest	Mt. Olive			20.5		-			-		14.4	×			×		×	×	×	×	×		
Boyer Mem Lib	Pine Forest	Sumrall			30		2	2	1	3	λ	144				×		×	×	×	L			
Leakesville PL	Pine Forest	Leakesville			24		3			3	Y	14.4	×			×		×	×	_	×	L.		
Lumberton PL	Pine Forest	Lumberton			42.5		2	2		3	λ	14.4	x] :			×		×	×					
McHenry PL	Pine Forest	McHenry			12		-			-		14.4	_			×		×	×	_				
McLain PL	Pine Forest	McLain			12		_			-		14.4				×		×	×	×	X	×		
New Augusta PL	Pine Forest	New Augusta			12		-			-		14.4	×			×		×	×		_	_		
Purvis PL	Pine Forest	Purvis			45.5		2	2	-	3	Y	14.4	X			X		×	×	×				
Blackwell Mem Lib	Pine Forest	Collins			45.5		2	2	-	3	Y	14.4				×		×	×	_	-	×		
Richton PL	Pine Forest	Richton	78,786	2	53	×	_	6		10	Y	14.4	×			X		×	×		×	_		
Seminary PL	Pine Forest	Seminary			15		_			_		14.4	×			×		×	×	×	×	×		
State Line PL	Pine Forest	State Line			12		1			-		14.4	×			×		×	×	×	×	×		
Stone County Lib	Pine Forest	Wiggins			48		2	2	_	3		14.4	×		-	×	-	×	×	×	×	×	_	
Powell Mem Lib	Pine Forest	Beaumont			70		-			1	Y	14.4	×			×		×	×	×	×	×		
Ricks Mem Lib	South Delta	Yazoo City	34,481	=	46	X	0	2			Š	0096	×				-			-	-		_	
Sharkey-Issaquena	South Delta	Rolling Fork			47	\dashv	0	2 2			z	¥						H	$ \cdot $	H	H	_	_	

Survey Results

Page 6

BEST COPY AVAILABLE

ග ලා

System Girls Served Group Week Hot Parton Staff Old Name Age Act				Pop		Hrs/	-		2	Computers	3		ЬC			Info		Acc	Access	FA	FAX Type	٦		Ser	Sent To	
South Mist Regional Columbia 594 Mile 4 6 GMA A A Dial X	Library	System	City	1 1	Group		НО	Pat	L	PIO	386	1		Modem	ш	Ser		Cocal	onnect	Ser	Art	Oth	Н	Patr O	th Li	Other
Symith MS Reports Columbia 39,535 11 55 x 0 4 1 3 Year X	Sassfield PL	South MS Regional	Bassfield			30		0	0				Galx		×	×		\vdash	Dedic	×	×		×	×	×	
South Matter County Drawn 42.5 0 </td <td>Olumbia-Marion</td> <td>South MS Regional</td> <td>Columbia</td> <td>39,595</td> <td>=</td> <td>56</td> <td>-</td> <td>0</td> <td>4</td> <td></td> <td>-</td> <td>3</td> <td>7-</td> <td>0096</td> <td>×</td> <td>×</td> <td></td> <td>×</td> <td>Dial</td> <td>×</td> <td>×</td> <td></td> <td>×</td> <td>×</td> <td>×</td> <td></td>	Olumbia-Marion	South MS Regional	Columbia	39,595	=	56	-	0	4		-	3	7-	0096	×	×		×	Dial	×	×		×	×	×	
Samitower County Simple wer County Simple wer County Simple wer County Name of Sections Name of Sectio	rentiss PL	South MS Regional	Prentiss			42.5		0	0				Galx		×	×			Dedic	×	×		×	×	×	
Sunflower County Inchigation Samithower County Inchigation Inchigation <t< td=""><td>Irew PL</td><td>Sunflower County</td><td>Drew</td><td></td><td></td><td>30</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>_</td><td></td><td></td></t<>	Irew PL	Sunflower County	Drew			30																		_		
Suniforact County Table Market County Suniforact County Table Market County Table Market County Anniforact County No. No. No. No. No. No. No. No. No. No.	eymour Library	Sunflower County	Indianola	35,129	=	42	×	8	7	10			Y	į	×		×	×			×	×	×		×	×
Suniflower County Inverses Applied N	tansel Library	Sunflower County	Ruleville			28		2		22			PALS	z											-	
Sunflower County Nationary County Nationary Monthead 1 Apple N	nverness PL	Sunflower County	Inverness			20																				
Suntlover County Surflover Surflover Surflover County Sur	enitentiary Lib	Sunflower County	Parchman						-	Apple			z	z												
Sulfabarchic Cyardy Summer Summer Sulfabarchic Cyardy Summer Sulfabarchic Cyardy Summer Summ	heriff Library	Sunflower County	Moorhead			25											-					-		-		
Tablibattchile Cy	unflower PL	Sunflower County	Sunflower			9.																				
Tablibatticite Cy Sumer Tablibatticite Cy Sumer Tablibatticite Cy Sumer Tablibatticite Cy Sumer Tablibatticite Cy Sumer Tablibatticite Cy Sumer Tablibatticite Cy Sumer Tablibatticite Cy Sumer Sume	harleston Lib	Tallahatchie Cty	Charleston	15,210	I	32	×	0	-	-			z	2400								Rpts			×	MLC
Tailabhatchie Cyy Tuwoler Tailabhatchie Cyy Tuwoler Tailabhatchie Cyy Tuwoler Tailabhatchie Cyy Webb Lattice burg Evolution County Tumologe Regional Nest Point Lattice burg Evolution County Nest Regional Ne	umner Library	Tallahatchie Cty	Sumner			24		0	0														-	-		
Hattle, Peral & Fort Hattlesburg 68.314 III 60 0 0 99 99 14.4 X X Dedic Hattle, Peral & Fort Hattlesburg 68.314 III 60 x 65 24 0	utwiler Branch L	Tallahatchie Cty	Tutwiler			24		0	0																	
Hatter, Petal & Port Hatter, Petal & Port Hatter, Petal & Port Hatter, Petal & Port No. No. No. No. No. No. No. No. No. No.	Vebb Library	Tallahatchie Cty	Webb			24		0	0															-	-	
Hattie, Petal & Peral Hattie, Petal & Petal Hattie, Petal & Petal Petal & Petal Petal & Petal Petal & Petal Petal & Petal Petal & Petal Petal & Petal Petal & Petal Petal & Petal Petal & Petal & Petal Petal & Petal Petal & Petal & Petal Petal & Petal & Petal Petal & Petal	attie, Petal & Forr	Hattie, Petal & Forr	Hattiesburg	68,314	Ξ	9	×	65	24			68	68	14.4	×	×	×	H	Dedic:			×	×	×	×	Bus
Hottligee Regional West Found From Trombigee Regional West Found From Trombigee Regional West Found Frombigee Regional West Found Aberdean Aberdean Aberdean School West Found County Blue Springs From Trombigee Regional West Found County Blue Springs From Trombigee Regional West Found County Blue Springs From Trombigee Regional West Found County Blue Springs From Trombigee Regional West Found County Blue Springs From Trombigee Regional West Found County Blue Springs From Trombigee Regional West Found County Blue Springs From Trombigee Regional West Found County Blue Springs From Trombigee Regional West From Trombigee Regiona	lail Library	Hattie, Petal & Forr	Hattiesburg																RANET							
Tombigee Regional Mest Point Amony 44 2 4 1 1 N Y X	etal Library	Hattie, Petal & Forr	Petal			46		8	3			=	=	14.4	×	×	×	Г	edic:ST	I.		×	×	×	×	Bus
Tombigee Regional AvestPoint Tombigee Regional Avertananan Avertanan n Avertanan Avertanan Avertanan Avertanan Avertanan Avertanan Av	mory Municipal	Tombigee Regional	Amory			48		2			-	-	z	>		×	×	×			×	×	×	×	×	×
Tombigee Regional Aberdenan Ackeman 30 0	ryan PL	Tombigee Regional	West Point	76,995	ΛΙ	52	×	2	4		_	3	z	2400	×	×	×	×			×	×	×		×	×
Tombigge Regional Aberdeen 44.5 2 1 2 N 14.4 X X X Dial X X X X Dial X	noctaw Cty PL	Tombigee Regional	Ackerman			30		0	0																	
Tombigee Regional Mathiston Hamilton 18 0	ans Mem Lib	Tombigee Regional	Aberdeen			44.5		2	-		-	2	z	14.4		×	×	×	Dial		×		×			Ì
Tombigee Regional Veutleton Mathiston 30 0	amilton PL	Tombigee Regional	Hamilton			18		0	0															_		
Tombigee Regional Mest Point Mest Point	athiston PL	Tombigce Regional	Mathiston			30		0	0																	
Tombigee Regional Eupora West Point 15 0	we PL	Tombigee Regional	Nettleton			20		0	0																	
Tombigee Regional Eupora Weir 30 0	ail-A-Book	Tombigee Regional	West Point			15																				
Tombigee Regional Aberdeen 18 0 <td>ebster County</td> <td>Tombigee Regional</td> <td>Eupora</td> <td></td> <td></td> <td>30</td> <td></td> <td>0</td> <td>0</td> <td></td>	ebster County	Tombigee Regional	Eupora			30		0	0																	
Tombigee Regional Aberdeen 18	eir PL	Tombigee Regional	Weir			20		0	0																	
Union County Blue Springs 15 x 1 x X <td>ren PL</td> <td>Tombigee Regional</td> <td>Aberdeen</td> <td></td> <td></td> <td>81</td> <td></td>	ren PL	Tombigee Regional	Aberdeen			81																				
Union County Mew Albany 22,085 11 51.5 x 1 2 N 2400 X	lue Springs Lib	Union County	Blue Springs			15																	-			
Union County Myrtie 15 4 5 6 4 Soon 14.4 X <td>mith Library</td> <td>Union County</td> <td>New Albany</td> <td>22,085</td> <td>=</td> <td>51.5</td> <td>\square</td> <td>-</td> <td>2</td> <td></td> <td>_</td> <td>2</td> <td>z</td> <td>2400</td> <td></td> <td></td> <td>×</td> <td>×</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td></td>	mith Library	Union County	New Albany	22,085	=	51.5	\square	-	2		_	2	z	2400			×	×							-	
Yorkesbug Vicksbug Vicksbug 47,880 III 60 x 2 7 3 6+4 Soon 144 X	ance-McNeely L	Union County	Myrtie			15																				
y Washington Cty Arcola 20 0	arren Cty-Vicksb	Warren Cty-Vicksbg	Vicksburg	47,880	111	09	X	2	7	3		6+4	Soon	14.4	×	×		×			×			×	×	
Washington Cty Avon 20 0	rcola Library	Washington Cty	Arcola			20		0	0																-	
Washington Cty Glen Allen 20 0 <td>von Library</td> <td>Washington Cty</td> <td>Avon</td> <td></td> <td></td> <td>20</td> <td></td> <td>0</td> <td>0</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>T</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	von Library	Washington Cty	Avon			20		0	0								T									
Washington Cty Leland 49 0	len Allan Lib	Washington Cty	Glen Allen			20	_	0	0								ļ									
Washington Cty Hollandale 20 0 <td>cland Library</td> <td>Washington Cty</td> <td>Leland</td> <td></td> <td></td> <td>46</td> <td></td> <td>0</td> <td>0</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Г</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>T</td> <td></td> <td></td> <td></td>	cland Library	Washington Cty	Leland			46		0	0								Г						T			
Washington Cty Greenville 67,935 III 59 x 0 3 3 N 14,4 X	опеу Wood Mem	Washington Cty	Hollandale			20		0	0														T		-	
Yalobusha Cty Coffeeville 12,033 1 29 x 0 2 2 N 2400 X X X X Yalobusha Cty Oakland 24	ercy Mem Lib	Washington Cty	Greenville	67,935	III	59	×	0	3	3			z	14.4		×		×			×	-			×	
. Yalobusha Cty Oakland	offeeville PL	Yalobusha Cty	Coffeeville	12,033	-	29	×	0	2	2			z	2400				Х				×	×	-	-	Public
	akland PL	Yalobusha Cty	Oakland			24																-	-	_	-	

Survey Results

₽



Attachment 3


100

BEST COPY AVAILABLE

202 **BELL**SOUTH Jackson Frame Relay Network Headquaters Location Option 2 - Single Switching Hub per BellSouth Frame Relay Network BELLSOUTH Tupelo Frame Relay Network Switching Hub Permanaent Virtual Circuits (PVCs) Branch Locations Headquaters Location



100





Evans Associates/Aegis Group Ltd

Attachment 4

BEST COPY AVAILABLE

Page 1 As Of 3/11/96:9:22 AM

								Ž	Network (Note 2	(Note 2		Equip (Equip (Opt 1/2/3)
	_		# Of	FRelay	SB/	 88	<u>2</u>	Opt 1/2/3	Option 1	Option 2	Option 3	Opt 1/2/3	Opt 1/2/3
Library	System	City	Loc.	Node	2	Mile	Mile	Installation, (Note 1)	Recur.	Recur.	Recur.	Purchase (Notes	hase Maint. (Notes 1 and 3)
							┢						
Bond Memorial	Benton	Ashland	2	Tu	S			\$30	\$131	\$127	\$127	\$4,500	\$30
Hickory Flat PL	Benton	Hickory Flat		Tu	S			06\$	\$127	\$127	\$127	\$4,500	\$30
Blackmur Mem L	Blackmur	Water Valley	1	Tu	S		_	\$30	\$129	\$127	\$127	\$4,500	\$30
Benoit Public Lib	Bolivar	Benoit		Gw	S			\$30	\$127	\$127	\$127	\$4,500	\$30
Robinson-Carpenter	Bolivar	Cleveland	8	Gw	S		_	\$30	\$143	\$622	\$127	\$4,500	\$30
Cleveland Depot	Bolivar.	Cleveland		Gw	S			06\$	\$127	\$127	\$127	\$4,500	\$30
Gunnison PL	Bolivar	Gunnison		ĞΨ	S			\$30	\$127	\$127	\$127	\$4,500	\$30
Rayner ML	Bolivar	Merigold		Gw		8	5	06\$	\$142	\$142	\$142	\$4,500	\$30
Rosedale PL	Bolivar	Rosedale		Gw	S			\$30	\$127	\$127	\$127	\$4,500	\$30
Field Mem Lib	Bolivar	Shaw		ĞΨ	S			\$30	\$127	\$127	\$127	\$4,500	\$30
Shelby PL	Bolivar	Shelby		δw	S			\$30	\$127	\$127	\$127	\$4,500	\$30
Carrollton-N Carr	Carroll County	Carrollton	2	ĞΨ	S	\dashv		\$30	\$131	\$127	\$127	\$4,500	\$30
Vaiden PL	Carroll County	Vaiden		δw	S			\$30	\$127	\$127	\$127	\$4,500	\$30
Brandon PL	Central MS	Brandon		숙	S			\$30	\$127	\$127	\$127	\$4,500	\$30
NW Point Resevoir	Central MS	Brandon		考	S			\$30	\$127	\$127	\$127	\$4,500	\$30
D'Lo PL	Central MS	D'Lo	ĺ	칏	S			\$30	\$127	\$127	\$127	\$4,500	\$30
Florence PL	Central MS	Florence		考		6	8	\$30	\$142	\$142	\$142	\$4,500	\$30
Forest PL	Central MS	Forest		考	S			\$30	\$127	\$127	\$127	\$4,500	\$30
Harrisville PL	Central MS	Harrisville		考	လ			\$30	\$127	\$127	\$127	\$4,500	\$30
Lake PL	Central MS	Lake		숙	S			\$30	\$127	\$127	\$127	\$4,500	\$30
	Central MS	Magee		考	S			\$30	\$127	\$127	\$127	\$4,500	\$30
Mendenhall PL	Central MS	Mendenhall	ĺ	キ	S			\$30	\$127	\$127	\$127	\$4,500	\$30
Mize PL	Central MS	Mize		쵯	S	1		\$30	\$127	\$127	\$127	\$4,500	\$30
Morton PL	Central MS	Morton		考	S	+	\dashv	\$30	\$127	\$127	\$127	\$4,500	\$30
Polkville PL	Central MS	Morton		쵯	S	\dashv		\$30	\$127	\$127	\$127	\$4,500	\$30
Pearl PL	Central MS	Pearl	ล	考	S		1	\$30	\$294	\$674	\$127	\$4,500	\$30
Pelahatchie PL	Central MS	Pelahatchie		考	S	1	\dashv	\$30	\$127	\$127	\$127	\$4,500	\$30
Puckett PL	Central MS	Puckett		考	S	1	\dashv	\$30	\$127	\$127	\$127	\$4,500	\$30
Robinson Mem L	Central MS	Raleigh		š	S	_	-	\$30	\$127	\$127	\$127	\$4,500	\$30
Richland PL	Central MS	Richland		考	S			\$30	\$127	\$127	\$127	\$4,500	\$30
Sandhill PL	Central MS	Sandhill		На	_	Ξ	9	\$30	\$142	\$142	\$142	\$4,500	\$30
Sebastopol PL	Central MS	Sebastopol		Me	S	\dashv		\$30	\$127	\$127	\$127	\$4,500	\$30
Ford Library	Central MS	Taylorsville	T	考	S		4	\$30	\$127	\$127	\$127	\$4,500	\$30
Carnegie PL	Clarksdale-Coahoma	Clarksdale	-	βw	S		-	\$30	\$129	\$127	\$127	\$4,500	\$30
Biggs Mem Lib	Copiah-Jefferson	Crystal Springs		농	S	\dashv	_	\$30	\$127	\$127	\$127	\$4,500	\$38
													2 2 2

Page 2 As Of 3/11/96:9:22 AM

Evans Associates/Aegis Group Ltd

_
City
Fayette
Hazelhurst
Wesson
Bruce
Calhoun
Houlka
Houston
Okolona
Pontotoc
Sherman
Vardaman
Bay Springs
Enterprise
Heidelberg
Louin
Pachuta
Quitman
Quitman
Quitman
Shubuta
Stonewal
Waynesb
Grenada
Batesville
Coldwate
Como
Crenshaw
Hernando
Horn Lake
Olive Branch
Oxford
Sardis
Senatobia
Southaven
Tunica

		_		_	_		_			_	_	_		_			_	_	_	_	_	_		_	_	_			_	_	_	<u> </u>	_	_		_			_
Equip (Opt 1/2/3)	Opt 1/2/3	Main	(Notes 1 and 3)	\$30	\$30	\$30	\$30	\$30	\$30	\$30	\$30	\$30	\$30	\$30	\$30	\$30	\$30	\$30	\$30	\$30	\$30	\$30	\$30	\$30	\$30	\$30	\$30	\$30	\$30	\$30	\$30	\$30	\$30	\$30	\$30	\$30	\$30	\$30	\$30
Equip (Opt 1/2/3	Dirchaea	(Notes	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500
	Option 3	Bootin	1000	\$127	\$142	\$127	\$127	\$127	\$127	\$127	\$127	\$127	\$127	\$127	\$127	\$127	\$127	\$127	\$127	\$127	\$147	\$147	\$157	\$127	\$142	\$127	\$127	\$127	\$127	\$127	\$127	\$127	\$127	\$127	\$127	\$127	\$127	\$127	\$127
(Note 2	Option 2	. מ	1	\$127	\$142	\$127	\$127	\$127	\$127	\$127	\$127	\$127	\$127	\$127	\$127	\$127	\$127	\$127	\$127	\$127	\$147	\$147	\$157	\$127	\$142	\$127	\$127	\$127	\$127	\$127	\$292	\$127	\$127	\$127	\$127	\$127	\$127	\$127	\$127
Network (Note	Option 1	, G	100	\$127	\$142	\$133	\$127	\$127	\$129	\$127	\$127	\$127	\$127	\$127	\$141	\$127	\$127	\$133	\$127	\$127	\$147	\$155	\$157	\$131	\$142	\$127	\$127	\$127	\$127	\$127	\$143	\$127	\$127	\$127	\$127	\$127	\$282	\$127	\$127
ž	Opt 1/2/3	Inetallation	(Note 1)	06\$	06\$	\$30	06\$	06\$	06\$	06\$	\$30	\$30	\$30	\$30	\$30	\$30	\$30	06\$	06\$	06\$	06\$	\$30	06\$	06\$	06\$	\$30	\$30	\$30	\$30	06\$	\$30	\$30	\$30	\$30	\$30	\$30	\$30	06\$	\$30
	Ē																_								5														
	SB	4 1 2		_	6																44	28	55		9			\dashv											\dashv
	SB/			S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	_		\dashv	S	_	တ	S	S	S	S	S	S	S	S	S	S	S	S	S
	FRelay			ğ Mg	Gw	Gp	Gp	Gp	농	Gp	Gp	Gb	Gp	Gp	g G	Gp	<u>چ</u>	На	۾ ا	На	숙	녹	속	ĞΨ	ĞΨ	Gb	g G	g P	Зр	g	Зp	g G	Gp	Ж	Jk	٦k	속	속	속
-	# Of FF	- 2		Ľ		3 (1			Ĭ					Ĭ	3	\exists			4	\dashv	7		Ĭ		7		\dashv	8	\dashv		_		,	4		
	#		<u> </u>)			_							\dashv	ian					_					\dashv			ngs	_		_					\dashv	\dashv
		į		Greenwood	Itta Bena	Bay St. Louis	Kiln	Waveland	Port Gibson	Biloxi	Biloxi	Biloxi	Biloxi	D'Iberville	Gulfport	Gulfport	Pass Christian	Hattiesburg	Hattiesburg	Petal	Centreville	Natchez	Woodville	Belzoni	Isola	Biloxi	Gautier	Lucedale	Moss Point	Ocean Springs	Pascagoula	Pascagoula	Vancleave	Bolton	Clinton	Edwards	Jackson	Jackson	Jackson
		System		Greenwood-Leflore	Greenwood-Leflore	Hancock County	Hancock County	Hancock County	Harriette Person	Harrison County	Harrison County	Harrison County	Harrison County	Harrison County	Harrison County	Harrison County	Harrison County	Hattie, Petal & Forr		٤			Homochitto Valley	Humphreys County	Humphreys County	Jackson-George					Jackson-George		Jackson-George	Jackson/Hinds	Jackson/Hinds	Jackson/Hinds		Jackson/Hinds	Jackson/Hinds
		Library		Wilson Branch L	Itta Bena Branch	Bay St. Louis-Han	Kiln Library	Waveland PL	Person ML	Biloxi Main Lib	Division St Stu Ct	Sherry Mem Lib	W Biloxi PL	D'Iberville PL	Gulfport PL	Orange Grove PL	Pass Christian PL	Hattie, Petal&Forr	Mail Library	Petal Library	VanCleave ML	Armstrong Lib	Woodville PL	Humphreys Cty L	Isola PL	St. Martin PL	McIlwain PL	George Cty PL	Moss Point City L	Ocean Springs ML	Pascagoula PL	East Central PL	Vancleave PL	Jeffers Library	Wood Library	Edwards Lib	Welty Library	Brown Library	Colonial Mart Lib



							₽	Ž	Network (Note 2	(Note 2		Equip (Equip (Opt 1/2/3)
			# Of	FRelay	SB/	- RS	2	Opt 1/2/3	Option 1	Option 2	Option 3	Opt 1/2/3	Opt 1/2/3
Library	System	City	Loc.	Node	QN	Mile	Mile	Installation. (Note 1)	Recur.	Recur.	Recur.	Purchase (Notes	Maint.
Hamer Library	Jackson/Hinds	Jackson		Jk	S	Н		06\$	\$127	\$127	\$127	\$4,500	08\$
Alexander Lib	Jackson/Hinds	Jackson		Jk	S			\$30	\$127	\$127	\$127	\$4,500	08\$
Evers Blvd Br Lib	Jackson/Hinds	Jackson		Jk	S		_	\$30	\$127	\$127	\$127	\$4,500	\$30
Northside Lib	Jackson/Hinds	Jackson		Jk	S			06\$	\$127	\$127	\$127	\$4,500	\$30
S Hills Lib	Jackson/Hinds	Jackson		Jk	S			06\$	\$127	\$127	\$127	\$4,500	\$30
White Rock Lib	Jackson/Hinds	Jackson		Jk	S			06\$	\$127	\$127	\$127	\$4,500	\$30
Raymond Lib	Jackson/Hinds	Raymond		¥	S	_		\$30	\$127	\$127	\$127	\$4,500	\$30
Austin Library	Jackson/Hinds	Terny		Jk	S			06\$	\$127	\$127	\$127	\$4,500	\$30
Majure Library	Jackson/Hinds	Utica		Jk	S		H	\$30	\$127	\$127	\$127	\$4,500	\$30
Chunky PL	Kemper-Newton	Chunky		Me	S			06\$	\$127	\$127	\$127	\$4,500	\$30
Decatur PL	Kemper-Newton	Decatur		Jk	_	6	3	\$30	\$142	\$142	\$142	\$4,500	\$30
DeKalb PL	Kemper-Newton	DeKalb		Me	S			\$30	\$127	\$127	\$127	\$4,500	\$30
Hickory PL	Kemper-Newton	Hickory		η	S			\$30	\$127	\$127	\$127	\$4,500	\$30
McMullan Lib	Kemper-Newton	Newton		촷	S		\dashv	\$30	\$127	\$127	\$127	\$4,500	\$30
Scooba PL	Kemper-Newton	Scooba		Me	တ			\$30	\$127	\$127	\$127	\$4,500	\$30
Union PL	Kemper-Newton	Union	7	考	S			\$30	\$141	\$127	\$127	\$4,500	\$30
Ellisville PL	Laurel-Jones	Ellisville		На	S		\dashv	\$30	\$127	\$127	\$127	\$4,500	\$30
Laurel-Jones Cty	Laurel-Jones	Laurel	4	На	S			\$30	\$135	\$127	\$127	\$4,500	\$30
L-J Dial-A-Book	Laurel-Jones	Laurel		На	S		4	\$30	\$127	\$127	\$127	\$4,500	\$30
Sandersville PL	Laurel-Jones	Sandersville		На	S			\$30	\$127	\$127	\$127	\$4,500	\$30
Itawamba Cty Pratt	Lee-Itawamba	Fulton		₽	_	17	၈	\$30	\$142	\$142	\$142	\$4,500	\$30
Lee County Lib	Lee-Itawamba	Tupelo	က	₽	S			\$30	\$133	\$127	\$127	\$4,500	\$30
Lee-Itawamba Lib	Lee-Itawamba	Tupelo	ĺ	Ţ	S			\$30	\$127	\$127	\$127	\$4,500	\$30
Lincoln Cty PL	Lincoln-Lawr-Frankl	Brookhaven	2	숙	S			06\$	\$137	\$127	\$127	\$4,500	\$30
Bude PL	Lincoln-Lawr-Frankl	Bude		숙	-	27 1	15	\$30	\$147	\$147	\$147	\$4,500	\$30
Franklin Cty PL	Lincoln-Lawr-Frankl	Meadville		숙	-	\dashv	15	\$30	\$147	\$147	\$147	\$4,500	\$30
Lawrence Cty PL	Lincoln-Lawr-Frankl	Monticello		숙	S			\$30	\$127	\$127	\$127	\$4,500	\$30
Newhebron PL	Lincoln-Lawr-Frankl	New Hebron		숙	_	6	9	\$30	\$142	\$142	\$142	\$4,500	\$30
Long Beach PL	Long Beach	Long Beach	-	g	တ			\$30	\$129	\$127	\$127	\$4,500	\$30
Artesia Br Lib	Lowndes County	Artesia		Me	_	10	7	06\$. \$142	\$142	\$142	\$4,500	\$30
Caledonia Br Lib	Lowndes County	Caledonia		Tu	S			\$30	\$127	\$127	\$127	\$4,500	\$30
Columbus PL	Lowndes County	Columbus	4	ū	S		\dashv	\$30	\$135	\$127	\$127	\$4,500	\$30
Crawford Br Lib	Lowndes County	Crawford		그	_	10	7	\$30	\$142	\$142	\$142	\$4,500	\$30
Mad Cty-Canton	Madison County	Canton	4	숙	S			\$30	\$135	\$127	\$127	\$4,500	\$30
Flora PL	Madison County	Flora		考	S		\dashv	\$30	\$127	\$127	\$127	\$4,500	\$30
Madison PL	Madison County	Madison		今	S		\dashv	06\$	\$127	\$127	\$127	\$4,500	\$30



								Ž	Network (Note	(Note 2		Equip (Equip (Opt 1/2/3)
			# Of	FRelay	SB/	SB	멸	Opt 1/2/3	Option 1	Option 2	Option 3	Opt 1/2/3	Opt 1/2/3
Library	System	City	Loc.	Node	2	Mile	Mile	Installation.	Recur.	Recur.	Recur,	Purchase	Maint,
		•				$\overline{}$		(Note 1)				(Notes	1 ar
Jurgens Mem Lib	Madison County	Ridgeland		Jk	S	-		06\$	\$127	\$127	\$127	\$4,500	08\$
Lambert PL	Marks-Quitman Cty	Lambert		ĞΨ	S			06\$	\$127	\$127	\$127	\$4,500	\$30
Marks-Quitman	Marks-Quitman Cty	Marks	က	Gw	S	12		\$90	\$148	\$142	\$142	\$4,500	\$30
Sledge PL	Marks-Quitman Cty	Sledge		Gw	S			\$30	\$127	\$127	\$127	\$4,500	02\$
French Library	Marshall County	Byhalia		Mp	-	13	9	\$30	\$142	\$142	\$142	\$4,500	08\$
Marshall Cty Lib	Marshall County	Holly Springs	3	Tu	S			\$30	\$133	\$127	\$127	\$4,500	02\$
Potts Camp Lib	Marshall County	Potts Camp		Tu	S			06\$	\$127	\$127	\$127	\$4,500	08\$
Meridian-Laud Cty	Meridan-Lauderdale	Meridian	2	Me	S			\$30	\$131	\$127	\$127	\$4,500	08
Mailibrary	Meridan-Lauderdale	Meridian		Me	S			06\$	\$127	\$127	\$127	\$4,500	08
Carthage-Leake Cty	Mid-Mississippi	Carthage		Jk	S			06\$	\$127	\$127	\$127	\$4,500	08\$
Duck Hill PL	Mid-Mississippi	Duck Hill		Gw	S			06\$	\$127	\$127	\$127	\$4,500	08\$
Durant PL	Mid-Mississippi	Durant		Jk	S			\$30	\$127	\$127	\$127	\$4,500	02\$
Goodman PL	Mid-Mississippi	Goodman		숙	S			\$30	\$127	\$127	\$127	\$4,500	\$30
Kilmichael PL	Mid-Mississippi	Kilmichael		Θw	S			\$90	\$127	\$127	\$127	\$4,500	08\$
Attala County Lib	Mid-Mississippi	Kosciusko	13	Jk	S			\$30	\$280	\$127	\$127	\$4,500	08\$
Lexington PL	Mid-Mississippi	Lexington		Jk	S			\$30	\$127	\$127	\$127	\$4,500	08\$
Winston County	Mid-Mississippi	Louisville		٦k	S			\$30	\$127	\$127	\$127	\$4,500	08\$
Pickens PL	Mid-Mississippi	Pickens		숙	S			\$90	\$127	\$127	\$127	\$4,500	083
Tchula PL	Mid-Mississippi	Tchula		송	လ			\$30	\$127	\$127	\$127	\$4,500	\$30
Walnut Grove PL	Mid-Mississippi	Walnut Grove		ī	S			\$30	\$127	\$127	\$127	\$4,500	\$30
West PL	Mid-Mississippi	West		ĞΨ	S			06\$	\$127	\$127	\$127	\$4,500	\$30
Winona-Montgom	Mid-Mississippi	Winona		Gw	S			\$30	\$127	\$127	\$127	\$4,500	\$30
Neshoba County	Neshoba County	Philadelphia	-	Me	S			\$30	\$129	\$127	\$127	\$4,500	\$30
Cox Library	Northeast Regional	Baldwyn		Ţ	S	1		\$90	\$127	\$127	\$127	\$4,500	\$30
	Northeast Regional	Belmont		Tu	S			\$90	\$127	\$127	\$127	\$4,500	\$30
Blue Mountain PL	Northeast Regional	Blue Mountain		Tū	S			\$30	\$127	\$127	\$127	\$4,500	\$30
Allen Library	Northeast Regional	Booneville		Ţ	S			\$30	\$127	\$127	\$127	\$4,500	830
Burnsville PL	Northeast Regional	Burnsville		Tu	S			\$90	\$127	\$127	\$127	\$4,500	08
Corinth PL	Northeast Regional	Corinth	13	Tu	S			06\$	\$280	\$632	\$127	\$4,500	\$30
luka PL	Northeast Regional	luka		Tu	S			06\$	\$127	\$127	\$127	\$4,500	\$30
Marietta PL	Northeast Regional	Marietta		Tu	S			06\$	\$127	\$127	\$127	\$4,500	\$30
Rienzi PL	Northeast Regional	Rienzi		Tu	_	8	9	\$90	\$142	\$142	\$142	\$4,500	\$30
Ripley PL	Northeast Regional	Ripley		Tu	S			06\$	\$127	\$127	\$127	\$4,500	\$30
McRae Mem Lib	Northeast Regional	Tishomingo		리	\exists	6	7	\$30	\$142	\$142	\$142	\$4,500	\$30
Chalybeate PL	Northeast Regional	Walnut		그	တ	1		\$30	\$127	\$127	\$127	\$4,500	\$30
Walnut PL	Northeast Regional	Walnut		ī	S			\$30	\$127	\$127	\$127	\$4,500	\$30



Evans Associates/Aegis Group Ltd

1/2/3)	Opt 1/2/3	Maint.	13)	\$30	\$30	\$30	\$30	\$30	\$30	430	000	\$30	\$30	\$30	\$30 \$30 \$30	\$30	\$30 \$30 \$30 \$30 \$30 \$30 \$30	\$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30	\$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30	\$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30	\$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30	\$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30	\$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30	\$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30	\$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30	\$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30	\$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30	\$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30	\$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30	\$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30	\$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30	\$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30	\$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30	\$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30	\$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30	\$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30	\$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30	\$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30	\$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30
Equip (Opt 1/2/3)	0 6/24		(Notes 1 and 3)	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500	\$4,500		200	500	\$4,500 \$4,500 \$4,500	\$4,500 \$4,500 \$4,500 \$4,500	500 500 500 500	500 500 500 500 500	\$4,500 \$4,500 \$4,500 \$4,500 \$4,500 \$4,500 \$4,500	200 200 200 200 200 200 200 200	200 200 200 200 200 200 200 200 200 200	200 200 200 200 200 200 200 200 200 200	\$4,500 \$4,500 \$4,500 \$4,500 \$4,500 \$4,500 \$4,500 \$4,500 \$4,500 \$4,500	200 200 200 200 200 200 200 200 200 200	\$4,500 \$4,500 \$4,500 \$4,500 \$4,500 \$4,500 \$4,500 \$4,500 \$4,500 \$4,500 \$4,500 \$4,500 \$4,500	200 200 200 200 200 200 200 200 200 200	200 200 200 200 200 200 200 200 200 200	\$4,500 \$4,500 \$4,500 \$4,500 \$4,500 \$4,500 \$4,500 \$4,500 \$4,500 \$4,500 \$4,500 \$4,500 \$4,500 \$4,500 \$4,500	200 200	200 000 000 000 000 000 000 000 000 000	200 000 000 000 000 000 000 000 000 000	\$4,500 \$4	\$4,500 \$4,500	\$4,500 \$4,500	200 200 200 200 200 200 200 200 200 200	\$4,500 \$4	\$4,500 \$4,500	200 000 000 000 000 000 000 000 000 000	200 200	\$4,500 \$8,500 \$8,500 \$8,500 \$8,500 \$8,500 \$8,500 \$8,500 \$8,500 \$8,500 \$8,500
Equ		Purc		\$4,	\$4,	\$4;	\$4,	\$4,	\$4,	\$4,	\$4,		\$4,	\$4, \$4,	\$4, \$4,	\$4, \$4, \$4,	\$4, \$4, \$4,	\$4, \$4, \$4, \$4,	\$4, \$4, \$4, \$4, \$4, \$4,	\$4, \$4, \$4, \$4, \$4, \$4, \$4, \$4, \$4, \$4,	\$4,4,4,4,4,4,4,4,4,4,4,4,4,4,4,4,4,4,4,	\$4, \$4, \$4, \$4, \$4, \$4, \$4, \$4, \$4, \$4,	\$4,4,4,4,4,4,4,4,4,4,4,4,4,4,4,4,4,4,4,	\$4,44,44,44,44,44,44,44,44,44,44,44,44,4	\$ 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	\$4, 45, 45, 45, 45, 45, 45, 45, 45, 45, 4	\$4,44,44,44,44,44,44,44,44,44,44,44,44,4	\$4,44,44,44,44,44,44,44,44,44,44,44,44,4	\$4,44,44,44,44,44,44,44,44,44,44,44,44,4	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\							
	Option 3	Recur		\$127	\$142	\$127	\$127	\$127	\$127	\$147	\$127		\$147	\$147	\$147 \$147 \$147	\$147 \$147 \$147 \$142	\$147 \$147 \$142 \$142 \$142	\$147 \$147 \$142 \$142 \$142 \$142	\$147 \$147 \$142 \$142 \$142 \$142 \$142	\$147 \$147 \$142 \$142 \$142 \$142 \$144 \$147	\$147 \$147 \$142 \$142 \$142 \$142 \$142 \$142 \$142 \$142	\$147 \$147 \$142 \$142 \$142 \$142 \$147 \$127 \$127	\$147 \$147 \$142 \$142 \$142 \$142 \$147 \$127 \$127 \$127	\$147 \$147 \$142 \$142 \$142 \$142 \$142 \$147 \$127 \$127 \$127 \$127	\$147 \$147 \$142 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127	\$147 \$147 \$142 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127 \$127	\$147 \$147 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12	\$147 \$147 \$142 \$142 \$142 \$147 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12	\$147 \$147 \$142 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12	\$147 \$147 \$142 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12	\$147 \$147 \$142 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12	\$147 \$147 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12	\$147 \$147 \$142 \$142 \$142 \$147 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12	\$147 \$147 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12	\$147 \$147 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12	\$147 \$147 \$142 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12	\$147 \$147 \$142 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12	\$147 \$147 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12	\$147 \$147 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12
Note 2	Option 2	Recur		\$127	\$142	\$127	\$127	\$127	\$127	\$147	\$127	!	\$147	\$147	\$147 \$147 \$147	\$147 \$147 \$147 \$142	\$147 \$147 \$142 \$142	\$147 \$147 \$142 \$142 \$142 \$142	\$147 \$147 \$142 \$142 \$142 \$142	\$147 \$147 \$142 \$142 \$142 \$142 \$142 \$142	\$147 \$147 \$142 \$142 \$142 \$142 \$142 \$142 \$142	\$147 \$147 \$142 \$142 \$142 \$142 \$147 \$127	\$147 \$147 \$142 \$142 \$142 \$147 \$127 \$127	\$147 \$142 \$142 \$142 \$142 \$142 \$127 \$127 \$127 \$127	\$147 \$142 \$142 \$142 \$142 \$142 \$142 \$147 \$127 \$127 \$127	\$147 \$147 \$142 \$142 \$142 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127	\$147 \$142 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127	\$147 \$147 \$142 \$142 \$144 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$127	\$147 \$147 \$142 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12	\$147 \$147 \$142 \$142 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12	\$147 \$147 \$142 \$142 \$142 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12	\$147 \$147 \$142 \$142 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12	\$147 \$147 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12	\$147 \$147 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12	\$147 \$147 \$142 \$142 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12	\$147 \$147 \$147 \$142 \$142 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12	\$147 \$147 \$147 \$142 \$142 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12	\$147 \$147 \$142 \$142 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12	\$147 \$147 \$142 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12
Network (Note	Option 1			\$127	\$148	\$127	\$127	\$133	\$127	\$151	\$127	0117	1 1	\$147	\$147	\$147 \$147 \$142	\$147 \$147 \$142 \$160	\$147 \$147 \$142 \$160 \$142	\$147 \$147 \$142 \$142 \$142	\$147 \$147 \$142 \$160 \$142 \$142 \$142	\$147 \$142 \$160 \$142 \$142 \$142 \$142 \$142	\$147 \$142 \$142 \$142 \$142 \$142 \$142 \$127	\$147 \$142 \$142 \$142 \$142 \$147 \$127 \$127	\$147 \$147 \$142 \$142 \$147 \$127 \$127 \$127 \$127	\$147 \$147 \$142 \$142 \$142 \$147 \$127 \$127 \$127 \$127 \$127	\$147 \$142 \$142 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127	\$147 \$142 \$142 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127	\$147 \$147 \$142 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127 \$127	\$147 \$147 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12	\$147 \$147 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12	\$147 \$147 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12	\$147 \$142 \$142 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12	\$147 \$147 \$142 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12	\$147 \$147 \$142 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12	\$147 \$147 \$142 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12	\$147 \$147 \$142 \$142 \$142 \$147 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12	\$147 \$147 \$142 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12	\$147 \$147 \$142 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12	\$147 \$147 \$142 \$142 \$142 \$142 \$127 \$127 \$127 \$127 \$127 \$127 \$127 \$12
Net				96\$	\$30	06\$	\$30	\$30	\$30	06\$	06\$	068		\$30	\$90	06\$	06\$ 06\$ 06\$	068 068 068	06\$ 06\$ 06\$	068 068 068 068 068	068 068 068 068 068	068 068 068 068 068 068	068 068 068 068 068 068	068 068 068 068 068 068 068 068	068 068 068 068 068 068 068 068 068 068	068 068 068 068 068 068 068 068 068	068 068 068 068 068 068 068 068 068 068	068 068 068 068 068 068 068 068 068 068	068 000 000 000 000 000 000 000 000 000	068 068 068 068 068 068 068 068 068 068	068 068 068 068 068 068 068 068 068 068	068 068 068 068 068 068 068 068 068 068	068 068 068 068 068 068 068 068 068 068		068 068 068 068 068 068 068 068 068 068	068 068 068 068 068 068 068 068 068 068	068 068 068 068 068 068 068 068 068 068		068 068 068 068 068 068 068 068 068 068
	Opt 1/2/3	-			0,	, 			3	,					0, 0,	0,0,0,	03 03 03 03	0, 0, 0, 0, 0,	0, 0, 0, 0, 0, 0,				0,	0,	03,03,03,03,03,03,03,03,03			0,	0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0	0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0									
	<u>n</u>											18												10	10	10	10	9	10 10	10 10	10 10	10 10	2 2	01 01 4	0 10 4	10 10	01 02 4	01 10 4 4	5 4 4 5
	SB	Mile			6					24		38	;	88	38 8	8 8 8	1 2 3 38 5	20 29 38 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	38 29 14 14 14 14	20 3 3 3 3 4 4 4 4 5 5 5 5 5 5 5 5 5 5 5 5	38 20 20 14 14 22 22	22 23 38 25 25 38	20 20 14 14 14 22 22	29 20 20 20 14 14 17 17	20 20 20 14 14 14 17 17	29 20 20 14 14 14 17 17	29 20 20 14 14 17 17	20 20 20 14 14 14 17 17	20 20 20 20 20 20 20 20 20 20 20 20 20 2	20 20 20 20 20 20 20 20 20 20 20 20 20 2	88 38 38 38 38 38 38 38 38 38 38 38 38 3	20 20 20 20 14 14 14 14 14 17 17 17 17 17 17 17 17 17 17 17 17 17	20 20 20 20 20 20 14 <td>20 20 20 20 20 20 38 38 38 41 14 <td>20 20 20 20 20 20 20 20 20 20 20 20 20 2</td><td>2 5 3 3 8 3 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8</td><td>20 20 20 20 20 38 38 38 38 38 38 38 41 14 <td>38 38 38 38 38 38 38 38 38 38 38 38 38 38 38 38 41 14 <td>20 20 20 20 20 20 38 38 38 41 14 14 14 14 14 14 14 14 14 14 14 14 14 14 15 16 17 18 18 19 10 10 10 11 12 13 14 15 16 17 18 18 19 10 10 10 11 12 14 14 14 14 14 14 14 14 15 16 17 18 18 19 11 12 12 14 </td></td></td></td>	20 20 20 20 20 20 38 38 38 41 14 <td>20 20 20 20 20 20 20 20 20 20 20 20 20 2</td> <td>2 5 3 3 8 3 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8</td> <td>20 20 20 20 20 38 38 38 38 38 38 38 41 14 <td>38 38 38 38 38 38 38 38 38 38 38 38 38 38 38 38 41 14 <td>20 20 20 20 20 20 38 38 38 41 14 14 14 14 14 14 14 14 14 14 14 14 14 14 15 16 17 18 18 19 10 10 10 11 12 13 14 15 16 17 18 18 19 10 10 10 11 12 14 14 14 14 14 14 14 14 15 16 17 18 18 19 11 12 12 14 </td></td></td>	20 20 20 20 20 20 20 20 20 20 20 20 20 2	2 5 3 3 8 3 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	20 20 20 20 20 38 38 38 38 38 38 38 41 14 <td>38 38 38 38 38 38 38 38 38 38 38 38 38 38 38 38 41 14 <td>20 20 20 20 20 20 38 38 38 41 14 14 14 14 14 14 14 14 14 14 14 14 14 14 15 16 17 18 18 19 10 10 10 11 12 13 14 15 16 17 18 18 19 10 10 10 11 12 14 14 14 14 14 14 14 14 15 16 17 18 18 19 11 12 12 14 </td></td>	38 38 38 38 38 38 38 38 38 38 38 38 38 38 38 38 41 14 <td>20 20 20 20 20 20 38 38 38 41 14 14 14 14 14 14 14 14 14 14 14 14 14 14 15 16 17 18 18 19 10 10 10 11 12 13 14 15 16 17 18 18 19 10 10 10 11 12 14 14 14 14 14 14 14 14 15 16 17 18 18 19 11 12 12 14 </td>	20 20 20 20 20 20 38 38 38 41 14 14 14 14 14 14 14 14 14 14 14 14 14 14 15 16 17 18 18 19 10 10 10 11 12 13 14 15 16 17 18 18 19 10 10 10 11 12 14 14 14 14 14 14 14 14 15 16 17 18 18 19 11 12 12 14
	SB/			S	S	S	ഗ	ഗ	S	S	S	_		S	တ တ	တ တ တ	တ တ တ တ	တ တ တ တ တ	w w w w w	w w w w w w	\www.w\w\w\w\w\	w w w w w w w w		w w w w w w w w w -															
	FRelay	Node		Me	Me	Me	n⊥	n⊥	ηŢ	На	На	<u>¥</u>	ś	šŠ	동농	동국목	동 국 국 로 국	;	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 	5 3 5 E 3 5 5 E	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	동 동 동 동 동 동 동 동 동 5 8 8 8 8 8 8 8 8 8 8	중 속 속 본 후 속 속 ^유 모 모 모 모 모 모 모 모 모 모 모 모 모 모 모 모 모 모 모	동 속 속 문 속 속 속 모 ^유 모 모 모 모 모 모 모 모 모 모 모 모 모 모 모 모 모 모 모	# # # # # # # # # # # # # # # # # # #	중 속 숙 또 축 속 숙 또 묘 묘 묘 표 표 표 표 표 표 표 표 표 표 표 표 표 표 표 표	중 속 숙 본 숙 숙 등 표 표 표 표 표 표 표 표 표 표 표 표 표 표 표 표 표	로 보고 보고 보고 보고 보고 보고 보고 보고 보고 보고 보고 보고 보고	로 보고 보고 보고 보고 보고 보고 보고 보고 보고 보고 보고 보고 보고	3 4 4 5 4 5 4 5 4 5 6 7 8 8 9 9 10 10 10 10 10 11 12 12 13 14 15 16 17 18 19 10 10 10 10 10 10 10 10 10 11 12 12 13 14 15 16 17 18 19 10 10 10 10 11 12 12 13 14 15 16 17 17 18 18 19 <td< td=""><td>3 4<td>3 4 5 4 5 4 5 4 5 6 6 7 8 8 8 9 9 10</td><td>중 속 속 본 속 속 속 모 모 모 모 모 모 모 모 모 모 모 모 모 모</td><td>3 4 4 5 4 5 4 5 4 5 6 7 8 8 9 9 10 10 10 10 10 11 12 12 13 14 15 16 17 18 19 10 10 10 10 10 10 10 10 10 11 12 12 13 14 15 16 17 18 18 19 10 10 10 11 12 12 13 14 15 16 17 17 18 18 19 <td< td=""><td>5 4 5 6 5<td>5 4 5 6 5 5 5 5 5 5 5 6 5 5 6 5 6 5 6 5 6 5 6 5 6 6 6 6 6 6 7 6 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7</td><td>3 3</td><td>3 4</td><td>3 4</td></td></td<></td></td></td<>	3 4 <td>3 4 5 4 5 4 5 4 5 6 6 7 8 8 8 9 9 10</td> <td>중 속 속 본 속 속 속 모 모 모 모 모 모 모 모 모 모 모 모 모 모</td> <td>3 4 4 5 4 5 4 5 4 5 6 7 8 8 9 9 10 10 10 10 10 11 12 12 13 14 15 16 17 18 19 10 10 10 10 10 10 10 10 10 11 12 12 13 14 15 16 17 18 18 19 10 10 10 11 12 12 13 14 15 16 17 17 18 18 19 <td< td=""><td>5 4 5 6 5<td>5 4 5 6 5 5 5 5 5 5 5 6 5 5 6 5 6 5 6 5 6 5 6 5 6 6 6 6 6 6 7 6 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7</td><td>3 3</td><td>3 4</td><td>3 4</td></td></td<></td>	3 4 5 4 5 4 5 4 5 6 6 7 8 8 8 9 9 10	중 속 속 본 속 속 속 모 모 모 모 모 모 모 모 모 모 모 모 모 모	3 4 4 5 4 5 4 5 4 5 6 7 8 8 9 9 10 10 10 10 10 11 12 12 13 14 15 16 17 18 19 10 10 10 10 10 10 10 10 10 11 12 12 13 14 15 16 17 18 18 19 10 10 10 11 12 12 13 14 15 16 17 17 18 18 19 <td< td=""><td>5 4 5 6 5<td>5 4 5 6 5 5 5 5 5 5 5 6 5 5 6 5 6 5 6 5 6 5 6 5 6 6 6 6 6 6 7 6 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7</td><td>3 3</td><td>3 4</td><td>3 4</td></td></td<>	5 4 5 6 5 <td>5 4 5 6 5 5 5 5 5 5 5 6 5 5 6 5 6 5 6 5 6 5 6 5 6 6 6 6 6 6 7 6 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7</td> <td>3 3</td> <td>3 4</td> <td>3 4</td>	5 4 5 6 5 5 5 5 5 5 5 6 5 5 6 5 6 5 6 5 6 5 6 5 6 6 6 6 6 6 7 6 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7	3 3	3 4	3 4
	# O	0			3			က		2							6	6	6	6	6	6	0	0	6	6	6	0	6	6	6	9 3	0 0 12	0 0	0 0 2	0 0 121	0 2	6 2	6 0
		Ç	1	Brooksville	Macon	Shuqualak	Maben	Starkville	Sturgis	Picayune	Poplarville	Crochy	Closby	Gloster	Gloster Liberty	Gloster Liberty Magnolia	Gloster Liberty Magnolia McComb	Gloster Liberty Magnolia McComb	Gloster Liberty Magnolia McComb McComb	Gloster Liberty Magnolia McComb McComb McComb	Gloster Liberty Magnolia McComb McComb McComb Tylertown	Gloster Liberty Magnolia McComb McComb McComb Tylertown Beaumont	Gloster Liberty Magnolia McComb McComb McComb Tylertown Beaumont Collins	Gloster Liberty Magnolia McComb McComb Osyka Tylertown Beaumont Collins Leakesville	Gloster Liberty Magnolia McComb McComb McComb Osyka Tylertown Beaumont Collins Leakesville Lumberton	Gloster Liberty Magnolia McComb McComb McComb Osyka Tylertown Beaumont Collins Leakesville Lumberton McHenry	Gloster Liberty Magnolia McComb McComb McComb Osyka Tylertown Beaumont Collins Leakesville Lumberton McHenry McLain	Gloster Liberty Magnolia McComb McComb McComb Osyka Tylertown Beaumont Collins Lumberton McHenry McLain Mt. Olive	Gloster Liberty Magnolia McComb McComb McComb Osyka Tylertown Beaumont Collins Lumberton McHenry McLain Mt. Olive New Augusta	Gloster Liberty Magnolia McComb McComb Osyka Tylertown Beaumont Collins Leakesville Lumberton McLain Mt. Olive New Augusta	Gloster Liberty Magnolia McComb McComb Osyka Tylertown Beaumont Collins Leakesville Lumberton McHenry Mt. Olive New Augusta Petal Purvis	Gloster Liberty Magnolia McComb McComb McComb Osyka Tylertown Beaumont Collins Leakesville Lumberton McHenry McHenry McHenry McHain Mt. Olive New Augusta Petal Petal	Gloster Liberty Magnolia McComb McComb McComb Osyka Tylertown Beaumont Collins Lumberton McHenry McLain Mt. Olive New Augusta Petal Purvis Richton Seminary	Gloster Liberty Magnolia McComb McComb McComb Osyka Tylertown Beaumont Collins Lumberton McHenry McLain Mt. Olive New Augusta Petal Purvis Richton Seminary State Line	Gloster Liberty Magnolia McComb McComb McComb Osyka Tylertown Beaumont Collins Lumberton McHenry McLain Mt. Olive New Augusta Petal Purvis Richton Seminary State Line Sumrall	Gloster Liberty Magnolia McComb McComb McComb Osyka Tylertown Beaumont Collins Leakesville Lumberton McHenry	Gloster Liberty Magnolia McComb McComb McComb Osyka Tylertown Beaumont Collins Leakesville Lumberton McHenry McLain Mt. Olive New Augusta Petal Petal Purvis Richton Seminary State Line Sumrall Wiggins	Gloster Liberty Magnolia McComb McComb McComb Osyka Tylertown Beaumont Collins Lumberton McHenry McLain Mt. Olive New Augusta Petal Petal Petal Richton Seminary State Line Sumrall Wiggins Wiggins Rolling Fork Yazoo City	Gloster Liberty Magnolia McComb McComb McComb Osyka Tylertown Beaumont Collins Lumberton McHenry McLain Mt. Olive New Augusta Petal Purvis Richton Seminary State Line Sumrall Wiggins Rolling Fork Yazoo City Bassfield
		System		Noxubee County	Noxubee County	Noxubee County	Oktibbeha County	Oktibbeha County	Oktibbeha County	Pearl River	Pearl River	Pike-Amite-Walthall		Pike-Amite-Walthall	Pike-Amite-Walthall Pike-Amite-Walthall	Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall	Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall	Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall	Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall	Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall	Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall	Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall	Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall	Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pine Forest Pine Forest	Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Forest Pine Forest	Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Pike-Walthall Pine Forest Pine Forest Pine Forest Pine Forest	Pike-Amite-Watthall Pike-Amite-Watthall Pike-Amite-Watthall Pike-Amite-Watthall Pike-Amite-Watthall Pike-Amite-Watthall Pike-Amite-Watthall Pike-Amite-Watthall Pike-Amite-Watthall Pike-Amite-Watthall Pike-Amite-Watthall Pike-Amite-Watthall Pike-Amite-Watthall Pike-Amite-Watthall Pike-Amite-Watthall Pike-Amite-Watthall Pike-Amite-Watthall Pike-Forest Pine Forest	Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest	Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest	Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest	Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Forest Pine Forest	Pike-Amite-Watthall Pike-Amite-Watthall Pike-Amite-Watthall Pike-Amite-Watthall Pike-Amite-Watthall Pike-Amite-Watthall Pike-Amite-Watthall Pike-Amite-Watthall Pike-Amite-Watthall Pike-Amite-Watthall Pike-Amite-Watthall Pike-Amite-Watthall Pike-Amite-Watthall Pike-Amite-Watthall Pike-Amite-Watthall Pike-Forest Pine Forest	Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest	Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest Pine Forest	Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pine Forest	Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Forest Pine Forest	Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Forest Pine Forest	Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Forest Pine Forest	Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Amite-Walthall Pike-Forest Pine Forest
		Library		Brooksville PL	Fant Mem Lib	Danial Mem Lib	Maben PL	Starkville PL	Sturgis PL	Crosby Mem Lib	Poplarville PL	Crosby PL	Gloster PI	GIUSIGI I E	Liberty PL	Liberty PL Magnolia PL	Liberty PL Magnolia PL McComb PL	Liberty PL Magnolia PL McComb PL Alpha Center Lib	Liberty PL Magnolia PL McComb PL Alpha Center Lib Progress PL	Liberty PL Magnolia PL McComb PL Alpha Center Lib Progress PL Osyka PL		Liberty PL Magnolia PL McComb PL Alpha Center Lib Progress PL Osyka PL Walthall County	Liberty PL Magnolia PL McComb PL Alpha Center Lib Progress PL Osyka PL Walthall County Powell Mem Lib	Liberty PL Magnolia PL McComb PL Alpha Center Lib Progress PL Osyka PL Walthall County Powell Mem Lib Blackwell Mem Lib Leakesville PL	Liberty PL Magnolia PL McComb PL Alpha Center Lib Progress PL Osyka PL Walthall County Powell Mem Lib Blackwell Mem Lib Leakesville PL Lumberton PL	Liberty PL Magnolia PL McComb PL Alpha Center Lib Progress PL Osyka PL Walthall County Powell Mem Lib Blackwell Mem Lib Leakesville PL Lumberton PL	Liberty PL Magnolia PL McComb PL Alpha Center Lib Progress PL Osyka PL Walthall County Powell Mem Lib Blackwell Mem Lib Leakesville PL Lumberton PL McHenry PL	Liberty PL Magnolia PL McComb PL Alpha Center Lib Progress PL Osyka PL Walthall County Powell Mem Lib Blackwell Mem Lib Leakesville PL Lumberton PL McHenry PL McLain PL Brewer Mem Lib	Liberty PL Magnolia PL McComb PL Alpha Center Lib Progress PL Osyka PL Walthall County Powell Mem Lib Blackwell Mem Lib Leakesville PL Lumberton PL McHenry PL McHenry PL McLain PL Brewer Mem Lib New Augusta PL	Liberty PL Magnolia PL McComb PL Alpha Center Lib Progress PL Osyka PL Walthall County Powell Mem Lib Blackwell Mem Lib Leakesville PL Lumberton PL McHenry PL McLain PL Brewer Mem Lib New Augusta PL Hall Library	Liberty PL Magnolia PL McComb PL Alpha Center Lib Progress PL Osyka PL Walthall County Powell Mem Lib Blackwell Mem Lib Lumberton PL McLain PL McLain PL McLain PL McLain PL McLain PL Hall Library Purvis PL	Liberty PL Magnolia PL McComb PL Alpha Center Lib Progress PL Osyka PL Walthall County Powell Mem Lib Blackwell Mem Lib Leakesville PL Lumberton PL McLain PL Brewer Mem Lib McLain PL McLain PL McLain PL Brewer Mem Lib New Augusta PL Hall Library Purvis PL Richton PL	Liberty PL Magnolia PL Magnolia PL Alpha Center Lib Progress PL Osyka PL Walthall County Powell Mem Lib Blackwell Mem Lib Leakesville PL Lumberton PL McHenry PL McHenry PL McLain PL Brewer Mem Lib McLain PL Hall Library Purvis PL Richton PL Seminary PL	Liberty PL Magnolia PL McComb PL Alpha Center Lib Progress PL Osyka PL Walthall County Powell Mem Lib Blackwell Mem Lib Blackwell Mem Lib McHenry PL McHenry PL McHenry PL McHenry PL McHenry PL McHenry PL McHenry PL McHenry PL McHenry PL McHenry PL McHenry PL McHenry PL McHenry PL McHenry PL McHenry PL McHenry PL McHenry PL McHenry PL Stewer Mem Lib McHenry PL McHenry PL Stewer Mem Lib McHenry PL McHenry PL Stewer Mem Lib McHenry PL McHenry PL Stewer Mem Lib McHenry PL McHenry PL Stewer Mem Lib McHenry PL McHenry PL Stewer Mem Lib McHenry PL Stewer Mem Lib McHenry PL McHenry PL Stewer Mem Lib McHenry PL McHenry PL Stewer Mem Lib McHenry PL McHenry PL Stewer Mem Lib McHenry PL McHenry PL Stewer Mem Lib McHenry PL McHen	Liberty PL Magnolia PL McComb PL Alpha Center Lib Progress PL Osyka PL Walthall County Powell Mem Lib Blackwell Mem Lib Blackwell Mem Lib McHenry PL McHenry PL McLain PL Brewer Mem Lib New Augusta PL Hall Library Purvis PL Richton PL Seminary PL Seminary PL Sitate Line PL State Line PL	Liberty PL Magnolia PL McComb PL Alpha Center Lib Progress PL Osyka PL Walthall County Powell Mem Lib Blackwell Mem Lib Leakesville PL Lumberton PL McHenry PL McHenry PL McLain PL Brewer Mem Lib New Augusta PL Hall Library Purvis PL Richton PL Seminary PL State Line PL Stone County Lib	Liberty PL Magnolia PL Magnolia PL Alpha Center Lib Progress PL Osyka PL Walthall County Powell Mem Lib Blackwell Mem Lib Blackwell Mem Lib Ceakesville PL Lumberton PL MCLain PL Brewer Mem Lib McLain PL Brewer Mem Lib New Augusta PL Hall Library Purvis PL Seminary PL Seminary PL State Line PL State Line PL Stone County Lib Stone County Lib	Liberty PL Magnolia PL Magnolia PL Alpha Center Lib Progress PL Osyka PL Walthall County Powell Mem Lib Blackwell Mem Lib Blackwell Mem Lib Ceakesville PL Lumberton PL McLain PL Brewer Mem Lib New Augusta PL Hall Library Purvis PL Seminary PL Seminary PL Seminary PL State Line PL State Line PL State Line PL Store County Lib Store County Lib	Liberty PL Magnolia PL Magnolia PL McComb PL Alpha Center Lib Progress PL Osyka PL Watthall County Powell Mem Lib Blackwell Mem Lib Blackwell Mem Lib Leakesville PL Lumberton PL McHenry PL McHenry PL McHenry PL McHenry PL McHenry PL State Line PL Seminary PL Seminary PL Seminary PL State Line PL Boyer Mem Lib Stone County Lib Stone County Lib Stone County Lib Stone County Lib Stone County Lib Stone County Lib Stone County Lib Stone County Lib



Mississippi Library Commission

ECUT. Recur. Purchase \$142 \$142 \$4,500 \$127 \$127 \$4,500 \$141 \$127 \$4,500
\$142
\$90 \$127 \$90 \$141
069
\ S \ \
8 g
Moorhead
Sunflower County Inverness Sunflower County Moorhead
Sunflower County Sunflower County Sunflower County Sunflower County

127

56 kbps FRelay access 0 miles

\$3,209

\$1,140

							Z	Network (Note 2	Note 2		Equip (Equip (Opt 1/2/3)
			ţo #	FRelay	SB/	SB Ind	Opt 1/2/3	Option 1	Option 2	Option 3	Opt 1/2/3	Opt 1/2/3
Library	System	City	Loc.	Node	N ON	Mile Mile	e Installation.	Recur.	Recur.	Recur.	Purchase (Notes	hase Maint, (Notes 1 and 3)
Sub-Total					-	_	\$22,500	\$34,174	\$34,995	\$32,645	\$1,125,000	\$7,500
Mississippi Library Commision	nision						\$200	\$1,152	\$1,072	\$1,408		
Total							\$22,700	\$35,326	\$36,067	\$34,053	\$14,500	\$870
Note(s)												
1. Add following additional cost to he Totals above	nal cost to he Totals abo	ve					Installation E	Recur.			Equi	Equipment
a. Option 1: 8 Hq with b. Option 2: 3 T1's ar	Option 1: 8 Hq with 2 - 56 kbps access circuits Option 2: 3 T1's and 2 location w/2 - 56 kbps circuits	cuits ops circuits					\$720 \$210	° 06 80 80			\$8,000	\$40
Option 3:	ional cost.						\$0	\$0			\$0	0\$
 Cost (Installation and F is not included. Use es recurring monthly cost. 	Cost (Installation and Recurring) cost for Independent Company mileage is not included. Use estimate \$500 for inst. and \$125 plus \$1.50/mile for recurring monthly cost.	pendent Comp Id \$125 plus \$1	any mi .50/mi	leage le for								
3. Purchase and Mainter	Purchase and Maintenence (monthly) cost of network equipment is an estimate.	network equipr	nent is	an esti	mate.							
4. Inter-LATA cost (Installation and Recurring) is not included and needs to be added	allation and Recurring) is	not included a	nd nee	ds to be	e adde	ਚਂ						
Inter-cloud Natural Cost		i i i i i i i i i i i i i i i i i i i					Network	ork				
INTER-CIONA INEIWORK COST		Capacity					installation.	Hecur.				
Tupelo to Jackson Tupelo to Greenwood							\$200	\$833				
Tupelo to Meridian Tupelo to Hattiesburg		2 - 56 kbps 1 - T1					\$90 \$200	\$270 \$783				
Tupelo to Memphis (See Note 4 Tupelo to Gulfport (See Note 4)	Note 4) Note 4)	1 - 56 kbps 3 - 56 kbps					\$180 \$270	\$135 \$405				_

Network Connectivity Options

Sub-Total

227

								Ž	Network (Note 2	Note 2		Equip (Equip (Opt 1/2/3)
			- 0 #	FRelay	SB/	SB	- Ju	Opt 1/2/3	Option 1 Option 2 Option 3	Option 2	Option 3	Opt 1/2/3	Opt 1/2/3
Library	System	City	<u>Loc.</u>	Node	Q	Mile	Mile	Installation.	Recur,	Recur.	Recur.	Purchase (Note	nase Maint. (Notes 1 and 3)
56 kbps FRelay access upto 20 miles	pto 20 miles	142			1		\mathbf{I}						
56 kbps FRelay access upto 50 miles	pto 50 miles	147											
56 kbps FRelay access upto 75 miles	pto 75 miles	157											
Per additional PVC		2											
T1 FRelay access 0 miles	S	526											
56 kbps CSU/DSU w/inst.	نب	. 1000											
T1 CSU/DSU w/inst.		2000											
Cisco 2500 w/inst.		3500											
Cisco 4000 w/inst.		10500											
CSU/DSU 56 maintencne (monthly)	e (monthly)	5											
CSU/DSU T1 maintencne (monthly)	e (monthly)	10											
Smartnet cisco 2500 (monthly)	onthly)	25											
Smartnet cisco 4000 (monthly)	onthly)	75											



Mississippi Library Commission CD ROM Tower Specifications

Section 7: Functional Specifications

A: General Description

The MLC desires to purchase a CD-ROM tower which will house and allow access to its collection of CD-ROM databases. The purpose of the tower is to facilitate the use of these databases by MLC employees (through in-house Local Area Networks) and by member libraries throughout the state (through the planned statewide telecommunications network). The tower will be part of both MLC's Novell LANs and the statewide network. The statewide network will operate under TCP/IP and several routers and servers.

It is anticipated that this CD-ROM tower will include a dedicated computer and specialized software to facilitate the access to the CD-ROM discs. Proprietary software for accessing an individual disc will be loaded onto network servers for general use; the client (workstation) software will be standard access software such as a web browser or Novell client programs.

B. Minimum Requirements

The chosen CD-ROM tower unit must conform to the following minimum specifications:

- 1) The tower must be capable of holding and providing online access to a minimum of 50 discs, with access to all 50 possible without any physical loading of the disc after access is requested by the user - that is, the unit should not be a "jukebox". The unit must allow at least 15 simultaneous accesses to any of the discs. A higher number of simultaneous uses is desirable.
- The CD-ROM unit must support TCP/IP protocol (i.e. it must be "routable").
- 3) The unit must include a security system that integrates with Novell directory services or provides equivalent protection to control access to each disc.

C. Upgrade Requirements

1) It is desirable that the tower be expandable to a future capacity of 100 discs through the addition of drive bays or expansion units.

Attachment 5



Mississippi Library Commission **CD ROM Tower Specifications**

D. Options

- 1) It is desirable that the tower be expandable to a future capacity of 100 discs through the addition of drive bays or expansion units.
- The capacity for more than 15 simultaneous accesses (as 2) specified in Section B, item 1, is desired.
- It is highly desirable that the tower's security include 3) the ability to restrict individual disc access to a list This is necessary of given user IDs or IP addresses. because some discs have limited licensing and will be made available only to MLC staff; other discs will be made available to users of the telecommunications network.
- It is highly desirable that the unit's software have the 4) ability to allow web-browser access to proprietary database formats such as Bowker/Reed, EBSCO, and Baker & Taylor.

E. Maintenance

Maintenance must be provided on-site at MLC's offices. Wherever possible, maintenance must be done without removing the entire unit from active service. If a failed unit cannot be restored to service within 8 (eight) hours, or requires service that results in the unit being removed from MLC premises, the vendor must furnish and install a replacement unit for use by MLC.

F. Other Information

G. Selection Criteria

In addition to price and to conformance to the above required and desired functional specifications, prime consideration must be given towards the unit's reliability and the frequency of needed preventative maintenance. Also, the ability to allow web browser access to proprietary disc formats (see section D #4 above) is highly desired.

Section 8: Brand-Specific Requirements

There are no brand-specific requirements for this unit. Among the companies known to sell units such as described in this procurement are:

Attachment 5





Mississippi Library Commission CD ROM Tower Specifications

ProCom Technologies 2181 DuPont Drive Irvine, CA 92715 800-800-8600

SciNet 3255-2 Scott Blvd, Suite 102 Santa Clara, CA 95054 800-653-1010

Ornetix Network Products 1885 Lundy Avenue, Suite 200 San Jose, CA 95131



Attachment 5



U.S. Department of Education

Office of Educational Research and Improvement (OERI) Educational Resources Information Center (ERIC)



REPRODUCTION RELEASE

(Specific Document)

I.	DOC	CUI	MEN	TIC)EN	TIF	ICAT	101	۱:
----	-----	-----	-----	-----	-----	-----	------	-----	----

Title: STATEWIDE DATA NETWORKING PLAN FOR PUBLIC LIBRARIES/SUBMITTED LIBRARY COMMISSION [by] EVANS ASSOCIATES	O TO MISSISSIPPI
Author(s):	
Corporate Source: Mississippi Library Commission	Publication Date: 1996
II. REPRODUCTION RELEASE: In order to disseminate as widely as possible timely and significant materials of interest to the educations in the monthly electric tournal of the FRIC system. Resources in Education (RIF) are usually made available.	

paper copy, and electronic/optical media, and sold through the ERIC Document Reproduction Service (EDRS) or other ERIC vendors. Credit is given to the source of each document, and, if reproduction release is granted, one of the following notices is affixed to the document.

If permission is granted to reproduce and disseminate the identified document, please CHECK ONE of the following two options and sign at the bottom of the page.



Check here For Level 1 Release:

Permitting reproduction in microfiche (4" x 6" film) or other ERIC archival media (e.g., electronic or optical) and paper copy.

The sample sticker shown below will be affixed to all Level 1 documents

PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL HAS BEEN GRANTED BY

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)

The sample sticker shown below will be affixed to all Level 2 documents

PERMISSION TO REPRODUCE AND **DISSEMINATE THIS** MATERIAL IN OTHER THAN PAPER COPY HAS BEEN GRANTED BY

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)



Check here For Level 2 Release: Permitting reproduction in microfiche (4" x 6" film) or other ERIC archival media

(e.g., electronic or optical), but not in paper copy.

Level 1

Level 2

Documents will be processed as indicated provided reproduction quality permits. If permission to reproduce is granted, but neither box is checked, documents will be processed at Level 1.

"I hereby grant to the Educational Resources Information Center (ERIC) nonexclusive permission to reproduce and disseminate this document as indicated above. Reproduction from the ERIC microfiche or electronic/optical media by persons other than ERIC employees and its system contractors requires permission from the copyright holder. Exception is made for non-profit reproduction by libraries and other service agencies to satisfy information needs of educators in response to discrete inquiries."

Sign	
here-	
pleas	E

Signature

Mississippi Library Commission

Printed Name/Position/Title:

mjsmith@mic.lib.ms.us 4-21-9



III. DOCUMENT AVAILABILITY INFORMATION (FROM NON-ERIC SOURCE):

If permission to reproduce is not granted to ERIC, or, if you wish ERIC to cite the availability of the document from another source, please provide the following information regarding the availability of the document. (ERIC will not announce a document unless it is publicly available, and a dependable source can be specified. Contributors should also be aware that ERIC selection criteria are significantly more stringent for documents that cannot be made available through EDRS.)

Address:
Price:
IV. REFERRAL OF ERIC TO COPYRIGHT/REPRODUCTION RIGHTS HOLDER:
If the right to grant reproduction release is held by someone other than the addressee, please provide the appropriate name and address:
Name:
Address:
V. WHERE TO SEND THIS FORM:
Send this form to the following ERIC Clearinghouse:

However, if solicited by the ERIC Facility, or if making an unsolicited contribution to ERIC, return this form (and the document being contributed) to:

ERIC Processing and Reference Facility
1100 West Street, 2d Floor
Laurel, Maryland 20707-3598

Telephone: 301-497-4080
Toll Free: 800-799-3742
FAX: 301-953-0263
e-mail: ericfac@inet.ed.gov
WWW: http://ericfac.piccard.csc.com



Publisher/Distributor: